

Site Information

EPL No: 3637

EPA Website Link: http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637 Licensee: Whitehaven Coal Mining Limited Licensee Address: Boggabri Road, Gunnedah NSW 2380 EPL Monitoring Points: See Figure 1 below Sampling Period: November 2020 Obtained Date: 11 December 2020 Publication Date: 15 December 2020

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m²/month	Continuous	1	18/11/20	11/12/20	-	-	-	4.2
11	PM ₁₀	μg/m³	Every 6 days	5	Various	11/12/20	19.3	29.6	20.4	55.7
12	PM10	μg/m³	Every 6 days	5	Various	11/12/20	13.3	20.3	18.6	32.8
	Conductivity	μs/cm		0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
6	Total Organic Carbon	mg/L	Each overflow	0	-	-	-	-	-	-
6	Total Suspended Solids	mg/L	event	0	-	-	-	-	-	-
	рН	рН		0	-	-	-	-	-	-
	Conductivity	μs/cm		1	3/11/20		-	-	-	1940
	Oil and Grease	mg/L					-	-	-	<5
7	Total Organic Carbon	mg/L	Questado			12/11/20	-	-	-	5
	Total Suspended Solids	mg/L	Quarterly				-	-	-	32
	рН	рН					-	-	-	8.8



EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Ammonia	mg/L	-	0	-	-	-	-	-	-
	Bicarbonate	mg/L					-	-	-	-
	Calcium	mg/L					-	-	-	-
	Chloride	mg/L					-	-	-	-
	Conductivity	μs/cm					-	-	-	-
	Lead	mg/L					-	-	-	-
8	Magnesium	mg/L	Quarterly				-	-	-	-
0	Nitrate	mg/L	Quarterly				-	-	-	-
	Potassium	mg/L					-	-	-	-
	Sodium	mg/L					-	-	-	-
	Standing Water Level	m					-	-	-	-
	Sulphate	mg/L					-	-	-	-
	рН	рΗ					-	-	-	-
	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L					-	-	-	-
	Calcium	mg/L					-	-	-	-
9	Chloride	mg/L					-	-	-	-
	Conductivity	μs/cm					-	-	-	-
	Lead	mg/L					-	-	-	-
	Magnesium	mg/L					-	-	-	-
	Nitrate	mg/L					-	-	-	-

 Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)



EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Potassium	mg/L					-	-	-	-
	Sodium	mg/L					-	-	-	-
	Standing Water Level	m					-	-	-	-
	Sulphate	mg/L					-	-	-	-
	рН	рН					-	-	-	-
	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
l	Bicarbonate	mg/L					-	-	-	-
	Calcium	mg/L					-	-	-	-
	Chloride	mg/L					-	-	-	-
	Conductivity	µs/cm					-	-	-	-
	Lead	mg/L					-	-	-	-
10	Magnesium	mg/L					-	-	-	-
10	Nitrate	mg/L					-	-	-	-
	Potassium	mg/L					-	-	-	-
	Sodium	mg/L					-	-	-	-
	Standing Water Level	m					-	-	-	-
	Sulphate	mg/L					-	-	-	-
	рН	рН					-	-	-	-



Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID		Measurement	Measured levels – CHPP – dB(A)		Limit(s)-	Wind speed		(Potential) Non-
	Date	Period	L _{A1} , 1 minute	L _{Aeq} , 15 minute	dB(A)	(m/s)	Observations	compliance /breach
	2/11/20	15 mins day	-	N/M	35	5.1		
N1		15 mins evening	-	N/M	35	4.6	Dozer operations barely audible, wind noise	No
NI		15 mins night	-	N/M	35	4.6	Dozer operations barely addible, which hoise	No
		1 min night	N/M	-	45	4.6		

Notes:

dB(A): The overall level of a sound is usually expressed in terms of dBA, which is measured using a sound level meter with an "A-weighting" filter. This is an electronic filter having a frequency response

corresponding approximately to that of human hearing.

L_{Aeq}, **15** *minute:* The A-weighted equivalent noise level (basically the average noise level). It is defined as the steady sound level that contains the same amount of acoustical energy as the corresponding time-varying sound, in this instance over a period of 15 minutes.

*L*_{A1}, **1** *minute*: The noise level exceeded for 1% of the 15 minute interval.

I/A: When site noise is noted as inaudible (I/A), no site noise was audible at the monitoring location.

Not Measurable (NM): indicates that some site noise was audible, but indeterminate due to one of the following reasons:

• site noise levels were insignificant and unlikely, in many cases, to be even noticed; or

• site noise levels were masked by another relatively loud noise source, but were estimated to be less than LAeq 30 dB, which is insignificant in terms of any applicable criterion.



(Kendo) **Gunnedah CHPP EPL Monitorin Locatons** 500 m

Figure 1 – EPL 3637 Monitoring Locations