



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: January 2015

Publication Date: 21st April 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	1	16/1/15	30/1/15	-	-	-	3.3
5	Solid Particles	g/m ² /month	Continuous	1	16/1/15	30/1/15	-	-	-	30.6
	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/2/15	7.3	8.9	8.2	12.6
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/2/15	8.7	11.1	10.5	13.6
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/2/15	7.4	12.1	14.3	16.4
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 2 – Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L		0	-	-	-	-	-	-
	Calcium	mg/L		0	-	-	-	-	-	-
	Chloride	mg/L		0	-	-	-	-	-	-
	Conductivity	µs/cm		0	-	-	-	-	-	-
	Lead	mg/L		0	-	-	-	-	-	-
	Magnesium	mg/L		0	-	-	-	-	-	-
	Nitrate	mg/L		0	-	-	-	-	-	-
	Potassium	mg/L		0	-	-	-	-	-	-
	Sodium	mg/L		0	-	-	-	-	-	-
	Standing Water Level	m		0	-	-	-	-	-	-
	Sulphate	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
9	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L		0	-	-	-	-	-	-
	Calcium	mg/L		0	-	-	-	-	-	-
	Chloride	mg/L		0	-	-	-	-	-	-
	Conductivity	µs/cm		0	-	-	-	-	-	-
	Lead	mg/L		0	-	-	-	-	-	-
	Magnesium	mg/L		0	-	-	-	-	-	-
	Nitrate	mg/L		0	-	-	-	-	-	-
	Potassium	mg/L		0	-	-	-	-	-	-
	Sodium	mg/L		0	-	-	-	-	-	-
	Standing Water Level	m		0	-	-	-	-	-	-
	Sulphate	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Bicarbonate	mg/L		0	-	-	-	-	-	-
	Calcium	mg/L		0	-	-	-	-	-	-
	Chloride	mg/L		0	-	-	-	-	-	-
	Conductivity	µs/cm		0	-	-	-	-	-	-
	Lead	mg/L		0	-	-	-	-	-	-
	Magnesium	mg/L		0	-	-	-	-	-	-
	Nitrate	mg/L		0	-	-	-	-	-	-
	Potassium	mg/L		0	-	-	-	-	-	-
	Sodium	mg/L		0	-	-	-	-	-	-
	Standing Water Level	m		0	-	-	-	-	-	-
	Sulphate	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential Non-compliance /breach)
				L _{A1,1} Minute	L _{Aeq,15} Minute				
N1	12/1/15	3:43pm	15 min	Inaudible	-	35	3.1m/s ESE	Birds (42), wind (40), traffic (37),	No
	12/1/15	9:35pm	15 min	26	-	35	4.5m/s SE	Wind (41), frogs & insects (34), traffic (28)	
	12/1/15	10:02pm	15 min	25	-	35	4.0m/s ESE	Wind (45), frogs & insects (32), traffic (25)	
	12/1/15	10:02pm	15 min	-	30	45	4.0m/s ESE	-	



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: February 2015

Publication Date: 21st April 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	1	16/2/15	23/2/15	-	-	-	4.5
5	Solid Particles	g/m ² /month	Continuous	1	16/2/15	23/2/15	-	-	-	30.2
	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/3/15	5.9	10.8	11.4	15.5
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/3/15	5.8	11.6	13.6	16.4
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/3/15	5.1	8.5	7.8	12.1
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	1	12/2/15	23/2/15	-	-	-	1430
	Oil and Grease	mg/L		1	12/2/15	23/2/15	-	-	-	<5
	Total Organic Carbon	mg/L		1	12/2/15	23/2/15	-	-	-	6
	Total Suspended Solids	mg/L		1	12/2/15	23/2/15	-	-	-	21
	pH	pH		1	12/2/15	23/2/15	-	-	-	8.61



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 2 – Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L		0	-	-	-	-	-	-
	Calcium	mg/L		0	-	-	-	-	-	-
	Chloride	mg/L		0	-	-	-	-	-	-
	Conductivity	µs/cm		0	-	-	-	-	-	-
	Lead	mg/L		0	-	-	-	-	-	-
	Magnesium	mg/L		0	-	-	-	-	-	-
	Nitrate	mg/L		0	-	-	-	-	-	-
	Potassium	mg/L		0	-	-	-	-	-	-
	Sodium	mg/L		0	-	-	-	-	-	-
	Standing Water Level	m		0	-	-	-	-	-	-
	Sulphate	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
9	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L		0	-	-	-	-	-	-
	Calcium	mg/L		0	-	-	-	-	-	-
	Chloride	mg/L		0	-	-	-	-	-	-
	Conductivity	µs/cm		0	-	-	-	-	-	-
	Lead	mg/L		0	-	-	-	-	-	-
	Magnesium	mg/L		0	-	-	-	-	-	-
	Nitrate	mg/L		0	-	-	-	-	-	-
	Potassium	mg/L		0	-	-	-	-	-	-
	Sodium	mg/L		0	-	-	-	-	-	-
	Standing Water Level	m		0	-	-	-	-	-	-
	Sulphate	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Bicarbonate	mg/L		0	-	-	-	-	-	-
	Calcium	mg/L		0	-	-	-	-	-	-
	Chloride	mg/L		0	-	-	-	-	-	-
	Conductivity	µs/cm		0	-	-	-	-	-	-
	Lead	mg/L		0	-	-	-	-	-	-
	Magnesium	mg/L		0	-	-	-	-	-	-
	Nitrate	mg/L		0	-	-	-	-	-	-
	Potassium	mg/L		0	-	-	-	-	-	-
	Sodium	mg/L		0	-	-	-	-	-	-
	Standing Water Level	m		0	-	-	-	-	-	-
	Sulphate	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1,1} Minute	L _{Aeq,15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	



WHITEHAVEN COAL

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: March 2015

Publication Date: 21st April 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	1	17/3/15	25/3/15	-	-	-	1.0
5	Solid Particles	g/m ² /month	Continuous	1	17/3/15	25/3/15	-	-	-	42.0
	PM ₁₀	µg/m ³	Every 6 days	4	Various	13/4/15	12.8	21.6	21.7	30.3
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	13/4/15	14.0	26.6	31.8	40.8
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	13/4/15	12.6	22.5	19.1	39.1
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 2 – Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	1	4/3/15	19/3/15	-	-	-	0.02
	Bicarbonate	mg/L		1	4/3/15	19/3/15	-	-	-	1350
	Calcium	mg/L		1	4/3/15	19/3/15	-	-	-	25
	Chloride	mg/L		1	4/3/15	19/3/15	-	-	-	1380
	Conductivity	µs/cm		1	4/3/15	19/3/15	-	-	-	7440
	Lead	mg/L		1	4/3/15	19/3/15	-	-	-	0.002
	Magnesium	mg/L		1	4/3/15	19/3/15	-	-	-	94
	Nitrate	mg/L		1	4/3/15	19/3/15	-	-	-	0.43
	Potassium	mg/L		1	4/3/15	19/3/15	-	-	-	24
	Sodium	mg/L		1	4/3/15	19/3/15	-	-	-	1460
	Standing Water Level	m		1	4/3/15	19/3/15	-	-	-	6.92
	Sulphate	mg/L		1	4/3/15	19/3/15	-	-	-	671
	pH	pH		1	4/3/15	19/3/15	-	-	-	8.35
9	Ammonia	mg/L	Quarterly	1	4/3/15	19/3/15	-	-	-	0.11
	Bicarbonate	mg/L		1	4/3/15	19/3/15	-	-	-	850
	Calcium	mg/L		1	4/3/15	19/3/15	-	-	-	217
	Chloride	mg/L		1	4/3/15	19/3/15	-	-	-	1200
	Conductivity	µs/cm		1	4/3/15	19/3/15	-	-	-	6060
	Lead	mg/L		1	4/3/15	19/3/15	-	-	-	<0.001
	Magnesium	mg/L		1	4/3/15	19/3/15	-	-	-	215
	Nitrate	mg/L		1	4/3/15	19/3/15	-	-	-	0.25
	Potassium	mg/L		1	4/3/15	19/3/15	-	-	-	115
	Sodium	mg/L		1	4/3/15	19/3/15	-	-	-	713
	Standing Water Level	m		1	4/3/15	19/3/15	-	-	-	0.98
	Sulphate	mg/L		1	4/3/15	19/3/15	-	-	-	762
	pH	pH		1	4/3/15	19/3/15	-	-	-	7.7
10	Ammonia	mg/L	Quarterly	1	4/3/15	19/3/15	-	-	-	0.04



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Bicarbonate	mg/L		1	4/3/15	19/3/15	-	-	-	711
	Calcium	mg/L		1	4/3/15	19/3/15	-	-	-	176
	Chloride	mg/L		1	4/3/15	19/3/15	-	-	-	1470
	Conductivity	µs/cm		1	4/3/15	19/3/15	-	-	-	5970
	Lead	mg/L		1	4/3/15	19/3/15	-	-	-	<0.001
	Magnesium	mg/L		1	4/3/15	19/3/15	-	-	-	196
	Nitrate	mg/L		1	4/3/15	19/3/15	-	-	-	14.3
	Potassium	mg/L		1	4/3/15	19/3/15	-	-	-	72
	Sodium	mg/L		1	4/3/15	19/3/15	-	-	-	724
	Standing Water Level	m		1	4/3/15	19/3/15	-	-	-	1.12
	Sulphate	mg/L		1	4/3/15	19/3/15	-	-	-	297
	pH	pH		1	4/3/15	19/3/15	-	-	-	7.67

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1,1} Minute	L _{Aeq,15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: April 2015

Publication Date: 18th May 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	Various	17/04/2015	28/04/2015	-	-	-	4.3
5	Solid Particles	g/m ² /month	Continuous	Various	17/04/2015	28/04/2015	-	-	-	16.0
	PM ₁₀	µg/m ³	Every 6 days	5	Various	12/05/2015	2.8	21.42	6.1	62.7
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	12/05/2015	3.6	8.38	4.8	23.0
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	12/05/2015	4.0	13.1	8.4	38.6
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-

Table 2 – Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: May 2015

Publication Date: 19/06/2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	Various	20/05/2015	25/05/2015	-	-	-	1.3
5	Solid Particles	g/m ² /month	Continuous	Various	20/05/2015	25/05/2015	-	-	-	6.0
	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	5.3	15.6	10.3	28.7
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	6.9	12.74	10.3	20.7
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	7.4	12.34	7.6	21.1
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	1	05/05/2015	12/05/2015	-	-	-	2190
	Oil and Grease	mg/L		1	05/05/2015	12/05/2015	-	-	-	<5



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Total Organic Carbon	mg/L		1	05/05/2015	12/05/2015	-	-	-	<1
	Total Suspended Solids	mg/L		1	05/05/2015	12/05/2015	-	-	-	16
	pH	pH		1	05/05/2015	12/05/2015	-	-	-	8.47

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-	-	
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: June 2015

Publication Date: 21st July 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	Various	17/06/2015	23/06/2015	-	-	-	0.7
5	Solid Particles	g/m ² /month	Continuous	Various	17/06/2015	23/06/2015	-	-	-	6.1
	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	5.3	15.6	10.3	28.7
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	6.9	12.74	10.3	20.7
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	7.4	12.34	7.6	21.1
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	-	-	-	-	-	-	-
	Oil and Grease	mg/L		-	-	-	-	-	-	-
	Total Organic Carbon	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Total Suspended Solids	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1,1} Minute	L _{Aeq,15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: July 2015

Publication Date: 13/08/2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	Various	16-07-15	22-07-15	-	-	-	2.9
5	Solid Particles	g/m ² /month	Continuous	Various	16-07-15	22-07-15	-	-	-	3.2
	PM ₁₀	µg/m ³	Every 6 days	5	Various	13-08-15	2.7	8.7	8.3	16.0
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	13-08-15	2.3	7.3	6.9	13.6
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	13-08-15	3.7	7.74	7.6	13.2
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	-	-	-	-	-	-	-
	Oil and Grease	mg/L		-	-	-	-	-	-	-
	Total Organic Carbon	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Total Suspended Solids	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: August 2015

Publication Date: 21st September 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	Various	17-08-15	20-08-15	-	-	-	1.0
5	Solid Particles	g/m ² /month	Continuous	Various	17-08-15	20-08-15	-	-	-	1.7
	PM ₁₀	µg/m ³	Every 6 days	5	Various	4-09-15	7.6	22.9	15.4	45.7
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	4-09-15	8.6	16.9	14.2	30.6
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	4-09-15	8.8	12.9	10.7	22.4
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	1	12-08-15	19-08-15	-	-	-	2650
	Oil and Grease	mg/L		1	12-08-15	19-08-15	-	-	-	<5
	Total Organic Carbon	mg/L		1	12-08-15	19-08-15	-	-	-	3



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Total Suspended Solids	mg/L		1	12-08-15	19-08-15	-	-	-	9
	pH	pH		1	12-08-15	19-08-15	-	-	-	8.5

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1,1} Minute	L _{Aeq,15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: September 2015

Publication Date: October 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	Various	16-09-15	25-09-15	-	-	-	2.1
5	Solid Particles	g/m ² /month	Continuous	Various	16-09-15	25-09-15	-	-	-	3.4
	PM ₁₀	µg/m ³	Every 6 days	5	Various	13-10-15	7.1	13.1	10.7	21.3
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	13-10-15	19.6	21.1	20.2	23.5
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	13-10-15	8.2	13.3	14.4	19.1
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-



WHITEHAVEN COAL

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	pH	pH		0	-	-	-	-	-	-

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: October 2015

Publication Date: 10th November 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	1	16-10-15	22-10-15	-	-	-	0.6
5	Solid Particles	g/m ² /month	Continuous	1	16-10-15	22-10-15	-	-	-	NA
	PM ₁₀	µg/m ³	Every 6 days	5	Various	09-10-15	12.9	22.2	16.5	34.8
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	09-10-15	12.6	20.8	15.7	33.8
12	PM ₁₀	µg/m ³	Every 6 days	NA	-	-	NA	NA	NA	NA
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-



WHITEHAVEN COAL

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	pH	pH		0	-	-	-	-	-	-

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: November 2015

Publication Date: 17 December 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	1	17-11-2015	23-11-2015	-	-	-	1.5
5	Solid Particles	g/m ² /month	Continuous	0	-	-	-	-	-	-
	PM ₁₀	µg/m ³	Every 6 days	5	Various	9-12-2015	10.0	23.9	17.5	45.1
11	PM ₁₀	µg/m ³	Every 6 days	0	-	-	-	-	-	-
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	9-12-2015	15.5	20.7	17.3	29.0
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	1	18-11-15	26-11-15	-	-	-	2350
	Oil and Grease	mg/L		1	18-11-15	26-11-15	-	-	-	<5
	Total Organic Carbon	mg/L		1	18-11-15	26-11-15	-	-	-	4
	Total Suspended Solids	mg/L		1	18-11-15	26-11-15	-	-	-	5



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	pH	pH		1	18-11-15	26-11-15	-	-	-	9.10

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	28-10-15	3:20pm	15 min	-	22	35	2.6m/s, 145	-	No
	28-10-15	9:40pm	15 min	-	inaudible	35	3m/s, 91	-	
	29-10-15	6:29am	15 min	-	29	35	1.8m/s, 122	-	
	29-10-15	6:29am	1 min	34	-	45	1.8m/s, 122	-	

Note: Noise monitoring undertaken in October

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations





WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: December 2015

Publication Date: 14 January 2016

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	1	16/12/15	29/12/15	-	-	-	0.4
5	Solid Particles	g/m ² /month	Continuous	0	-	-	-	-	-	-
	PM ₁₀	µg/m ³	Every 6 days	6	Various	11/01/16	4.0	24.6	20.3	61.0
11	PM ₁₀	µg/m ³	Every 6 days	0	-	-	-	-	-	-
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	11/01/16	8.0	18.56	17.2	32.9
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	pH	pH		0	-	-	-	-	-	-

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	1	16/12/15	24/12/15	-	-	-	0.05
	Bicarbonate	mg/L		1	16/12/15	24/12/15	-	-	-	1320
	Calcium	mg/L		1	16/12/15	24/12/15	-	-	-	37
	Chloride	mg/L		1	16/12/15	24/12/15	-	-	-	1330
	Conductivity	µs/cm		1	16/12/15	24/12/15	-	-	-	7610
	Lead	mg/L		1	16/12/15	24/12/15	-	-	-	0.012
	Magnesium	mg/L		1	16/12/15	24/12/15	-	-	-	120
	Nitrate	mg/L		1	16/12/15	24/12/15	-	-	-	1.65
	Potassium	mg/L		1	16/12/15	24/12/15	-	-	-	21
	Sodium	mg/L		1	16/12/15	24/12/15	-	-	-	1560
	Standing Water Level	m		1	16/12/15	24/12/15	-	-	-	8.09
	Sulphate	mg/L		1	16/12/15	24/12/15	-	-	-	785
pH	pH	1	16/12/15	24/12/15	-	-	-	8.34		
9	Ammonia	mg/L	Quarterly	1	16/12/15	24/12/15	-	-	-	0.29
	Bicarbonate	mg/L		1	16/12/15	24/12/15	-	-	-	893
	Calcium	mg/L		1	16/12/15	24/12/15	-	-	-	259
	Chloride	mg/L		1	16/12/15	24/12/15	-	-	-	1170



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
10	Conductivity	µs/cm	Quarterly	1	16/12/15	24/12/15	-	-	-	6200
	Lead	mg/L		1	16/12/15	24/12/15	-	-	-	0.004
	Magnesium	mg/L		1	16/12/15	24/12/15	-	-	-	240
	Nitrate	mg/L		1	16/12/15	24/12/15	-	-	-	0.50
	Potassium	mg/L		1	16/12/15	24/12/15	-	-	-	118
	Sodium	mg/L		1	16/12/15	24/12/15	-	-	-	709
	Standing Water Level	m		1	16/12/15	24/12/15	-	-	-	1.82
	Sulphate	mg/L		1	16/12/15	24/12/15	-	-	-	850
	pH	pH		1	16/12/15	24/12/15	-	-	-	7.44
	Ammonia	mg/L	Quarterly	1	16/12/15	24/12/15	-	-	-	0.05
	Bicarbonate	mg/L		1	16/12/15	24/12/15	-	-	-	720
	Calcium	mg/L		1	16/12/15	24/12/15	-	-	-	217
	Chloride	mg/L		1	16/12/15	24/12/15	-	-	-	1420
	Conductivity	µs/cm		1	16/12/15	24/12/15	-	-	-	6050
	Lead	mg/L		1	16/12/15	24/12/15	-	-	-	<0.001
	Magnesium	mg/L		1	16/12/15	24/12/15	-	-	-	232
	Nitrate	mg/L		1	16/12/15	24/12/15	-	-	-	14.8
	Potassium	mg/L		1	16/12/15	24/12/15	-	-	-	63
	Sodium	mg/L		1	16/12/15	24/12/15	-	-	-	738
Standing Water Level	m	1	16/12/15	24/12/15	-	-	-	1.18		
Sulphate	mg/L	1	16/12/15	24/12/15	-	-	-	283		
pH	pH	1	16/12/15	24/12/15	-	-	-	7.57		



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations

