

MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: Hyperlink to Maules Creek Coal, Environment Protection Licence

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: September 2025 Obtained Date: 15th October 2025 Publication Date: 16th October 2025

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 2nd August 2022 by the

NSW Environment Protection Authority (EPA).



Monthly Monitoring Summary

Ground Water Monitoring

Table 1 - Groundwater Quality Monitoring

| ID EPL (Bore) | Parameters | Units | Frequency | Samples | Date | Laboratory Results Received | Min | Mean | Max / Only Value |
|------------------|--------------|-------|-----------|---------|------------|--------------------------------|-----|------|---------------------|
| 4.5 | рН | рН | | 0 | 23/09/2025 | 15/10/2025 | Dry | | |
| 15 (DCM 401) | Conductivity | μs/cm | Quarterly | | | | | | |
| (BCM01) | TDS | mg/L | | | | | | | |
| | рН | рН | | 0 | 18/09/2025 | 15/10/2025 | Dry | | |
| 16 | Conductivity | μs/cm | Quarterly | | | | | | |
| (BCM03) | TDS | mg/L | | | | | | | |
| 17 | рН | рН | | | 23/09/2025 | 15/10/2025 | Dry | | |
| 17 (DEC(10A) | Conductivity | μs/cm | Quarterly | 0 | | | | | |
| (REG10A) | TDS | mg/L | | | | | | | |
| 24 | рН | рН | | 1 | 23/09/2025 | | | | 7.68 |
| 24 (RB05A) | Conductivity | μs/cm | Quarterly | | | 15/10/2025 | | | 1750 |
| | TDS | mg/L | 1 | | | | | | 1140 |



Surface Water Monitoring

Table 2 - Surface Water Monitoring - Mine Void

| ID EPL (Site) | Parameter | Units | Frequency | Samples | Date | Laboratory Results Received | Min | Mean | Max / Only Value |
|------------------|--------------|-------|-----------|-----------|------------|--------------------------------|-----|------|---------------------|
| | TSS | mg/L | | Every 2 1 | 16/09/2025 | 15/10/2025 | | | <5 |
| 12 | Conductivity | μs/cm | Every 2 | | | | | | 1240 |
| (Mine Void) | Oil & Grease | mg/L | months | | | | | | <5 |
| | рН | рН | | | | | | | 8.19 |

^{*}report amended on 17/04/2024 to include mine void monitoring results

Table 3 - Wet Weather Discharge - Surface Water Monitoring

| ID EPL (Site) | Parameter | Units | Frequency | Samples | Date | Laboratory Results Received | Min Value | Mean Value | Median Value | Max / Only Value |
|------------------|-------------------------|-------|----------------------------------|------------------------------------------------------------|------|-----------------------------------|--------------|---------------|-----------------|------------------|
| | Conductivity | μs/cm | | | | | | | | |
| | Nitrate | mg/L | | | | | | | | |
| 3 (SD3) | Nitrogen (total) | mg/L | Special | | | | | | | |
| | Oil & Grease | mg/L | Frequency 1 - within 12 hours | | | | | | | |
| | рН | рН | of discharge | | | | | | | |
| | Phosphorous | mg/L | from EPL 3 or 36. | | | | | | | |
| | Reactive Phosphorous | mg/L | | | | | | | | |
| | TSS | mg/L | | | | | | | | |
| | Conductivity | μs/cm | | No discharge occurred at these locations in September 2025 | | | | | | |
| | Nitrate | mg/L | | | | | | | | |
| | Nitrogen (total) | mg/L | | | | | | | | |
| | Oil & Grease | mg/L | Special | | | | | | | |
| 36 | рН | рН | Frequency 1 - within 12 hours | | | | | | | |
| (SD12) | Phosphorous | mg/L | of discharge | | | | | | | |
| | Reactive | mg/L | from EPL 3 or 36 | | | | | | | |
| | Phosphorous | | | | | | | | | |
| | TSS | mg/L | | | | | | | | |
| | Conductivity | μs/cm | | | | | | | | |



Table 4 - Clean Water Discharge - Surface Water Monitoring

| ID EPL (Site) | Parameter | Units | Frequency | Samples | Date | Laboratory Results Received | Min Value | Mean Value | Median Value | Max / Only Value |
|--------------------------------------------|-------------------------|-------|-------------------------------------------------|---------|------|-----------------------------------|---------------------|--------------------|-----------------|---------------------|
| | Conductivity | μs/cm | | | | | | | | |
| | Nitrate | mg/L | Special | | | | | | | |
| 38 | Nitrogen (total) | mg/L | Frequency 3 - | | | | | | | |
| (Flow Meter | Oil & Grease | mg/L | within 12 | | | | | | | |
| Upstream) | рН | рН | hours of | | | | | | | |
| орзасат | Phosphorous | mg/L | discharge from | | | | | | | |
| | Reactive Phosphorous | mg/L | any discharge location. | | | | | | | |
| | TSS | mg/L | | | | | | | | |
| | Conductivity | μs/cm | - Special - Frequency 3 - | | | | | | | |
| | Nitrate | mg/L | | | | | | | | |
| 39 Oil a (Flow Meter downstream) Pho | Nitrogen (total) | mg/L | | | | | | | | |
| | Oil & Grease | mg/L | within 12 | | | | | | | |
| | рН | рН | hours of discharge from any discharge location. | | | | | | | |
| | Phosphorous | mg/L | | | | | | | | |
| | Reactive Phosphorous | mg/L | | | N | o discharge occurred | d at these location | us in Santamhar 20 | 25 | |
| | TSS | mg/L | | | 140 | discharge occurred | a at these location | is in September 20 | 25 | |
| | TSS | mg/L | | | | | | | | |
| 40 | Conductivity | μs/cm | Special Frequency 2 – | | | | | | | |
| (HWD8) | Oil & Grease | mg/L | prior to discharging | | | | | | | |
| | рН | рН | from EPL 45 and/or 46 or | | | | | | | |
| | TSS | mg/L | within 12hours of discharge caused by | | | | | | | |
| 41 | Conductivity | μs/cm | 38.4mm in a 5 Day consecutive period | | | | | | | |
| (HWD9) | Oil & Grease | mg/L | | | | | | | | |
| | рН | рН | | | | | | | | |



| 42 (HWD10) | TSS | mg/L | | |
|---------------|--------------|-------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| | Conductivity | μs/cm | | |
| | Oil & Grease | mg/L | | |
| | рН | рН | Special Frequency 2 – | |
| 43 | TSS | mg/L | prior to discharging from EPL 45 | |
| | Conductivity | μs/cm | and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive | No discharge occurred at these locations in September 2025 |
| (HWD11) | Oil & Grease | mg/L | | |
| | рН | рН | | |
| | TSS | mg/L | period | |
| 44 | Conductivity | μs/cm | | |
| (WCWD) | Oil & Grease | mg/L | | |
| | рН | рН | | |



Noise Monitoring

Table 6 – Noise Monitoring (Attended – Measured)

| MCC ID | Date | Start Time | Wind Speed (m/s) | MCCP LAeq _{15min} dB | Limit L _{Aeq} _{15min} (dB) Operations Criteria | MCCP LAeq _{1min} dB | Limit L _{A1 (1 min)} (dB) Operations Criteria | Weather Rain (mm) | Exceedance (Yes / No) |
|--------|------------|---------------|---------------------|-------------------------------------|-------------------------------------------------------------------|------------------------------------|----------------------------------------------------------|----------------------|--------------------------|
| NM1 | 08/09/2025 | 22:45 | 0.5 | <20 | 35 | <20 | 45 | 0.0 | No |
| NM2 | 08/09/2025 | 23:34 | 0.7 | <20 | 39 | <20 | 45 | 0.0 | No |
| NM3 | 08/09/2025 | 23:20 | 0.7 | IA | 35 | IA | 45 | 0.0 | No |
| NM4 | 08/09/2025 | 23:09 | 0.8 | <20 | 35 | 20 | 45 | 0.0 | No |
| NM5 | 08/09/2025 | 22:15 | 0.9 | 24 | 35 | 30 | 45 | 0.0 | No |
| NM6 | 08/09/2025 | 23:59 | 0.7 | IA | 35 | IA | 45 | 0.0 | No |

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 7 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.

Blast Monitoring

Table 8 – Blast Monitoring (Blasts – Limits Apply)

| Location | Parameter | Units | Frequency | Number | Average | Max | 100% Limit | Exceedance (Yes / No) |
|------------|--------------|---------------|-----------|--------|---------|-------|------------|--------------------------|
| Operations | Overpressure | Db (Lin Peak) | ΔII | 9 | 90.79 | 106.1 | 120 | No |
| Blasts | Vibration | mm/s | All | 9 | 0.10 | 0.30 | 10 | No |

Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).



Air Quality Monitoring

Table 9 – PM_{10} (Limits Apply)

| ID EPL (Site) | Sample period | Unit | Parameter | Rolling Annual Average | NEPM Annual Criteria | Exceedance (Yes / No) |
|------------------|------------------|-------------|------------------|------------------------------|----------------------------|--------------------------|
| 18 (TEOM1) | Continuous | μg/m³ month | PM ₁₀ | 9.4 | 30 | No |
| 37 (TEOM3) | Continuous | μg/m³ month | PM ₁₀ | 12.3 | 30 | No |
| 19 (HVAS) | 5 days | μg/m³ | PM ₁₀ | 12.3 | 30 | No |

Table 10 – Depositional Dust (Limits Apply)

| ID EPL (Site) | Sample period | Particulates Deposited Matter | Rolling Annual Average Insoluble Solids | Criteria | Exceedance (Yes / No) |
|------------------|------------------|-------------------------------------|-----------------------------------------------------|----------|--------------------------|
| 20 (DDG1/MC1) | Monthly | g/m² month | 2.7 | 4 | No |
| 21 (DDG2/MC2) | Monthly | g/m² month | 2.2 | 4 | No |
| 22 (DDG3/MC3) | Monthly | g/m² month | 1.9 | 4 | No |
| 23 (DDG4/MC4) | Monthly | g/m² month | 1.2 | 4 | No |



Figure 1 – EPL 20221 Monitoring Location



EPL 20221 Monitoring Locations - 06/12/2023

EPL Monitoring Locations

MCCM Project Boundary MOD 9

Scale: 1:33,944,857,333 Author: EGibson

Date created: 18/03/201

Spatial Reference Name: WGS 1984 Web Mercator Auxiliary



Maules Creek Coal