



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: January 2022

Obtained Date: 15 February 2022

Publication Date: 21 February 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 7th March 2018 by the NSW Environment Protection Authority (EPA).

Monthly Monitoring Summary

Table 1 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
7 (SD7)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
9 (SD9)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
36 (SD12)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								

No discharge at these locations this month.

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	14/01/2022	YES			10
	Conductivity	µs/cm							1100
	Oil & Grease	mg/L							<5
	pH	pH							8.15

Table 3 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value															
15 (BCM01)	pH	pH	Quarterly	0																				
	Conductivity	µs/cm																						
	TDS	mg/L																						
16 (BCM03)	pH	pH	Quarterly	0																				
	Conductivity	µs/cm																						
	TDS	mg/L																						
17 (REG10A)	pH	pH	Quarterly	0																				
	Conductivity	µs/cm																						
	TDS	mg/L																						
24 (RB05A)	pH	pH	Quarterly	0																				
	Conductivity	µs/cm																						
	TDS	mg/L																						

Next sample March 2022

Table 4 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	10/01/22	22:30	2.7	<20	35	<20	45	0.0	No
NM2	10/01/22	23:30	3.9	<20	39	<20	45	0.0	No
NM3	10/01/22	23:40	4.0	IA	35	IA	45	0.0	No
NM4	10/01/22	23:00	2.8	<20	35	20	45	0.0	No
NM5	10/01/22	22:00	2.1	IA	35	IA	45	0.0	No
NM6	10/01/22	23:56	3.8	IA	35	IA	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 5 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore no further assessment of low frequency noise was required to be undertaken.

Table 6 – Blast Monitoring (Blasts - Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	12	92.5	105.1	120	No
	Vibration	mm/s		12	0.25	1.75	10	No


Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Table 7 – Dust Monitoring (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	6.2	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	9.3	30	No

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.5	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	2.0	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.6	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.4	4	No

Figure 1 - EPL 20221 Monitoring Locations





MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: February 2022

Obtained Date: 17 March 2022

Publication Date: 21 March 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 7th March 2018 by the NSW Environment Protection Authority (EPA).

Monthly Monitoring Summary

Table 1 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	TSS	mg/L	Special Frequency Discharge only	No discharge at these locations this month.						
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
7 (SD7)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
9 (SD9)	TSS	mg/L	Special Frequency Discharge only	1	25/02/2022	7/03/2022	NA	NA	NA	129
	Conductivity	µs/cm								1220
	Oil & Grease	mg/L								<5
	pH	pH								8.02
36 (SD12)	TSS	mg/L	Special Frequency Discharge only	No discharge at these locations this month.						
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	0	Reporting due during March 2022 reporting period.				
	Conductivity	µs/cm							
	Oil & Grease	mg/L							
	pH	pH							

Table 3 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value															
15 (BCM01)	pH	pH	Quarterly	0	Next sample March 2022																			
	Conductivity	µs/cm																						
	TDS	mg/L																						
16 (BCM03)	pH	pH	Quarterly	0						Next sample March 2022														
	Conductivity	µs/cm																						
	TDS	mg/L																						
17 (REG10A)	pH	pH	Quarterly	0											Next sample March 2022									
	Conductivity	µs/cm																						
	TDS	mg/L																						
24 (RB05A)	pH	pH	Quarterly	0																Next sample March 2022				
	Conductivity	µs/cm																						
	TDS	mg/L																						

Table 4 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	8/02/2022	22:45	0.3	<25	35	<25	45	0.0	No
NM2	8/02/2022	23:15	0.5	<25	39	<25	45	0.0	No
NM3	9/02/2022	00:05	0.6	IA	35	IA	45	0.0	No
NM4	8/02/2022	23:45	0.1	<20	35	<20	45	0.0	No
NM5	8/02/2022	22:00	0.5	25	35	28	45	0.0	No
NM6	8/02/2022	00:09	0.8	<20	35	<20	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 5 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore no further assessment of low frequency noise was required to be undertaken.

Table 6 – Blast Monitoring (Blasts - Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	10	96.6	113.2	120	No
	Vibration	mm/s		10	0.19	0.58	10	No


Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Table 7 – Dust Monitoring (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	6.0	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	9.5	30	No

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.5	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	1.7	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.5	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.3	4	No

Figure 1 - EPL 20221 Monitoring Locations





MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: March 2022

Obtained Date: 14th April 2022

Publication Date: 21st April 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 7th March 2018 by the NSW Environment Protection Authority (EPA).

Monthly Monitoring Summary

Table 1 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
36 (SD12)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								

No discharge at these locations this month

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	15/03/2022	Yes			25
	Conductivity	µs/cm							1110
	Oil & Grease	mg/L							<5
	pH	pH							8.26

Table 3 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	0					Dry – Next sample in June 2022
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly	0					Dry – Next sample in June 2022
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly	0					Dry – Next sample in June 2022
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly	1	18/03/22	Yes			7.51
	Conductivity	µs/cm							1810
	TDS	mg/L							1070

Table 4 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	7/03/2022	22:30	0.3	20	35	25	45	0.0	No
NM2	7/03/2022	23:30	0.6	25	39	40	45	0.0	No
NM3	7/03/2022	23:33	0.7	IA	35	IA	45	0.0	No
NM4	7/03/2022	23:00	0.6	<20	35	<20	45	0.0	No
NM5	7/03/2022	22:00	1.0	IA	35	IA	45	0.0	No
NM6	7/03/2022	23:56	0.3	<20	35	<20	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 5 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore no further assessment of low frequency noise was required to be undertaken.

Table 6 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	8	94.3	110.6	120	No
	Vibration	mm/s		8	0.15	0.35	10	No


Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Table 7 – Dust Monitoring (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.9	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	10.9	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	9.4	30	No

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.5	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	1.6	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.5	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.2	4	No

Figure 1 - EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

Maules Creek Coal

- Legend
- EPL Monitoring locations
 - 05 Project Boundary_Boundaries
 - ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: April 2022

Obtained Date: 13th May 2022

Publication Date: 16th May 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 7th March 2018 by the NSW Environment Protection Authority (EPA).

Monthly Monitoring Summary

Table 1 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	TSS	mg/L	Special Frequency Discharge only							No discharge at these locations this month
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
36 (SD12)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months						
	Conductivity	µs/cm							
	Oil & Grease	mg/L							
	pH	pH							

Next Sample May 2022

Table 3 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value															
15 (BCM01)	pH	pH	Quarterly	0	Next sample in June 2022																			
	Conductivity	µs/cm																						
	TDS	mg/L																						
16 (BCM03)	pH	pH	Quarterly	0						Next sample in June 2022														
	Conductivity	µs/cm																						
	TDS	mg/L																						
17 (REG10A)	pH	pH	Quarterly	0											Next sample in June 2022									
	Conductivity	µs/cm																						
	TDS	mg/L																						
24 (RB05A)	pH	pH	Quarterly	0																Next sample in June 2022				
	Conductivity	µs/cm																						
	TDS	mg/L																						

Table 4 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	12/04/2022	23:30	0.4	IA	35	IA	45	0.0	No
NM2	12/04/2022	23:00	0.1	28	39	31	45	0.0	No
NM3	12/04/2022	23:32	0.3	IA	35	IA	45	0.0	No
NM4	12/04/2022	22:30	0.8	26	35	32	45	0.0	No
NM5	13/04/2022	00:00	0.6	IA	35	IA	45	0.0	No
NM6	12/04/2022	23:00	0.5	25	35	28	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 5 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore no further assessment of low frequency noise was required to be undertaken.

Table 6 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	6	93.25	107.9	120	No
	Vibration	mm/s		6	0.13	0.29	10	No


Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Table 7 – Dust Monitoring (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.6	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	10.7	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.8	30	No

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.6	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	1.5	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.6	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.3	4	No

Figure 1 - EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56

Maules Creek Coal



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: May 2022

Obtained Date: 16th June 2022

Publication Date: 20th June 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 30th March 2022 by the NSW Environment Protection Authority (EPA).

Monthly Monitoring Summary

Table 1 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
36 (SD12)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								

No discharge at these locations this month

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	12/05/2022	16/06/2022	NA	NA	<5
	Conductivity	µs/cm							1190
	Oil & Grease	mg/L							<5
	pH	pH							8.22

Table 3 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	0					
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly	0					
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly	0					
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly	0					
	Conductivity	µs/cm							
	TDS	mg/L							

Next sample in June 2022

Table 4 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	05/05/2022	22:30	1.6	<25	35	28	45	0.0	No
NM2	05/05/2022	23:30	1.4	25	39	30	45	0.0	No
NM3	05/05/2022	23:45	1.3	IA	35	IA	45	0.0	No
NM4	05/05/2022	23:00	1.1	<25	35	<25	45	0.0	No
NM5	05/05/2022	22:00	1.9	IA	35	IA	45	0.0	No
NM6	05/05/2022	23:56	1.6	IA	35	IA	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 5 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore no further assessment of low frequency noise was required to be undertaken.

Table 6 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	9	92.1	102.2	120	No
	Vibration	mm/s		9	0.15	0.9	10	No


Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Table 7 – Dust Monitoring (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.5	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	10.4	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.8	30	No

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.2	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	1.3	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.6	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.2	4	No

Figure 1 - EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

- Legend
- EPL Monitoring locations
 - 05 Project Boundary_Boundaries
 - ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: June 2022

Obtained Date: 18th July 2022

Publication Date: 19th July 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 30th March 2022 by the NSW Environment Protection Authority (EPA).

Monthly Monitoring Summary

Table 1 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	TSS	mg/L	Special Frequency Discharge only							No discharge at these locations this month
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
36 (SD12)	TSS	mg/L	Special Frequency Discharge only							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months						
	Conductivity	µs/cm							
	Oil & Grease	mg/L							
	pH	pH							

Next Sample in July 2022

Table 3 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	0			Dry		
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly	0			Dry		
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly	0			Dry		
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly	1	20/06/2022	YES			7.54
	Conductivity	µs/cm							1820
	TDS	mg/L							1070

Table 4 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	08/06/2022	22:30	0.5	<25	35	28	45	0.0	No
NM2	08/06/2022	23:30	0.9	<25	39	<25	45	0.0	No
NM3	08/06/2022	23:37	1	IA	35	IA	45	0.0	No
NM4	08/06/2022	23:00	0.3	<25	35	<25	45	0.0	No
NM5	08/06/2022	22:00	0.3	22	35	25	45	0.0	No
NM6	08/06/2022	23:57	1.3	IA	35	IA	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 5 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.

Table 6 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	10	90.23	104	120	No
	Vibration	mm/s		10	0.14	0.62	10	No


Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Table 7 – Dust Monitoring (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.6	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	10.4	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.7	30	No

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.2	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	1.4	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.7	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.3	4	No

Figure 1 - EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

Maules Creek Coal

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: July 2022

Obtained Date: 15th August 2022

Publication Date: 20th August 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 2nd August 2022 by the NSW Environment Protection Authority (EPA).



Monthly Monitoring Summary

Ground Water Monitoring

Table 1 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	Next sample in September 2022					
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							



Surface Water Monitoring

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	14/07/2022	15/08/2022	NA	NA	<5
	Conductivity	µs/cm							1120
	Oil & Grease	mg/L							<5
	pH	pH							8.23

Table 3 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
36 (SD12)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
Conductivity	µs/cm									

No discharge at these locations this month



Table 4 – Ambient Flow - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
38 (Flow Meter Upstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
TSS	mg/L									
39 (Flow Meter downstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
TSS	mg/L									

No discharge at these locations this month

Table 5 – Clean Water Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
40 (HWD8)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								

No discharge at these locations this month



ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
41 (HWD9)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
42 (HWD10)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
43 (HWD11)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
44 (WCWD)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,							
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								



ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
45 (ECWDP)	Oil & Grease	mg/L	discharge or dewatering occurs after 38.4mL over a 5-day period.							
	pH	pH								
	TSS	mg/L								
46 (WCWDP)	Oil & Grease	mg/L	discharge or dewatering occurs after 38.4mL over a 5-day period.							
	pH	pH								
	TSS	mg/L								

Noise Monitoring

Table 6 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	14/07/2022	22:30	0.3	25	35	27	45	0.0	No
NM2	14/07/2022	23:30	0.4	30	39	35	45	0.0	No
NM3	14/07/2022	23:30	0.4	<25	35	27	45	0.0	No
NM4	14/07/2022	23:00	0.5	<20	35	35	45	0.0	No
NM5	14/07/2022	22:00	1.2	IA	35	IA	45	0.0	No
NM6	14/07/2022	23:55	0.3	<25	35	<25	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 7 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.

Blast Monitoring

Table 8 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	13	94.1	111.1	120	No
	Vibration	mm/s		13	0.14	0.64	10	No

Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Air Quality Monitoring

Table 9 – PM₁₀ (Limits Apply)


ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.6	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	10.6	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.5	30	No

Table 10 – Depositional Dust (Limits Apply)

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.2	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	1.1	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.8	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.2	4	No



Figure 1 - EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference Name: GDA2020 MGA Zone 56

Maules Creek Coal



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: August 2022

Obtained Date: 15th September 2022

Publication Date: 22th September 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 2nd August 2022 by the NSW Environment Protection Authority (EPA).



Monthly Monitoring Summary

Ground Water Monitoring

Table 1 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	Next sample in September 2022					
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							



Surface Water Monitoring

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	Next sample in September 2022					
	Conductivity	µs/cm							
	Oil & Grease	mg/L							
	pH	pH							

Table 3 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.	No discharge at these locations this month						
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
36 (SD12)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
Conductivity	µs/cm									



Table 4 – Clean Water Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
38 (Flow Meter Upstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.	1	16/08/2022	YES				215
	Nitrate	mg/L								3.73
	Nitrogen (total)	mg/L								6
	Oil & Grease	mg/L								<5
	pH	pH								7.55
	Phosphorous	mg/L								0.19
	Reactive Phosphorous	mg/L								0.02
	TSS	mg/L								13
39 (Flow Meter downstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.	1	16/08/2022	YES				213
	Nitrate	mg/L								2.98
	Nitrogen (total)	mg/L								5.1
	Oil & Grease	mg/L								<5
	pH	pH								7.67
	Phosphorous	mg/L								0.20
	Reactive Phosphorous	mg/L								0.03
	TSS	mg/L								12
40 (HWD8)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12 hours of discharge,							No discharge occurred from this monitoring location during August 2022
	Conductivity	µs/cm								
	Oil & Grease	mg/L								
	pH	pH								
41 (HWD9)	TSS	mg/L	Special Frequency 2 – prior to discharging							No discharge occurred from this monitoring location during August 2022
	Conductivity	µs/cm								



	Oil & Grease	mg/L	from EPL 45 and/or 46 and again within 12hours of discharge,								
	pH	pH									
42 (HWD10)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,	No discharge occurred from this monitoring location during August 2022							
	Conductivity	µs/cm									
	Oil & Grease	mg/L									
	pH	pH									
43 (HWD11)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,	No discharge occurred from this monitoring location during August 2022							
	Conductivity	µs/cm									
	Oil & Grease	mg/L									
	pH	pH									
44 (WCWD)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge.	1	15/08/2022	YES					24
	Conductivity	µs/cm									600
	Oil & Grease	mg/L									<5
	pH	pH									8.07
45 (ECWDP)	Oil & Grease	mg/L	discharge or dewatering occurs after	No discharge occurred from this monitoring location during August 2022							
	pH	pH									



	TSS	mg/L	38.4mL over a 5-day period.							
46 (WCWDP)	Oil & Grease	mg/L	discharge or dewatering occurs after 38.4mL over a 5-day period.	1	16/08/2022					<5
	pH	pH								8.01
	TSS	mg/L								40

Noise Monitoring

Table 6 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	22/08/2022	22:30	1.1	IA	35	IA	45	0.0	No
NM2	22/08/2022	23:30	0.6	IA	39	IA	45	0.0	No
NM3	22/08/2022	23:32	0.7	IA	35	IA	45	0.0	No
NM4	22/08/2022	23:00	0.6	IA	35	IA	45	0.0	No
NM5	22/08/2022	22:00	0.6	IA	35	IA	45	0.0	No
NM6	22/08/2022	23:56	0.3	IA	35	IA	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 7 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.

Blast Monitoring

Table 8 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	9	89.5	105.1	120	No
	Vibration	mm/s		9	0.17	0.63	10	No

Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Air Quality Monitoring

Table 9 – PM₁₀ (Limits Apply)


ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.5	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	11.1	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.1	30	No

Table 10 – Depositional Dust (Limits Apply)

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	1.4	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	1.0	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	1.9	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.0	4	No



Figure 1 - EPL 20221 Monitoring Locations



Path: M:\Maules Creek\M40_HSEC045_Environment\600_AccGIS Pro10_GeoDatabases\Rehab\Reform\Rehab_Reform.aprx

EPL20221 Monitoring Locations - 2/08/2022

Maules Creek Coal

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: October 2022

Obtained Date: 15th November 2022

Publication Date: 20th November 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 2nd August 2022 by the NSW Environment Protection Authority (EPA).



Monthly Monitoring Summary

Ground Water Monitoring

Table 1 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	Next sample in December 2022					
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							



Surface Water Monitoring

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	13/10/2022	15/11/2022	NA	NA	9
	Conductivity	µs/cm							1080
	Oil & Grease	mg/L							<5
	pH	pH							8.59

Table 3 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
36 (SD12)	TSS	mg/L	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Conductivity	µs/cm								
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
Reactive Phosphorous	mg/L									
TSS	mg/L									
Conductivity	µs/cm									

No discharge at these locations this month

Table 4 – Clean Water Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
38 (Flow Meter Upstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.	1	10/10/2022	YES	NA	NA	NA	174
	Nitrate	mg/L								<0.01
	Nitrogen (total)	mg/L								1.3
	Oil & Grease	mg/L								<5
	pH	pH								7.55
	Phosphorous	mg/L								0.12
	Reactive Phosphorous	mg/L								0.03
	TSS	mg/L								14
	Conductivity	µs/cm		1	18/10/2022	YES	NA	NA	NA	211
	Nitrate	mg/L								0.01
	Nitrogen (total)	mg/L								0.7
	Oil & Grease	mg/L								<5
	pH	pH								7.63
	Phosphorous	mg/L								0.06
	Reactive Phosphorous	mg/L								0.01
	TSS	mg/L								5
	Conductivity	µs/cm		1	21/10/2022	YES	NA	NA	NA	158
	Nitrate	mg/L								0.08
Nitrogen (total)	mg/L	2.3								
Oil & Grease	mg/L	<5								
pH	pH	7.63								
Phosphorous	mg/L	0.66								
Reactive Phosphorous	mg/L	0.33								
TSS	mg/L	181								
39 (Flow Meter downstream)	Conductivity	µs/cm	Special Frequency 3 - within 12	1	10/10/2022	YES	NA	NA	NA	181
	Nitrate	mg/L								0.04
	Nitrogen (total)	mg/L								1.3



	Oil & Grease	mg/L	hours of discharge from any discharge location.					<5
	pH	pH						7.36
	Phosphorous	mg/L						0.15
	Reactive Phosphorous	mg/L						0.03
	TSS	mg/L						10
	Conductivity	µs/cm						251
	Nitrate	mg/L						20
	Nitrogen (total)	mg/L						0.60
	Oil & Grease	mg/L						<5
	pH	pH						7.84
	Phosphorous	mg/L		0.09				
	Reactive Phosphorous	mg/L		0.03				
	TSS	mg/L		5				
	Conductivity	µs/cm		110				
	Nitrate	mg/L		0.08				
	Nitrogen (total)	mg/L		1.7				
	Oil & Grease	mg/L		<5				
	pH	pH		7.47				
	Phosphorous	mg/L		0.30				
	Reactive Phosphorous	mg/L		0.10				
TSS	mg/L	88						
40 (HWD8)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day	No discharge occurred from this monitoring location during September 2022				
	Conductivity	µs/cm						
	Oil & Grease	mg/L						
	pH	pH						



			consecutive period					
41 (HWD9)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	No discharge occurred from this monitoring location during September 2022				
	Conductivity	µs/cm						
	Oil & Grease	mg/L						
	pH	pH						
42 (HWD10)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	10/10/2022	YES	NA	66
	Conductivity	µs/cm						124
	Oil & Grease	mg/L						<5
	pH	pH						6.82
	TSS	mg/L		1	21/10/2022	YES	NA	130
	Conductivity	µs/cm						120
	Oil & Grease	mg/L						<5
	pH	pH						7.22
43 (HWD11)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or	1	10/10/2022	Yes	NA	34
	Conductivity	µs/cm						166
	Oil & Grease	mg/L						<5



	pH	pH	within 12 hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	18/10/2022	YES	NA	6.85
	TSS	mg/L						14
	Conductivity	µs/cm						169
	Oil & Grease	mg/L						<5
	pH	pH						6.72
	TSS	mg/L		64				
	Conductivity	µs/cm		141				
	Oil & Grease	mg/L		<5				
	pH	pH		7.26				
44 (WCWD)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12 hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	10/10/2022	YES	NA	32
	Conductivity	µs/cm						637
	Oil & Grease	mg/L						<5
	pH	pH						7.83
	TSS	mg/L		88				
	Conductivity	µs/cm		963				
	Oil & Grease	mg/L		<5				
	pH	pH		7.70				
45	Oil & Grease	mg/L		1	10/10/2022		NA	<5



(ECWDP)	pH	pH	not more than 12 hours after discharge commences	1	18/10/2022		NA	6.86
	TSS	mg/L						21
	Oil & Grease	mg/L						<5
	pH	pH						7.12
	TSS	mg/L		5				
	Oil & Grease	mg/L		<5				
	pH	pH		6.55				
	TSS	mg/L		112				
46 (WCWDP)	Oil & Grease	mg/L	not more than 12 hours after discharge commences	1	10/10/2022	YES	NA	<5
	pH	pH						7.77
	TSS	mg/L						26
	Oil & Grease	mg/L		1	21/10/2022	YES	NA	<5
	pH	mg/L						7.91
	TSS	pH						183

Noise Monitoring

Table 6 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	4/10/2022	23:00	0.9	29	35	34	45	0.0	No
NM2	4/10/2022	23:45	0.3	32	39	35	45	0.0	No
NM3	5/10/2022	00:04	0.3	IA	35	IA	45	0.0	No
NM4	5/10/2022	00:15	0.4	25	35	26	45	0.0	No
NM5	4/10/2022	22:18	0.5	<20	35	<20	45	0.0	No
NM6	5/10/2022	00:46	0.5	<25	35	27	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 7 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.



Blast Monitoring

Table 8 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	8	93.3	106.6	120	No
	Vibration	mm/s		8	0.17	0.81	10	No

Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).



Air Quality Monitoring


Table 9 – PM₁₀ (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.1	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	14.2	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	7.9	30	No

Table 10 – Depositional Dust (Limits Apply)

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	0.8	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	0.9	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	2.1	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.1	4	No

Figure 1 – EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- ▭ MCCM Project Boundary (Mod 8)

Maules Creek Coal

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 18/09/2022 11:51 AM
 Spatial Reference Name: GDA2020 MGA Zone 56



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: September 2022

Obtained Date: 15th October 2022

Publication Date: 25th October 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 2nd August 2022 by the NSW Environment Protection Authority (EPA).



Monthly Monitoring Summary

Ground Water Monitoring

Table 1 – Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	0			Dry		
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly	0			Dry		
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly	0			Dry		
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly	1	5/09/2022	YES	N/A	N/A	7.59
	Conductivity	µs/cm							1920
	TDS	mg/L							1030

Surface Water Monitoring

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	12/09/2022	15/10/2022	NA	NA	<5
	Conductivity	µs/cm							1110
	Oil & Grease	mg/L							<5
	pH	pH							8.38

Table 3 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
36 (SD12)	TSS	mg/L	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Conductivity	µs/cm								
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
Reactive Phosphorous	mg/L									
TSS	mg/L									
Conductivity	µs/cm									

No discharge at these locations this month

Table 4 – Clean Water Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value	
38 (Flow Meter Upstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.	1	16/09/2022	YES	NA	NA	NA	105	
	Nitrate	mg/L								0.17	
	Nitrogen (total)	mg/L								2.1	
	Oil & Grease	mg/L								<5	
	pH	pH								7.16	
	Phosphorous	mg/L								0.27	
	Reactive Phosphorous	mg/L								0.04	
	TSS	mg/L								152	
	Conductivity	µs/cm		1	19/09/2022	YES	NA	NA	NA	NA	160
	Nitrate	mg/L									0.05
	Nitrogen (total)	mg/L									0.5
	Oil & Grease	mg/L									<10
	pH	pH									7.38
	Phosphorous	mg/L									0.1
	Reactive Phosphorous	mg/L									0.03
	TSS	mg/L									27
	Conductivity	µs/cm		1	28/09/2022	YES	NA	NA	NA	NA	181
	Nitrate	mg/L									<0.01
	Nitrogen (total)	mg/L									1.0
	Oil & Grease	mg/L									<5
	pH	pH									7.5
Phosphorous	mg/L	0.1									
Reactive Phosphorous	mg/L	0.02									
TSS	mg/L	14									
39	Conductivity	µs/cm	Special Frequency 3 -	1	16/09/2022	YES	NA	NA	NA	117	
	Nitrate	mg/L								0.29	



(Flow Meter downstream)	Nitrogen (total)	mg/L	within 12 hours of discharge from any discharge location.					1.9
	Oil & Grease	mg/L						<5
	pH	pH						7.43
	Phosphorous	mg/L						0.3
	Reactive Phosphorous	mg/L						0.08
	TSS	mg/L						104
	Conductivity	µs/cm		190				
	Nitrate	mg/L		0.32				
	Nitrogen (total)	mg/L		0.7				
	Oil & Grease	mg/L		<10				
	pH	pH		7.54				
	Phosphorous	mg/L		0.2				
	Reactive Phosphorous	mg/L		0.051				
	TSS	mg/L		89				
	Conductivity	µs/cm		211				
	Nitrate	mg/L		0.23				
	Nitrogen (total)	mg/L		1.3				
	Oil & Grease	mg/L		<5				
	pH	pH		7.41				
	Phosphorous	mg/L		0.11				
Reactive Phosphorous	mg/L	0.08						
TSS	mg/L	11						
40 (HWD8)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,	No discharge occurred from this monitoring location during September 2022				
	Conductivity	µs/cm						
	Oil & Grease	mg/L						
	pH	pH						



41 (HWD9)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 and again within 12hours of discharge,	No discharge occurred from this monitoring location during September 2022				
	Conductivity	µs/cm						
	Oil & Grease	mg/L						
	pH	pH						
42 (HWD10)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	16/09/2022	YES	NA	140
	Conductivity	µs/cm						124
	Oil & Grease	mg/L						<5
	pH	pH						7.04
	TSS	mg/L		1	19/09/2022	YES	NA	22
	Conductivity	µs/cm						150
	Oil & Grease	mg/L						<10
	pH	pH						6.74
	TSS	mg/L		1	28/09/2022	YES	NA	27
	Conductivity	µs/cm						116
	Oil & Grease	mg/L						<5
	pH	pH						6.89
43 (HWD11)	TSS	mg/L	Special Frequency 2	1	16/09/2022	YES	NA	102



	Conductivity	µs/cm	– prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	19/09/2022	YES	NA	282
	Oil & Grease	mg/L						<5
	pH	pH						7.12
	TSS	mg/L						21
	Conductivity	µs/cm						180
	Oil & Grease	mg/L						<10
	pH	pH						6.82
	TSS	mg/L						8
	Conductivity	µs/cm						156
	Oil & Grease	mg/L						<5
44 (WCWD)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	16/09/2022	YES	NA	374
	Conductivity	µs/cm						308
	Oil & Grease	mg/L						<5
	pH	pH						7.67
45	Oil & Grease	mg/L		1	16/09/2022		NA	<5



(ECWDP)	pH	pH	discharge or dewatering occurs after 38.4mL over a 5-day period.					7.07	
	TSS	mg/L							71
	Oil & Grease	mg/L							<10
	pH	pH			19/09/2022			NA	6.97
	TSS	mg/L							45
	Oil & Grease	mg/L							<5
	pH	pH			1			NA	6.91
	TSS	mg/L							11
46 (WCWDP)	Oil & Grease	mg/L	discharge or dewatering occurs after 38.4mL over a 5-day period.	1	16/09/2022			NA	
	pH	pH						7.71	
	TSS	mg/L						322	

Noise Monitoring

Table 6 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	13/09/2022	22:30	0.5	IA	35	IA	45	0.0	No
NM2	13/09/2022	23:30	0.3	25	39	28	45	0.0	No
NM3	13/09/2022	23:27	0.5	26	35	30	45	0.0	No
NM4	13/09/2022	23:00	0.3	IA	35	IA	45	0.0	No
NM5	13/09/2022	22:00	0.8	IA	35	IA	45	0.0	No
NM6	13/09/2022	23:56	0.4	IA	35	IA	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 7 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.



Blast Monitoring

Table 8 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	7	91.9	106.8	120	No
	Vibration	mm/s		7	0.15	0.38	10	No

Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Air Quality Monitoring

Table 9 – PM₁₀ (Limits Apply)


ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.4	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	11.8	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.0	30	No

Table 10 – Depositional Dust (Limits Apply)

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	2.3	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	0.9	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	2.0	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.1	4	No



Figure 1 - EPL 20221 Monitoring Locations



Path: M:\Maules Creek\M0_HSEC045_Environment\600_AccGIS Proj10_GeoDatabases\Rehab_Reform\Rehab_Reform.aprx

EPL20221 Monitoring Locations - 2/08/2022

Maules Creek Coal

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: November 2022

Obtained Date: 15th December 2022

Publication Date: 16th December 2022

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 2nd August 2022 by the NSW Environment Protection Authority (EPA).



Monthly Monitoring Summary

Ground Water Monitoring

Table 1 - Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly						
	Conductivity	µs/cm							
	TDS	mg/L							

Next sample in December 2022



Surface Water Monitoring

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	21/11/2022	15/12/2022	NA	NA	44
	Conductivity	µs/cm							961
	Oil & Grease	mg/L							<5
	pH	pH							8.60

Table 3 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
36 (SD12)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
Conductivity	µs/cm									

No discharge at these locations this month


Table 4 – Clean Water Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
38 (Flow Meter Upstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.	1	1/11/2022	YES	NA	NA	NA	130
	Nitrate	mg/L								0.079
	Nitrogen (total)	mg/L								0.9
	Oil & Grease	mg/L								<5
	pH	pH								7.23
	Phosphorous	mg/L								0.2
	Reactive Phosphorous	mg/L								0.072
	TSS	mg/L		14						
	Conductivity	µs/cm		1	14/11/2022	YES	NA	NA	NA	150
	Nitrate	mg/L								0.04
	Nitrogen (total)	mg/L								0.9
	Oil & Grease	mg/L								<5
	pH	pH								7.26
	Phosphorous	mg/L								0.1
Reactive Phosphorous	mg/L	0.067								
TSS	mg/L	89								
39 (Flow Meter downstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.	1	1/11/2022	YES	NA	NA	NA	140
	Nitrate	mg/L								0.077
	Nitrogen (total)	mg/L								1
	Oil & Grease	mg/L								<5
	pH	pH								7.32
	Phosphorous	mg/L								0.2
	Reactive Phosphorous	mg/L								0.071
	TSS	mg/L		10						
	Conductivity	µs/cm		1	14/11/2022	YES	NA	NA	NA	130
	Nitrate	mg/L								0.077
	Nitrogen (total)	mg/L								1.0



	Oil & Grease	mg/L						<5
	pH	pH						7.28
	Phosphorous	mg/L						0.02
	Reactive Phosphorous	mg/L						0.092
	TSS	mg/L						89
40 (HWD8)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	No discharge occurred from this monitoring location during November 2022				
	Conductivity	µs/cm						
	Oil & Grease	mg/L						
	pH	pH						
41 (HWD9)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	1/11/2022	YES	NA	142
	Conductivity	µs/cm						170
	Oil & Grease	mg/L						<5
	pH	pH						7.06
	TSS	mg/L		1	14/11/2022	YES	NA	169
	Conductivity	µs/cm						180
	Oil & Grease	mg/L						<5
	pH	pH						7.09
42 (HWD10)	TSS	mg/L	Special Frequency 2	1	14/11/2022	YES	NA	62



	Conductivity	µs/cm	– prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period					100
	Oil & Grease	mg/L						<5
	pH	pH						6.90
43 (HWD11)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period	1	1/11/2022	Yes	NA	118
	Conductivity	µs/cm						113
	Oil & Grease	mg/L						<5
	pH	pH						6.95
	TSS	mg/L		1	14/11/2022	YES	NA	109
	Conductivity	µs/cm						160
	Oil & Grease	mg/L						<5
	pH	pH						6.92
44 (WCWD)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a	1	1/11/2022	YES	NA	132
	Conductivity	µs/cm						660
	Oil & Grease	mg/L						<5
	pH	pH						8.32
	TSS	mg/L		1	14/11/2022	YES	NA	80



	Conductivity	µs/cm	5 Day consecutive period					180
	Oil & Grease	mg/L						<5
	pH	pH						8.11
45 (ECWDP)	Oil & Grease	mg/L	not more than 12 hours after discharge commences	1	1/11/2022	YES	NA	<5
	pH	pH						7.17
	TSS	mg/L						157
	Oil & Grease	mg/L		1	14/11/2022		NA	<5
	pH	pH						7.30
	TSS	mg/L						51
46 (WCWDP)	Oil & Grease	mg/L	not more than 12 hours after discharge commences	1	1/11/2022	YES	NA	<5
	pH	pH						8.09
	TSS	mg/L						144
	Oil & Grease	mg/L		1	14/11/2022	YES	NA	<5
	pH	mg/L						7.29
	TSS	pH						80



Noise Monitoring

Table 6 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	10/11/2022	22:30	0.9	27	35	30	45	0.0	No
NM2	10/11/2022	23:30	0.8	<20	39	25	45	0.0	No
NM3	10/11/2022	23:51	0.5	<25	35	<25	45	0.0	No
NM4	10/11/2022	23:00	0.3	<20	35	<20	45	0.0	No
NM5	10/11/2022	22:00	0.5	IA	35	IA	45	0.0	No
NM6	10/11/2022	23:56	0.6	IA	35	IA	45	0.0	No

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 7 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.



Blast Monitoring

Table 8 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	7	91.8	102.7	120	No
	Vibration	mm/s		7	0.11	0.25	10	No

Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).

Air Quality Monitoring


Table 9 – PM₁₀ (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.1	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	12.1	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.0	30	No

Table 10 – Depositional Dust (Limits Apply)

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	0.8	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	0.9	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	2.1	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.2	4	No

Figure 1 – EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- ▭ MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56

Maules Creek Coal



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



MAULES CREEK COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 20221

EPA Website Link: [Hyperlink to Maules Creek Coal, Environment Protection Licence](#)

Licensee: Maules Creek Coal Mine Pty Ltd

Licensee Address: Maules Creek Coal Mine, Therribri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: December 2022

Obtained Date: 15th January 2023

Publication Date: 20th January 2023

Context: This Monthly Monitoring Summary aligns with the Environment Protection Licence (EPL) No. 20221 – Maules Creek Coal Mine issued 2nd August 2022 by the NSW Environment Protection Authority (EPA).



Monthly Monitoring Summary

Ground Water Monitoring

Table 1 - Groundwater Quality Monitoring

ID EPL (Bore)	Parameters	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
15 (BCM01)	pH	pH	Quarterly	0	5/12/2022			Dry	
	Conductivity	µs/cm							
	TDS	mg/L							
16 (BCM03)	pH	pH	Quarterly	0	6/12/2022			Dry	
	Conductivity	µs/cm							
	TDS	mg/L							
17 (REG10A)	pH	pH	Quarterly	0	5/12/2022			Dry	
	Conductivity	µs/cm							
	TDS	mg/L							
24 (RB05A)	pH	pH	Quarterly	1	2/12/2022	YES	N/A	N/A	7.46
	Conductivity	µs/cm							1800
	TDS	mg/L							1060



Surface Water Monitoring

Table 2 – Surface Water Monitoring – Mine Void

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min	Mean	Max / Only Value
12 (Mine Void)	TSS	mg/L	Every 2 months	1	9/12/2022	15/01/2022	NA	NA	<5
	Conductivity	µs/cm							1000
	Oil & Grease	mg/L							<5
	pH	pH							8.48

Table 3 – Wet Weather Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
3 (SD3)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
36 (SD12)	Conductivity	µs/cm	Special Frequency 1 - within 12 hours of discharge from EPL 3 or 36.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
Conductivity	µs/cm									

No discharge at these locations this month


Table 4 – Clean Water Discharge - Surface Water Monitoring

ID EPL (Site)	Parameter	Units	Frequency	Samples	Date	Laboratory Results Received	Min Value	Mean Value	Median Value	Max / Only Value
38 (Flow Meter Upstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
	Conductivity	µs/cm								
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
Reactive Phosphorous	mg/L									
TSS	mg/L									
39 (Flow Meter downstream)	Conductivity	µs/cm	Special Frequency 3 - within 12 hours of discharge from any discharge location.							
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
	Reactive Phosphorous	mg/L								
	TSS	mg/L								
	Conductivity	µs/cm								
	Nitrate	mg/L								
	Nitrogen (total)	mg/L								
	Oil & Grease	mg/L								
	pH	pH								
	Phosphorous	mg/L								
Reactive Phosphorous	mg/L									

No discharge occurred from this monitoring location during December 2022



	TSS	mg/L	
40 (HWD8)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period
	Conductivity	µs/cm	
	Oil & Grease	mg/L	
	pH	pH	
41 (HWD9)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period
	Conductivity	µs/cm	
	Oil & Grease	mg/L	
	pH	pH	
	TSS	mg/L	
	Conductivity	µs/cm	
	Oil & Grease	mg/L	
	pH	pH	
42 (HWD10)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or
	Conductivity	µs/cm	
	Oil & Grease	mg/L	



	pH	pH	within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period
43 (HWD11)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day consecutive period
	Conductivity	µs/cm	
	Oil & Grease	mg/L	
	pH	pH	
	TSS	mg/L	
	Conductivity	µs/cm	
	Oil & Grease	mg/L	
	pH	pH	
44 (WCWD)	TSS	mg/L	Special Frequency 2 – prior to discharging from EPL 45 and/or 46 or within 12hours of discharge caused by 38.4mm in a 5 Day
	Conductivity	µs/cm	
	Oil & Grease	mg/L	
	pH	pH	
	TSS	mg/L	
	Conductivity	µs/cm	



	Oil & Grease	mg/L	consecutive period
	pH	pH	
45 (ECWDP)	Oil & Grease	mg/L	not more than 12 hours after discharge commences
	pH	pH	
	TSS	mg/L	
	Oil & Grease	mg/L	
	pH	pH	
46 (WCWDP)	Oil & Grease	mg/L	not more than 12 hours after discharge commences
	pH	pH	
	TSS	mg/L	
	Oil & Grease	mg/L	
	pH	mg/L	
	TSS	pH	

Noise Monitoring

Table 6 – Noise Monitoring (Attended – Measured)

MCC ID	Date	Start Time	Wind Speed (m/s)	MCCP LAeq 15min dB	Limit LAeq 15min (dB) Operations Criteria	MCCP LAeq 1min dB	Limit LA1 (1 min) (dB) Operations Criteria	Weather Rain (mm)	Exceedance (Yes / No)
NM1	20/12/2022	22:30	3.3	<20	35	27	45	0.0	NA
NM2	20/12/2022	23:30	2.8	29	39	32	45	0.0	No
NM3	20/12/2022	23:51	3.0	IA	35	IA	45	0.0	No
NM4	20/12/2022	23:00	3.5	26	35	30	45	0.0	NA
NM5	20/12/2022	22:00	4.2	IA	35	IA	45	0.0	NA
NM6	21/12/2022	0:00	3.4	<20	35	23	45	0.0	NA

MCC ID = Locations as per the EPL No.20221.

ND = No data due to high prevailing winds during the attended noise monitoring event.

Italicised text indicates wind speed exceeds the 3.0m/s maximum for noise monitoring.

NM = Not Measurable. If site noise is noted as NM, <20 dB or <30 dB, this means some noise was audible but could not be quantified.

IA = Site noise was inaudible at the monitoring location.

N/A in exceedance column means criterion was not applicable due to atmospheric conditions outside those specified in the project approval.

Table 7 - Noise Monitoring (Attended - Low Frequency Assessment)

None of the measurements satisfied the conditions for further assessment when assessed for the applicability of low frequency modification factors in accordance with the EPA's Noise Policy for Industry. Therefore, no further assessment of low frequency noise was required to be undertaken.



Blast Monitoring

Table 8 – Blast Monitoring (Blasts – Limits Apply)

Location	Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Operations Blasts	Overpressure	Db (Lin Peak)	All	10	93.1	105.3	120	No
	Vibration	mm/s		10	0.11	0.33	10	No

Note: As of March 2018, in accordance with the requirements of the approved variation of EPL 20221; M7.1 blast monitoring results are for four blast monitoring points 31 (BM1), 32 (BM2), 33 (BM3) and 34 (BM4).



Air Quality Monitoring


Table 9 – PM₁₀ (Limits Apply)

ID EPL (Site)	Sample period	Unit	Parameter	Rolling Annual Average	NEPM Annual Criteria	Exceedance (Yes / No)
18 (TEOM1)	Continuous	µg/m ³ month	PM ₁₀	5.1	30	No
37 (TEOM3)	Continuous	µg/m ³ month	PM ₁₀	12.5	30	No
19 (HVAS)	6 days	µg/m ³	PM ₁₀	8.0	30	No

Table 10 – Depositional Dust (Limits Apply)

ID EPL (Site)	Sample period	Particulates Deposited Matter	Rolling Annual Average Insoluble Solids	Criteria	Exceedance (Yes / No)
20 (DDG1/MC1)	Monthly	g/m ² month	0.9	4	No
21 (DDG2/MC2)	Monthly	g/m ² month	0.5	4	No
22 (DDG3/MC3)	Monthly	g/m ² month	2.1	4	No
23 (DDG4/MC4)	Monthly	g/m ² month	1.2	4	No

Figure 1 – EPL 20221 Monitoring Locations



EPL20221 Monitoring Locations - 2/08/2022

Legend

- EPL Monitoring locations
- 05 Project Boundary_Boundaries
- MCCM Project Boundary (Mod 8)

Scale: 1:88,442
 Author: shenanewman
 Date Exported: 16/09/2022 11:51 AM
 Spatial Reference
 Name: GDA2020 MGA Zone 56

Maules Creek Coal



Disclaimer: Map for reference only and subject to survey. MCC makes no guarantee of the accuracy of this map and data within. MCC shall have no liability for any decisions made or actions taken based upon this map.



Corrections Log

EPL Report	Original Publishing Date	Date of Correction	Date of Republishing	Corrections
EPL 20221 March 2022	21/04/2022	09/07/2024	09/07/2024	Inclusion of Data for EPL Monitoring Point 37 (TEOM3)
EPL 20221 April 2022	16/05/2022	09/07/2024	09/07/2024	Inclusion of Data for EPL Monitoring Point 37 (TEOM3)
EPL 20221 May 2022	20/06/2022	09/07/2024	09/07/2024	Inclusion of Data for EPL Monitoring Point 37 (TEOM3)
EPL 20221 June 2022	19/07/2022	09/07/2024	09/07/2024	Inclusion of Data for EPL Monitoring Point 37 (TEOM3)
EPL 20221 March 2022	21/04/2022	24/03/2026	24/03/2026	Table 7 amended to reflect sample period in EPL 20221
EPL 20221 April 2022	16/05/2022	24/03/2026	24/03/2026	Table 7 amended to reflect sample period in EPL 20221
EPL 20221 May 2022	20/06/2022	24/03/2026	24/03/2026	Table 7 amended to reflect sample period in EPL 20221
EPL 20221 June 2022	19/07/2022	24/03/2026	24/03/2026	Table 7 amended to reflect sample period in EPL 20221
EPL 20221 July 2022	20/08/2022	24/03/2026	24/03/2026	Table 9 amended to reflect sample period in EPL 20221
EPL 20221 August 2022	22/09/2022	24/03/2026	24/03/2026	Table 9 amended to reflect sample period in EPL 20221
EPL 20221 September 2022	15/10/2022	24/03/2026	24/03/2026	Table 9 amended to reflect sample period in EPL 20221
EPL 20221 October 2022	15/11/2022	24/03/2026	24/03/2026	Table 9 amended to reflect sample period in EPL 20221
EPL 20221 November 2022	15/11/2022	24/03/2026	24/03/2026	Table 9 amended to reflect sample period in EPL 20221
EPL 20221 December 2022	20/01/2023	24/03/2026	24/03/2026	Table 9 amended to reflect sample period in EPL 20221