

Maules Creek Coal Mine Community Consultative Committee Meeting #49

Environmental Monitoring Report For the Q1 period, January – March 2025

Attended Noise Monitoring

Maules Creek Coal (MCC) engaged an independent acoustic consultant to conduct LAeq (15minutes) and LA1 (1 minute) attended noise monitoring at six monitoring locations on site.

A. NOISE GENERATED BY MCCM AGAINST OPERATIONAL DAY & NIGHT NOISE CRITERIA; January - March 2025 .

The results show that MCCM is within EPL 20221 compliance limits, that operations did not exceed the applicable; LAeq (15minute) 35dB Criteria, LA1 (1Minute) 45dB Criteria and the EPA's Noise Policy for Industry compliance guidelines.

Table 1 –January Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ²		Exceedances, dB	
		Speed m/s	Direction ³			L _{Aeq,15minute}	L _{Amax}	L _{Aeq,15minute}	L _{Amax}	L _{Aeq,15minute}	L _{Amax}
NM1	22/01/2025 22:30	0.3	177	F	No	35	45	IA	IA	Nil	Nil
NM2	22/01/2025 23:30	0.8	199	F	No	39	45	IA	IA	Nil	Nil
NM3	22/01/2025 23:15	0.8	200	F	No	35	45	IA	IA	Nil	Nil
NM4	22/01/2025 23:00	0.5	185	F	No	35	45	IA	IA	Nil	Nil
NM5	22/01/2025 22:00	0.3	186	F	No	35	45	IA	IA	Nil	Nil
NM6	22/01/2025 23:58	3.3	149	D	Yes	40	50	IA	IA	Nil	Nil

Table 2 – February Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute}	L _{A1,1minute}
NM1	6/02/2025 22:30	0.8	187	F	No	35	45	IA	IA	Nil	Nil
NM2	6/02/2025 23:30	3.2	103	D	Yes	44	49	IA	IA	Nil	Nil
NM3	6/02/2025 23:16	1.1	166	F	No	35	45	IA	IA	Nil	Nil
NM4	6/02/2025 23:00	0.5	303	F	No	35	45	IA	IA	Nil	Nil
NM5	6/02/2025 22:00	0.5	58	F	No	35	45	IA	IA	Nil	Nil
NM6	6/02/2025 23:58	3.3	72	D	Yes	40	50	IA	IA	Nil	Nil

Table 3 – March Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute}	L _{A1,1minute}
NM1	12/03/2025 22:30	2.0	126	D	No	35	45	<20	<20	Nil	Nil
NM2	12/03/2025 23:30	2.9	82	D	No	39	45	<20	<20	Nil	Nil
NM3	12/03/2025 23:21	3.1	82	D	Yes	40	50	<20	<20	Nil	Nil
NM4	12/03/2025 23:00	1.4	103	F	No	35	45	<20	<20	Nil	Nil
NM5	12/03/2025 22:00	1.5	129	E	No	35	45	<20	<20	Nil	Nil
NM6	12/03/2025 23:58	1.6	83	F	No	35	45	<20	<20	Nil	Nil

Wind Direction during Attended Monitoring

Wind direction data is collected from the Maule’s Creek Coal Mine (MCCM) Automated Weather Station (AWS). Wind data for the duration of the attended monitoring assessment, recorded at the MCCM AWS is presented in the table below.

Table 4 - Prevailing Wind Direction

Monitoring Date	Prevailing Wind Direction
January	SE
February	SE
March	SE

Blast Monitoring

There was 39 blasts at MCCM during Q1 2025. All blast monitoring results recorded within the reporting period have complied with applicable overpressure and ground vibration limits specified in the respective approvals.

Table 5 – Blast Results Summary

Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Noise	dB	All	39	94.65	114.10	120	No
Vibration	mm/s		39	0.09	1.56	10	No

Air Quality



A. Total Depositional Dust



The 12 monthly rolling annual average remains below the relevant Project Approval (PA 10_0138) criteria of 4g/m²/month for the respective monitoring points.

Table 6 – Deposited Dust Gauge Results [g/m²/month]

MONTH	MC1	MC2	MC3	MC4
January	27.3c	2.4	1.5	1.9
February	6.0c	3.0	2.1	1.6
March	11.6c	1.1	1.6	0.8
12 MONTH ROLLING AVERAGE	0.7	2.2	1.7	1.0

^c samples contaminated by bird dropping, decomposed insects or vegetable matter.






* Blank cells indicate sample periods where the sample has been contaminated and excluded from the results tables due to contaminated material (insect larvae, bird droppings, vegetation etc.).

B. High Volume Air Sampling (HVAS)

The HVAS monitor is located on the property 'Olivedene,' a mine owned property on Therribri Road. During past 12 months, there have been no exceedances of the 24-hour average of 50 µg/m³.

HVAS PM₁₀ Rolling Annual Average as of March was **13.4 µg/m³**, which is below the Annual Average Guideline of 30 µg/m³.



C. TEOM - PM10 Results

The annual rolling average for PM10 at the Maules Creek Coal for TEOM1 was $9.3 \mu\text{g}/\text{m}^3$ and at TEOM3 was $12.2 \mu\text{g}/\text{m}^3$ these are both below the Project Approval annual average criteria of $30 \mu\text{g}/\text{m}^3$ as shown in the following figure. There have been no exceedances of the 24-hour average for Q1.




Figure 1 - TEOM Result – Particulate Matter PM₁₀µg/m³

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.





Figure 2 - TEOM Result – Particulate Matter PM₁₀ug/m³

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.

Water Monitoring


A. Groundwater

Groundwater monitoring results in open standpipe piezometers show levels to be relatively stable. The Regional bores were installed between Q4, 2013 and Q1, 2014. BCM01, BCM03, Reg10 are shallow bores which have remained dry since construction in 2013.




Acidity / Alkalinity (pH)

Over the past twelve months pH readings across the regional bores have remained static with very little fluctuation.



Electrical Conductivity

Laboratory Electrical Conductivity (EC) levels are all within historic groundwater EC range of 500 $\mu\text{s}/\text{cm}$ to 2,500 $\mu\text{s}/\text{cm}$, with the exception of monitoring bore Reg13 which has a historic groundwater EC range of 2,500 $\mu\text{s}/\text{cm}$ to 4,100 $\mu\text{s}/\text{cm}$. Within the last twelve months EC has remained static.




B. Surface Water – Creeks and Rivers

Routine surface water monitoring is conducted in surrounding creeks and rivers on a monthly basis. Results for parameters including pH, EC and Total Suspended Solids (TSS) are shown in the figures below.


Acidity / Alkalinity (pH)

Monitoring results for pH in creeks and rivers surrounding MCCM are all trending within the ANZECC range for Irrigation, Ecosystem Health and Recreation.




Electrical Conductivity

Surface water EC trends have remained consistent with SW5, SW6, SW7 and SW8 all historically variable. SW5, SW6, SW7 and SW8 are points along the Namoi River which are subject to regulated and variable flow regimes.



Total Suspended Solids (TSS)

Surface water TSS trends have remained generally consistent with historical results. SW5, SW6, SW7 and SW8 are historically variable as they are located along the Namoi River which is subject to regulated and variable flow regimes.



Rehabilitation

Progressive rehabilitation works are ongoing. MCC is on track to complete CY25 rehabilitation in accordance with the Forward Plan.

Feral Animal Management

Most recent routine Whitehaven Biodiversity Feral Animal Control program (January to March 2025) results were:

- 1,378 out of total 2,165 feral pigs removed were from the Maules Biodiversity properties;
- 146 out of the total 154 feral goats removed were from the Maules Biodiversity properties;
- 97 out of total 238 Canid Pest Ejectors (1080) triggered were from the Maules Biodiversity properties.

Weed Control

During January to March 2025 the following weed control was undertaken via spot spraying/jetting on the Maules Biodiversity Properties:

- 140ha of Woody Weeds such as Sweet Briar, Box Thorn, Blackberry and Velvet Pear, Tiger Pear and Prickly Pear were sprayed.
- 10ha of Grasses such as African Lovegrass, Rhodes grass and Coolatai grass were sprayed.
- 14ha of tracks sprayed as part of the track maintenance.

Upcoming Biodiversity Projects and Works

- Continue Pest Animal Management Program April to June 2025.
- Continue 2025 Revegetation Program.
- Continue Seasonal Weed Control Programs.
- Continue Track Maintenance Program.
- Planning for Annual Nest Box Monitoring and Installation.
- Planning for Noisy Miner Management.
- Commence FY25 Ecological Burn program.
- Commence 2025 Winter Bird Survey.
- Planning towards Drone Surveys.

Community Complaints



There was four community complaints registered during the quarter, all community complaints are available on the company website at <https://whitehavencoal.com.au/our-business/our-assets/maules-creek-mine/>.

MAULES CREEK COAL MINE 2024 Community Complaints Register				
Date Received	Method	Category	Nature of Complaint	MCCM Response
25/02/2025	Email	Biodiversity	Questions were raised by a member of the community relating to the status of the Stage 3 BTM Biodiversity Strategy	MCC reviewed the data and provided a response to the DPHI
7/03/2025	Email	Blasting	Local landholder complained about two blasts fired on 7th March. The blast was audible at their residence.	MCC blast on one occasion on the 7th March. A review of the data confirmed that the blast complied with the approved overpressure levels and operating conditions. The complainant was contacted and informed that the blast was in compliance.

7/03/2025	Email	Blasting	Local resident complained about a blast on the 7th March at approximately 11am. The complainant described it as being very loud followed by a sulphur smell.	This blast was not detonated by MCC. The complainant was contacted and informed that MCC did not blast at this time.
10/03/2025	Email	Blasting	A complaint was received by the EPA regarding the assumption that two blasts were detonated by MCC on the 7th March. The complaint related to dust and noise.	MCC only blasted on one occasion on the 7th March. MCC provided the requested information to the EPA, showing compliance with the operating conditions.



EPL 2021 Monitoring Locations - 06/12/2023

-  EPL Monitoring Locations
-  MCCM Project Boundary MOD 9

Scale: 1:33,944,857,333

Author: EGibson

Date created: 18/03/2025

Spatial Reference
Name: WGS 1984 Web Mercator Auxiliary
Sphere

Maules Creek Coal



Maules Creek Coal Mine Community Consultative Committee Meeting #50

Environmental Monitoring Report For the Q2 period, April – June 2025

Attended Noise Monitoring

Maules Creek Coal (MCC) engaged an independent acoustic consultant to conduct LAeq (15minutes) and LA1 (1 minute) attended noise monitoring at six monitoring locations on site.

A. NOISE GENERATED BY MCCM AGAINST OPERATIONAL DAY & NIGHT NOISE CRITERIA; April - June 2025 .

The results show that MCCM is within EPL 20221 compliance limits, that operations did not exceed the applicable; LAeq (15minute) 35dB Criteria, LA1 (1Minute) 45dB Criteria and the EPA's Noise Policy for Industry compliance guidelines.

Table 1 –April Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute}	L _{A1,1minute}
NM1	09/04/2025 22:34	0.7	250	F	No	35	45	<20	<20	Nil	Nil
NM2	09/04/2025 23:30	3.3	77	D	Yes	44	50	IA	IA	Nil	Nil
NM3	10/04/2025 00:02	3.1	82	D	Yes	40	50	IA	IA	Nil	Nil
NM4	09/04/2025 23:00	2.8	70	E	No	35	45	IA	IA	Nil	Nil
NM5	09/04/2025 22:03	0.4	229	F	No	35	45	23	29	Nil	Nil
NM6	09/04/2025 23:57	3.1	82	D	Yes	40	50	IA	IA	Nil	Nil

Table 2 – May Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁶	L _{A1,1minute} ⁶	L _{Aeq,15minute}	L _{A1,1minute}
NM1	6/05/2025 22:30	0.2	16	F	No	35	45	27	32	Nil	Nil
NM2	6/05/2025 23:30	0.5	63	F	No	39	45	<20	<25	Nil	Nil
NM3	6/05/2025 23:23	0.4	74	F	No	35	45	IA	IA	Nil	Nil
NM4	6/05/2025 23:00	0.3	206	F	No	35	45	<20	<20	Nil	Nil
NM5	6/05/2025 22:00	0.2	127	F	No	35	45	27	30	Nil	Nil
NM6	6/05/2025 23:59	0.5	143	F	No	35	45	<20	<20	Nil	Nil

Table 3 – June Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁵	L _{A1,1minute} ⁵	L _{Aeq,15minute}	L _{A1,1minute}
NM1	11/06/2025 22:30	0.4	141	F	No	35	45	31	38	Nil	Nil
NM2	11/06/2025 23:30	0.8	147	F	No	39	45	<25	27	Nil	Nil
NM3	11/06/2025 23:20	0.8	198	F	No	35	45	IA	IA	Nil	Nil
NM4	11/06/2025 23:00	0.4	6	F	No	35	45	<20	27	Nil	Nil
NM5	11/06/2025 22:00	0.6	220	E	No	35	45	29	33	Nil	Nil
NM6	12/06/2025 00:01	0.3	138	F	No	35	45	<20	<20	Nil	Nil

Wind Direction during Attended Monitoring

Wind direction data is collected from the Maule’s Creek Coal Mine (MCCM) Automated Weather Station (AWS). Wind data for the duration of the attended monitoring assessment, recorded at the MCCM AWS is presented in the table below.

Table 4 - Prevailing Wind Direction

Monitoring Date	Prevailing Wind Direction
April	SE
May	SE
June	WNW

Blast Monitoring

There was 28 blasts at MCCM during Q2 2025. All blast monitoring results recorded within the reporting period have complied with applicable overpressure and ground vibration limits specified in the respective approvals.

Table 5 – Blast Results Summary

Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Noise	dB	All	28	96.94	113.30	120	No
Vibration	mm/s		28	0.12	0.39	10	No

Air Quality



A. Total Depositional Dust



The 12 monthly rolling annual average remains below the relevant Project Approval (PA 10_0138) criteria of 4g/m²/month for the respective monitoring points.

Table 6 – Deposited Dust Gauge Results [g/m²/month]

MONTH	MC1	MC2	MC3	MC4
April	18.7c	2.4	1.6	1.0
May	18.0c	1.6	2.6	1.8
June	2.3	7.2c	3.6	2.9
12 MONTH ROLLING AVERAGE	1.2	2.3	2.0	1.4

^c samples contaminated by bird dropping, decomposed insects or vegetable matter.






* Blank cells indicate sample periods where the sample has been contaminated and excluded from the results tables due to contaminated material (insect larvae, bird droppings, vegetation etc.).

B. High Volume Air Sampling (HVAS)

The HVAS monitor is located on the property 'Olivedene,' a mine owned property on Therribri Road. During past 12 months, there have been no exceedances of the 24-hour average of 50 µg/m³.

HVAS PM₁₀ Rolling Annual Average as of June was **12.8 µg/m³**, which is below the Annual Average Guideline of 30 µg/m³.



C. TEOM - PM10 Results

The annual rolling average for PM10 at the Maules Creek Coal for TEOM1 was $9.6 \mu\text{g}/\text{m}^3$ and at TEOM3 was $12.5 \mu\text{g}/\text{m}^3$ these are both below the Project Approval annual average criteria of $30 \mu\text{g}/\text{m}^3$ as shown in the following figure.




Figure 1 - TEOM Result – Particulate Matter PM₁₀µg/m³

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.





Figure 2 - TEOM Result – Particulate Matter PM₁₀µg/m³

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.

Water Monitoring


A. Groundwater

Groundwater monitoring results in open standpipe piezometers show levels to be relatively stable. The Regional bores were installed between Q4, 2013 and Q1, 2014. BCM01, BCM03, Reg10 are shallow bores which have remained dry since construction in 2013.




Acidity / Alkalinity (pH)

Over the past twelve months pH readings across the regional bores have remained static with very little fluctuation.



Electrical Conductivity

Laboratory Electrical Conductivity (EC) levels are all within historic groundwater EC range of 500_{µs/cm} to 2,500_{µs/cm}, with the exception of monitoring bore Reg13 which has a historic groundwater EC range of 2,500_{µs/cm} to 4,100_{µs/cm}.




B. Surface Water – Creeks and Rivers

Routine surface water monitoring is conducted in surrounding creeks and rivers on a monthly basis. Results for parameters including pH, EC and Total Suspended Solids (TSS) are shown in the figures below.


Acidity / Alkalinity (pH)

Monitoring results for pH in creeks and rivers surrounding MCCM are all trending within the ANZECC range for Irrigation, Ecosystem Health and Recreation.




Electrical Conductivity

Surface water EC trends have remained consistent with SW5, SW6, SW7 and SW8 all historically variable. SW5, SW6, SW7 and SW8 are points along the Namoi River which are subject to regulated and variable flow regimes.



Total Suspended Solids (TSS)


Surface water TSS trends have remained generally consistent with historical results. SW5, SW6, SW7 and SW8 are historically variable as they are located along the Namoi River which is subject to regulated and variable flow regimes.




Regional Groundwater monitoring

Maules Creek Coal Mine monitors regional bores across the region.

GW Bores SWL Comparison - 12 Months



GW Bores SWL Comparison - 10 Years



Rehabilitation

Progressive rehabilitation works are ongoing. MCC is on track to complete CY25 rehabilitation in accordance with the Forward Plan.

Feral Animal Management

Most recent routine Whitehaven Biodiversity Feral Animal Control program (April to June 2025) results were:

- 1,158 out of total 1,970 feral pigs removed were from the Maules Biodiversity properties;
- 227 out of the total 423 feral goats removed were from the Maules Biodiversity properties;
- 68 out of total 197 Canid Pest Ejectors (1080) triggered were from the Maules Biodiversity properties.

Weed Control

During April to June 2025 the following weed control was undertaken via spot spraying/jetting on the Maules Biodiversity Properties:

- 30ha of Woody Weeds such as Box Thorn, Blackberry and Prickly Pear were sprayed.
- 26ha of Grasses such as Rhodes grass and Coolatai grass were sprayed.
- 7ha of Broadleaf Weeds such as General Broadleaf, Mustard Weed, Pattersons Curse, Marshmallow, Turnip, Cobblers Peg, Saffron Thistle and Variegated Thistles were sprayed.
- 174ha of tracks sprayed as part of the track maintenance.

Upcoming Biodiversity Projects and Works

- Continue Pest Animal Management Program July to September 2025.
- Continue Seasonal Weed Control Programs.
- Continue Track Maintenance Program.
- Continue Annual Nest Box Monitoring and Installation.
- Continue 2025 Winter Bird Survey.
- Commence Noisy Miner Management Program.
- Annual Track Erosion Inspections.
- Initial Property Development for Track and Fencing Works.
- Threatened Flora Translocation Program.
- Spring Flora Monitoring.

Community Complaints

There was one community complaint registered during the quarter, all community complaints are available on the company website at <https://whitehavencoal.com.au/our-business/our-assets/maules-creek-mine/>.

MAULES CREEK COAL MINE 2025 Community Complaints Register				
Date Received	Method	Category	Nature of Complaint	MCCM Response
2/04/2025	Email	Dust	The EPA received a complaint regarding dust emissions at the site, referencing specific dates in February and March.	MCC reviewed the data and provided a response to the EPA.



Path: C:\Users\EGibson\OneDrive - Whitehaven Coal Limited\Documents\ArcGIS\Projects\Ezra\Ezra.aprx

Source: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Mexar

EPL 2021 Monitoring Locations - 06/12/2023

- EPL Monitoring Locations
- MCCM Project Boundary MOD 9

Scale: 1:33,944,857,333

Author: EGibson

Date created: 18/03/2025

Spatial Reference
 Name: WGS 1984 Web Mercator Auxiliary
 Sphere

Maules Creek Coal



Maules Creek Coal Mine Community Consultative Committee Meeting #51

Environmental Monitoring Report For the Q3 period, July – September 2025

Attended Noise Monitoring

Maules Creek Coal (MCC) engaged an independent acoustic consultant to conduct LAeq (15minutes) and LA1 (1 minute) attended noise monitoring at six monitoring locations on site.

A. NOISE GENERATED BY MCCM AGAINST OPERATIONAL DAY & NIGHT NOISE CRITERIA; July - September 2025 .

The results show that MCCM is within EPL 20221 compliance limits, that operations did not exceed the applicable; LAeq (15minute) 35dB Criteria, LA1 (1Minute) 45dB Criteria and the EPA's Noise Policy for Industry compliance guidelines.

Table 1 –July Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁵	L _{A1,1minute} ⁵	L _{Aeq,15minute}	L _{A1,1minute}
NM1	3/07/2025 22:30	0.3	201	F	No	35	45	28	33	Nil	Nil
NM2	3/07/2025 23:30	0.3	15	F	No	39	45	<20	<20	Nil	Nil
NM3	3/07/2025 23:29	0.3	15	F	No	35	45	IA	IA	Nil	Nil
NM4	3/07/2025 23:00	0.2	36	F	No	35	45	<20	<20	Nil	Nil
NM5	3/07/2025 22:00	0.3	177	F	No	35	45	29	42	Nil	Nil
NM6	3/07/2025 23:59	0.6	26	F	No	35	45	IA	IA	Nil	Nil

Table 2 – August Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁵	L _{A1,1minute} ⁵	L _{Aeq,15minute}	L _{A1,1minute}
NM1	27/08/2025 22:30	0.2	357	F	No	35	45	<20	<25	Nil	Nil
NM2	27/08/2025 23:30	0.3	145	F	No	39	45	IA	IA	Nil	Nil
NM3	28/08/2025 00:20	0.3	108	F	No	35	45	IA	IA	Nil	Nil
NM4	27/08/2025 23:00	0.2	69	F	No	35	45	IA	IA	Nil	Nil
NM5	27/08/2025 22:00	0.3	84	F	No	35	45	<25	26	Nil	Nil
NM6	27/08/2025 23:55	0.2	72	F	No	35	45	IA	IA	Nil	Nil

Table 3 – September Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁵	L _{A1,1minute} ⁵	L _{Aeq,15minute}	L _{A1,1minute}
NM1	8/09/2025 22:45	0.5	208	F	No	35	45	<20	<20	Nil	Nil
NM2	8/09/2025 23:34	0.7	153	F	No	39	45	<20	<20	Nil	Nil
NM3	8/09/2025 23:20	0.7	208	E	No	35	45	IA	IA	Nil	Nil
NM4	8/09/2025 23:09	0.8	195	D	No	35	45	<20	20	Nil	Nil
NM5	8/09/2025 22:15	0.9	199	F	No	35	45	24	30	Nil	Nil
NM6	8/09/2025 23:59	0.7	177	F	No	35	45	IA	IA	Nil	Nil

Wind Direction during Attended Monitoring

Wind direction data is collected from the Maule’s Creek Coal Mine (MCCM) Automated Weather Station (AWS). Wind data for the duration of the attended monitoring assessment, recorded at the MCCM AWS is presented in the table below.

Table 4 - Prevailing Wind Direction

Monitoring Date	Prevailing Wind Direction
July	WNW
August	SE
September	NW

Blast Monitoring

There was 22 blasts at MCCM during Q3 2025. All blast monitoring results recorded within the reporting period have complied with applicable overpressure and ground vibration limits specified in the respective approvals.

Table 5 – Blast Results Summary

Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Noise	dB	All	22	94.99	115.40	120	No
Vibration	mm/s		22	0.13	0.58	10	No

Air Quality



A. Total Depositional Dust



The 12 monthly rolling annual average remains below the relevant Project Approval (PA 10_0138) criteria of 4g/m²/month for the respective monitoring points.

Table 6 – Deposited Dust Gauge Results [g/m²/month]

MONTH	MC1	MC2	MC3	MC4
July	1.8	1.1	1.1	0.7
August	3.1c	3.5c	0.8	0.4
September	4.1	3.3c	3.6c	0.7
12 MONTH ROLLING AVERAGE	2.7	2.2	1.9	1.2

^c samples contaminated by bird dropping, decomposed insects or vegetable matter.






* Blank cells indicate sample periods where the sample has been contaminated and excluded from the results tables due to contaminated material (insect larvae, bird droppings, vegetation etc.).

B. High Volume Air Sampling (HVAS)

The HVAS monitor is located on the property 'Olivedene,' a mine owned property on Therribri Road. During past 12 months, there have been no exceedances of the 24-hour average of 50 $\mu\text{g}/\text{m}^3$.

HVAS PM_{10} Rolling Annual Average as of the 30th of September was **12.3 $\mu\text{g}/\text{m}^3$** , which is below the Annual Average Guideline of 30 $\mu\text{g}/\text{m}^3$.



C. TEOM - PM10 Results

The annual rolling average for PM10 at the Maules Creek Coal Mine for TEOM1 was **9.4 $\mu\text{g}/\text{m}^3$** and at TEOM3 was **12.3 $\mu\text{g}/\text{m}^3$** these are both below the Project Approval annual average criteria of 30 $\mu\text{g}/\text{m}^3$ as shown in the following figure.




Figure 1 - TEOM Result – Particulate Matter $\text{PM}_{10}\mu\text{g}/\text{m}^3$

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.





Figure 2 - TEOM Result – Particulate Matter PM₁₀µg/m³

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.

Water Monitoring


A. Groundwater

Groundwater monitoring results in open standpipe piezometers show levels to be relatively stable. The Regional bores were installed between Q4, 2013 and Q1, 2014. BCM01, BCM03, Reg10 are shallow bores which have remained dry since construction in 2013.




Acidity / Alkalinity (pH)

Over the past twelve months pH readings across the regional bores have remained static with very little fluctuation.



Electrical Conductivity

Laboratory Electrical Conductivity (EC) levels are all within historic groundwater EC range of 500 $\mu\text{s}/\text{cm}$ to 2,500 $\mu\text{s}/\text{cm}$, with the exception of monitoring bore Reg13 which has a historic groundwater EC range of 2,500 $\mu\text{s}/\text{cm}$ to 4,100 $\mu\text{s}/\text{cm}$.




B. Surface Water – Creeks and Rivers

Routine surface water monitoring is conducted in surrounding creeks and rivers on a monthly basis. Results for parameters including pH, EC and Total Suspended Solids (TSS) are shown in the figures below.


Acidity / Alkalinity (pH)

Monitoring results for pH in creeks and rivers surrounding MCCM are all trending within the ANZECC range for Irrigation, Ecosystem Health and Recreation.




Electrical Conductivity

Surface water EC trends have remained consistent with SW5, SW6, SW7 and SW8 all historically variable. SW5, SW6, SW7 and SW8 are points along the Namoi River which are subject to regulated and variable flow regimes.



Total Suspended Solids (TSS)


Surface water TSS trends have remained generally consistent with historical results. SW5, SW6, SW7 and SW8 are historically variable as they are located along the Namoi River which is subject to regulated and variable flow regimes.




Regional Groundwater monitoring

Maules Creek Coal Mine monitors regional bores across the region.

GW Bores SWL Comparison - 12 Months



GW Bores SWL Comparison - 10 Years



Rehabilitation

Progressive rehabilitation works are ongoing. MCC is on track to complete CY25 rehabilitation in accordance with the Forward Plan.

Feral Animal Management

Most recent routine Whitehaven Biodiversity Feral Animal Control program (July to September 2025) results were:

- 1,318 out of total 2,217 feral pigs removed were from the Maules Biodiversity properties;
- 472 out of the total 1,068 feral goats removed were from the Maules Biodiversity properties;
- 79 out of total 210 Canid Pest Ejectors (1080) triggered were from the Maules Biodiversity properties.
- 87 Rabbits consumed Pindone Baits on the Maules Biodiversity properties (Wirradale/Mt Lindesay).

Weed Control

During July to September 2025 the following weed control was undertaken via spot spraying/jetting on the Maules Biodiversity Properties:

- 1.7ha of Woody Weeds (Box Thorn) was sprayed.
- 3.1ha of African Lovegrass was sprayed.
- 49ha of Broadleaf Weeds such as General Broadleaf, Mustard Weed, Pattersons Curse, Marshmallow, Turnip, Cobblers Peg, Saffron Thistle, Saffron Thistle, General Thistles and Variegated Thistles were sprayed.
- 177ha of tracks sprayed as part of the track maintenance.

Upcoming Biodiversity Projects and Works

- Continue Pest Animal Management Program October to December 2025;
- Continue Seasonal Weed Control Programs;
- Continue Firebreak Track Maintenance Program;
- Continue Property Development for Track and Fencing Works;
- Continue Threatened Flora Translocation Programs (Pultenaea);
- Commence Onavale Cultural Precinct Construction;
- Continue Spring Flora Monitoring;
- Continue Annual Fauna Monitoring.

Community Complaints

There was one community complaint registered during the quarter, all community complaints are available on the company website at <https://whitehavencoal.com.au/our-business/our-assets/maules-creek-mine/>.

MAULES CREEK COAL MINE				
2025 Community Complaints Register				
Date Received	Method	Category	Nature of Complaint	MCCM Response
21/07/2025	Email	Blasting	Local resident complained about a blast on the 21 st of July 2025 at approximately 12:40pm. The blast shook their residence.	MCC reviewed the data and provided a response.



Path: C:\Users\EGibson\OneDrive - Whitehaven Coal Limited\Documents\ArcGIS\Projects\Ezra\Ezra.aprx

Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Maxar

EPL 2021 Monitoring Locations - 06/12/2023

- EPL Monitoring Locations
- MCCM Project Boundary MOD 9

Scale: 1:33,944,857,333

Author: EGibson

Date created: 18/03/2025

Spatial Reference
 Name: WGS 1984 Web Mercator Auxiliary
 Sphere

Maules Creek Coal



Maules Creek Coal Mine Community Consultative Committee Meeting #52

Environmental Monitoring Report For the Q4 period, October– December 2025

Attended Noise Monitoring

Maules Creek Coal (MCC) engaged an independent acoustic consultant to conduct LAeq (15minutes) and LA1 (1 minute) attended noise monitoring at six monitoring locations on site.

A. NOISE GENERATED BY MCCM AGAINST OPERATIONAL DAY & NIGHT NOISE CRITERIA; October - December 2025.

The results show that MCCM is within EPL 20221 compliance limits, that operations did not exceed the applicable LAeq (15minute) 35dB Criteria, LA1 (1Minute) 45dB Criteria and the EPA's Noise Policy for Industry compliance guidelines.

Table 1 –October Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁵	L _{A1,1minute} ⁵	L _{Aeq,15minute}	L _{A1,1minute}
NM1	29/10/2025 22:30	0.6	353	F	No	35	45	<20	<20	Nil	Nil
NM2	29/10/2025 23:30	0.5	165	F	No	39	45	<20	<25	Nil	Nil
NM3	29/10/2025 23:24	0.4	150	F	No	35	45	<25	<25	Nil	Nil
NM4	29/10/2025 23:00	0.7	210	F	No	35	45	<20	<25	Nil	Nil
NM5	29/10/2025 22:00	0.7	11	F	No	35	45	<20	<20	Nil	Nil
NM6	29/10/2025 23:59	0.8	230	F	No	35	45	<20	<20	Nil	Nil

Table 2 – November Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁵	L _{A1,1minute} ⁵	L _{Aeq,15minute}	L _{A1,1minute}
NM1	18/11/2025 22:30	0.3	353	F	No	35	45	<20	<20	Nil	Nil
NM2	18/11/2025 23:30	0.3	38	F	No	39	45	<20	<20	Nil	Nil
NM3	18/11/2025 23:17	0.4	109	F	No	35	45	IA	IA	Nil	Nil
NM4	18/11/2025 23:00	0.4	168	F	No	35	45	IA	IA	Nil	Nil
NM5	18/11/2025 22:00	0.9	157	F	No	35	45	23	27	Nil	Nil
NM6	18/11/2025 23:56	0.3	87	F	No	35	45	IA	IA	Nil	Nil

Table 3 – December Noise Monitoring

Location	Start date and time	Wind		Stability class	Very enhancing? ¹	Limits, dB ¹		Site levels, dB ^{2,3}		Exceedances, dB	
		Speed m/s	Direction ⁴			L _{Aeq,15minute}	L _{A1,1minute}	L _{Aeq,15minute} ⁵	L _{A1,1minute} ⁵	L _{Aeq,15minute}	L _{A1,1minute}
NM1	02/12/2025 22:30	0.8	207	D	No	35	45	<25	<25	Nil	Nil
NM2	02/12/2025 23:30	0.3	287	F	No	39	45	24	31	Nil	Nil
NM3	02/12/2025 23:18	0.5	325	F	No	35	45	IA	IA	Nil	Nil
NM4	02/12/2025 23:00	0.4	106	F	No	35	45	<20	<20	Nil	Nil
NM5	02/12/2025 22:00	1.1	207	D	No	35	45	<25	<25	Nil	Nil
NM6	02/12/2025 23:56	0.4	194	F	No	35	45	<25	<25	Nil	Nil

Wind Direction during Attended Monitoring

Wind direction data is collected from the Maule’s Creek Coal Mine (MCCM) Automated Weather Station (AWS). Wind data for the duration of the attended monitoring assessment, recorded at the MCCM AWS is presented in the table below.

Table 4 - Prevailing Wind Direction

Monitoring Date	Prevailing Wind Direction
October	SSW
November	ESE
December	SSW

Blast Monitoring

There was 29 blasts at MCCM during Q4 2025. All blast monitoring results recorded within the reporting period have complied with applicable overpressure and ground vibration limits specified in the respective approvals.

Table 5 – Blast Results Summary

Parameter	Units	Frequency	Number	Average	Max	100% Limit	Exceedance (Yes / No)
Noise	dB	All	29	93.42	109.6	120	No
Vibration	mm/s		29	0.08	0.32	10	No

Air Quality



A. Total Depositional Dust



The 12 monthly rolling annual average remains below the relevant Project Approval (PA 10_0138) criteria of 4g/m²/month for the respective monitoring points.

Table 6 – Deposited Dust Gauge Results [g/m²/month]

MONTH	MC1	MC2	MC3	MC4
October	0.8	4.4c	0.9	19.6c
November	2.1	0.6	2.2	7.7c
December	13.1c	2.1	1.3	11.9c
12 MONTH ROLLING AVERAGE	2.2	1.8	1.8	1.2

^c samples contaminated by bird dropping, decomposed insects or vegetable matter.






* Blank cells indicate sample periods where the sample has been contaminated and excluded from the results tables due to contaminated material (insect larvae, bird droppings, vegetation etc.).

B. High Volume Air Sampling (HVAS)

The HVAS monitor is located on the property 'Olivedene,' a mine owned property on Therribri Road. During past 12 months, there have been no exceedances of the 24-hour average of 50 $\mu\text{g}/\text{m}^3$.

HVAS PM_{10} Rolling Annual Average as of the 31st December 2025 was **12.1 $\mu\text{g}/\text{m}^3$** , which is below the Annual Average Guideline of 30 $\mu\text{g}/\text{m}^3$.



C. TEOM - PM10 Results

The annual rolling average for PM_{10} at the Maules Creek Coal Mine for TEOM1 was **9.5 $\mu\text{g}/\text{m}^3$** and at TEOM3 was **11.0 $\mu\text{g}/\text{m}^3$** these are both below the Project Approval annual average criteria of 30 $\mu\text{g}/\text{m}^3$ as shown in the following figure.




Figure 1 - TEOM Result – Particulate Matter $\text{PM}_{10\mu\text{g}/\text{m}^3}$

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.





Figure 2 - TEOM Result – Particulate Matter PM₁₀ug/m³

* Blank columns indicate sample periods where there was either power outage, maintenance or other related causes.

Water Monitoring


A. Groundwater

Groundwater monitoring results in open standpipe piezometers show levels to be relatively stable. The Regional bores were installed between Q4, 2013 and Q1, 2014. BCM01, BCM03, Reg10 are shallow bores which have remained dry since construction in 2013.




Acidity / Alkalinity (pH)

Over the past twelve months pH readings across the regional bores have remained static with very little fluctuation.



Electrical Conductivity

Laboratory Electrical Conductivity (EC) levels are all within historic groundwater EC range of 500 $\mu\text{S}/\text{cm}$ to 2,500 $\mu\text{S}/\text{cm}$, with the exception of monitoring bore Reg13 which has a historic groundwater EC range of 2,500 $\mu\text{S}/\text{cm}$ to 4,100 $\mu\text{S}/\text{cm}$.




B. Surface Water – Creeks and Rivers

Routine surface water monitoring is conducted in surrounding creeks and rivers on a monthly basis. Results for parameters including pH, EC and Total Suspended Solids (TSS) are shown in the figures below.


Acidity / Alkalinity (pH)

Monitoring results for pH in creeks and rivers surrounding MCCM are all trending within the ANZECC range for Irrigation, Ecosystem Health and Recreation.




Electrical Conductivity

Surface water EC trends have remained consistent with SW5, SW6, SW7 and SW8 all historically variable. SW5, SW6, SW7 and SW8 are points along the Namoi River which are subject to regulated and variable flow regimes.





Total Suspended Solids (TSS)

Surface water TSS trends have remained generally consistent with historical results. SW5, SW6, SW7 and SW8 are historically variable as they are located along the Namoi River which is subject to regulated and variable flow regimes.



Regional Groundwater monitoring

Maules Creek Coal Mine monitors regional bores across the region.



Rehabilitation

Progressive rehabilitation works are ongoing. MCC completed the CY2025 rehabilitation on the 20th of October 2025, in accordance with the Forward Plan.

Feral Animal Management

Most recent routine Whitehaven Biodiversity Feral Animal Control program (October to December 2025) results were:

- 1,120 out of total 1,732 feral pigs removed were from the Maules Biodiversity properties;
- 199 out of the total 371 feral goats removed were from the Maules Biodiversity properties;
- 146 out of total 283 Canid Pest Ejectors (1080) triggered, or foxes removed were from the Maules Biodiversity properties.

Weed Control

During October to December 2025 the following weed control was undertaken via spot spraying/jetting on the Maules Biodiversity Properties:

- 31.8ha of Woody Weeds (Sweet Briar, Blackberry and Prickly Pear) were sprayed.
- 10.6ha of Grasses (Coolatai Grass, African Lovegrass and Rhodes Grass) were sprayed.
- 66.8ha of Broadleaf Weeds such as General Broadleaf, Pattersons Curse, St Johns Wort, Noogoora Burr, Fleabane, Saffron Thistle, General Thistles & Variegated Thistles were sprayed.
- 193.5ha of tracks sprayed as part of the track maintenance.

Upcoming Biodiversity Projects and Works

- Continue Pest Animal Management Program January to March 2026;
- Continue Seasonal Weed Control Programs;
- Continue Firebreak Track Maintenance Program;
- Continue Property Development for Track and Fencing Works;
- Continue Threatened Flora Translocation Program maintenance;
- Complete Heritage Management construction works;
- Commence Annual Ecological Burn Program planning;
- Commence Revegetation Tree Planting.

Community Complaints

There was no community complaints registered during the quarter, all community complaints are available on the company website at <https://whitehavencoal.com.au/our-business/our-assets/maules-creek-mine/>.



EPL 2021 Monitoring Locations - 06/12/2023

- EPL Monitoring Locations
- MCCM Project Boundary MOD 9

Scale: 1:33,944,857,333

Author: EGibson

Date created: 18/03/2025

Spatial Reference
 Name: WGS 1984 Web Mercator Auxiliary
 Sphere

Maules Creek Coal

