



WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: January 2024

Obtained Date: 08/02/2024

Publication Date: 15/02/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	12/01/2024	08/02/2024	NA	NA	NA	0.9
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1US)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2US)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2DS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>
	TOC	mg/L	Lab Analysis		
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KCUS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge	<i>No flow events and/or mine discharge occurred during sampling period (KCDS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		



WHITEHAVEN COAL

	TSS	mg/L	Lab Analysis	from points 11, 13, 18,27	
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>
	TDS	mg/L	Lab Analysis		
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>
	TDS	mg/L	Lab Analysis		
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>
	TDS	mg/L	Lab Analysis		
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
29 (P29)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		0	
30 (P30)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
31 (P31)	Sulphate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	Lab Analysis		0	
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
32 (P32)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

33 (P33)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
35 (P58)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
38 (P85)	Conductivity	µs/cm	In situ		0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	

Not scheduled for sampling during sampling period



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA
	pH	pH	In situ		0							6.5-8.5	NA
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA



WHITEHAVEN COAL

Table 3 – Quarterly Attended Noise Monitoring results summary table

Nosie monitoring not scheduled in January. Next scheduled sampling is for March 2024.

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained
N5 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N6						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N8 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N9 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			



WHITEHAVEN COAL

Figure 1 – EPL 12789 Monitoring Locations





WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: February 2024

Obtained Date: 14/03/2024

Publication Date: 19/03/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	15/02/2024	14/03/2024	NA	NA	NA	0.5
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1US)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2US)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2DS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>
	TOC	mg/L	Lab Analysis		
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KCUS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge	<i>No flow events and/or mine discharge occurred during sampling period (KCDS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		



WHITEHAVEN COAL

	TSS	mg/L	Lab Analysis	from points 11, 13, 18,27	
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>
	TDS	mg/L	Lab Analysis		
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>
	TDS	mg/L	Lab Analysis		
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>
	TDS	mg/L	Lab Analysis		
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
29 (P29)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		0	
30 (P30)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
31 (P31)	Sulphate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	Lab Analysis		0	
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
32 (P32)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

33 (P33)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
35 (P58)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
38 (P85)	Conductivity	µs/cm	In situ		0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	

Not scheduled for sampling during sampling period



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA
	pH	pH	In situ		0							6.5-8.5	NA
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA



WHITEHAVEN COAL

Table 3 – Quarterly Attended Noise Monitoring results summary table

Nosie monitoring not scheduled in February. Next scheduled sampling is for March 2024.

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained
N5 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N6						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N8 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N9 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- | | |
|--|----------------------|
| ■ ML1609 | Monitoring locations |
| ■ | Lot boundary |
| — | Watercourses |
- + Surface water quality monitoring
 - + Licensed discharge point
 - ▲ Ambient air quality monitoring
 - Groundwater monitoring - standpipe single
 - Meteorological station
 - Noise monitoring



NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: March 2024

Obtained Date: 9/4/2024

Publication Date: 19/04/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	14/03/2024	03/04/2024	NA	NA	NA	0.5
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD4)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA	NA
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	NA
	pH	pH	In situ		0		NA	NA	NA	NA	NA
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	NA
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA	NA
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	NA
	pH	pH	In situ		0		NA	NA	NA	NA	NA
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	NA



16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD7)</i>						
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	



	pH	pH	In situ	discharge from points 11, 13, 18,27,43	0		NA	NA	NA	NA		
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA		
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA		
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA		
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA		
	pH	pH	In situ		0		NA	NA	NA	NA		
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA		
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	0	Ambient Flow 20/03/24 (quarterly check completed, no flow)	NA	NA	NA	NA		
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA		
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA		
	pH	pH	In situ		0		NA	NA	NA	NA		
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA		
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>							
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>							
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>							
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>						
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>						
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>						



	Bicarbonate	mg/L	Lab Analysis		0						
	Calcium	mg/L	Lab Analysis		0						
	Carbonate	mg/L	Lab Analysis		0						
	Chloride	mg/L	Lab Analysis		0						
	Magnesium	mg/L	Lab Analysis		0						
	Potassium	mg/L	Lab Analysis		0						
	Sodium	mg/L	Lab Analysis		0						
	Sulphate	mg/L	Lab Analysis		0						
29 (P29)	Conductivity	µs/cm	In situ	Quarterly	1	20/03/2024	05/04/2024	NA	NA	NA	16460
	pH	pH	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	7.38
	SWL	mbtoc	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	5.18
	Bicarbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	652
	Calcium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	126
	Carbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	5050
	Magnesium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	284
	Potassium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	6
	Sodium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	3090



	Sulphate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	606
30 (P30)	Conductivity	µs/cm	In situ	Quarterly	1	20/03/2024	05/04/2024	NA	NA	NA	16800
	pH	pH	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	7.1
	SWL	mbtoc	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	12.07
	Bicarbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	856
	Calcium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	146
	Carbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	4850
	Magnesium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	357
	Potassium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	17
	Sodium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	3160
	Sulphate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	813
31 (P31)	Conductivity	µs/cm	In situ	Quarterly	1	20/03/2024	05/04/2024	NA	NA	NA	6760
	pH	pH	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	7.31
	SWL	mbtoc	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	16.47
	Bicarbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	837
	Calcium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	86
	Carbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	1650

	Magnesium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	161
	Potassium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	12
	Sodium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	1210
	Sulphate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	287
32 (P32)	Conductivity	µs/cm	In situ	Quarterly	1	20/03/2024	05/04/2024	NA	NA	NA	1989
	pH	pH	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	8.29
	SWL	mbtoc	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	8.16
	Bicarbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	835
	Calcium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	2
	Carbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	43
	Chloride	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	101
	Magnesium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	5
	Potassium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	<1
	Sodium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	501
	Sulphate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	62
33	Conductivity	µs/cm	In situ	Quarterly	0	20/03/2024	05/04/2024	NA	NA	NA	16490
	pH	pH	In situ		0	20/03/2024	05/04/2024	NA	NA	NA	7.23
	SWL	mbtoc	In situ		0	20/03/2024	05/04/2024	NA	NA	NA	15.28
	Bicarbonate	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	774
	Calcium	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	94



(P33)	Carbonate	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	5090
	Magnesium	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	287
	Potassium	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	12
	Sodium	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	3500
	Sulphate	mg/L	Lab Analysis		0	20/03/2024	05/04/2024	NA	NA	NA	893
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sodium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sulphate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
35 (P58)	Conductivity	µs/cm	In situ	Quarterly	1	20/03/2024	05/04/2024	NA	NA	NA	11960
	pH	pH	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	6.93
	SWL	mbtoc	In situ		1	20/03/2024	05/04/2024	NA	NA	NA	19.95



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	4940
	Calcium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	37
	Carbonate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	1590
	Magnesium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	70
	Potassium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	79
	Sodium	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	2990
	Sulfate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	100
36 (P83)	Conductivity	µs/cm	In situ	Monthly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0						
	SWL	mbtoc	In situ		0						
	Bicarbonate	mg/L	Lab Analysis		0						
	Calcium	mg/L	Lab Analysis		0						
	Carbonate	mg/L	Lab Analysis		0						
	Chloride	mg/L	Lab Analysis		0						
	Magnesium	mg/L	Lab Analysis		0						
	Potassium	mg/L	Lab Analysis		0						
	Sodium	mg/L	Lab Analysis		0						
	Sulphate	mg/L	Lab Analysis		0						



37 (P84)	Conductivity	µs/cm	In situ	Monthly	1	19/03/2024	08/04/2024	NA	NA	NA	18850
	pH	pH	In situ		1	19/03/2024	08/04/2024	NA	NA	NA	6.75
	SWL	mbtoc	In situ		1	19/03/2024	08/04/2024	NA	NA	NA	13.57
	Bicarbonate	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	2630
	Calcium	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	99
	Carbonate	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	6140
	Magnesium	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	383
	Potassium	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	36
	Sodium	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	4490
	Sulphate	mg/L	Lab Analysis		1	19/03/2024	08/04/2024	NA	NA	NA	1140
38 (P85)	Conductivity	µs/cm	In situ	Monthly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0						
	SWL	mbtoc	In situ		0						
	Bicarbonate	mg/L	Lab Analysis		0						
	Calcium	mg/L	Lab Analysis		0						
	Carbonate	mg/L	Lab Analysis		0						
	Chloride	mg/L	Lab Analysis		0						
	Magnesium	mg/L	Lab Analysis		0						
	Potassium	mg/L	Lab Analysis		0						

	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Monthly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
40 (P89)	Conductivity	µs/cm	In situ	Monthly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	

	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
43	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	0	<i>No discharge occurred during sampling period (SD9)</i>
	TOC	mg/L	Lab Analysis		0	



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)	
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD4
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD2
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD7
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA	NR1
	pH	pH	In situ		0							6.5-8.5	NA	
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD8
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	

Table 3 – Quarterly Attended Noise Monitoring results summary table


EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)			Compliant (Yes/No)	Date Obtained
N5 ¹	11/03/2024	I/A	I/A	25	30	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	Y	Y	9/04/2024
	12/03/2024	I/A	I/A	N/M	N/M			Y	Y	N	Y	
	13/03/2024	I/A	I/A	N/M	N/M			Y	N	N	Y	
N6	11/03/2024 ²	I/A	N/M	N/M	N/M	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	N	Y	9/04/2024
	12/03/2024 ²	30	I/A	27	33			Y	Y	N	Y	
	13/03/2024 ²	27	N/M	31	38			Y	N	Y	Y	
N8 ¹	11/03/2024	I/A	34	33	40	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	N	Y	Y	9/04/2024
	12/03/2024	I/A	32	33	34			Y	N	Y	Y	
	13/03/2024	25	I/A	31	39			Y	Y	Y	Y	
N9 ¹	11/03/2024	I/A	I/A	I/A	I/A	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	Y	Y	9/04/2024
	12/03/2024	I/A	I/A	28	29			Y	Y	Y	Y	
	13/03/2024	I/A	I/A	32	36			Y	Y	N	Y	

I/A = Inaudible, N/M = Not Measurable

Note 1: Property is owned by Narrabri Coal Operations. Noise limits contained in Conditions 1-3, Schedule 4 of PA 08_0144 Mod 2 and the identical limits contained in condition L3 of Environment Protection Licence No 12789 are not applicable.

Note 2: Evening and Night monitoring conducted on this date, Day monitoring conducted during the following day period.

Figure 1 – EPL 12789 Monitoring Locations



LEGEND

- | | |
|--|---|
| ■ ML1609
■ Lot boundary
— Watercourses | Monitoring locations
+ Surface water quality monitoring
+ Licenced discharge point
▲ Ambient air quality monitoring
■ Groundwater monitoring - standpipe single
○ Meteorological station
○ Noise monitoring |
|--|---|



WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: April 2024

Obtained Date: 29/04/2024

Publication Date: 09/05/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	10/04/2024	29/04/2024	NA	NA	NA	1.3
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)		<i>No discharge occurred during sampling period (SD4)</i>					
	TOC	mg/L	Lab Analysis			<i>No discharge occurred during sampling period (SD2)</i>					
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)		<i>No discharge occurred during sampling period (SD2)</i>					
	TOC	mg/L	Lab Analysis			<i>No discharge occurred during sampling period (SD2)</i>					
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	No discharge occurred during sampling period (SD7)						
	TOC	mg/L	Lab Analysis		No discharge occurred during sampling period (SD7)						
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter &	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	



WHITEHAVEN COAL

	Oil & Grease	mg/L	Lab Analysis	after each wet weather discharge from points 11, 13, 18, 27, 43	0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	0	Flow event 05/04/2024 (check completed, no flow)	NA	NA	NA	NA	
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA	
	pH	pH	In situ		0		NA	NA	NA	NA	
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA	
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	Namoi discharge point – Not constructed or currently utilised (NR1)						
	TDS	mg/L	Lab Analysis								
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	Namoi discharge point – Not constructed or currently utilised (NRUS)						
	TDS	mg/L	Lab Analysis								
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	Namoi discharge point – Not constructed or currently utilised (NRDS)						
	TDS	mg/L	Lab Analysis								
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	0	Not scheduled for sampling during sampling period					
	pH	pH	In situ		0						



WHITEHAVEN COAL

	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
29 (P29)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
30 (P30)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
31 (P31)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Calcium	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
32 (P32)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		0	
33 (P33)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
34 (P34)	Sulphate	mg/L	Lab Analysis		0	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	In situ	Quarterly	0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

35 (P58)	Magnesium	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
36 (P83)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Calcium	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
38	Conductivity	µs/cm	In situ		0	



WHITEHAVEN COAL

(P85)	pH	pH	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sodium	mg/L	Lab Analysis		0							
	Sulfate	mg/L	Lab Analysis		0							
40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>						
	pH	pH	In situ		0							
	SWL	mbtoc	In situ		0							
	Bicarbonate	mg/L	Lab Analysis		0							
	Calcium	mg/L	Lab Analysis		0							
	Carbonate	mg/L	Lab Analysis		0							
	Chloride	mg/L	Lab Analysis		0							
	Magnesium	mg/L	Lab Analysis		0							
	Potassium	mg/L	Lab Analysis		0							
	Sodium	mg/L	Lab Analysis		0							
	Sulphate	mg/L	Lab Analysis		0							
43 (SD9)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	0	05/04/2024	12/04/2024	NA	NA	NA	NA	396
	TOC	mg/L	Lab Analysis		0	05/04/2024	12/04/2024	NA	NA	NA	NA	4



WHITEHAVEN COAL

Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)	
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD4
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD2
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD7
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA	NR1
	pH	pH	In situ		0							6.5-8.5	NA	
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD8
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
43	TSS	mg/L	Lab Analysis	Upon discharge	0	05/04/2024	12/04/2024	NA	NA	906	50	No ¹	SD9	
	Oil & Grease	mg/L	Lab Analysis		0			NA	NA	<5	10	No		
	pH	pH	In situ		0			NA	NA	7.21	6.5-8.5	No		

¹ Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 5/4/2024).



WHITEHAVEN COAL

Table 3 – Quarterly Attended Noise Monitoring results summary table

Nosie monitoring not scheduled in April. Next scheduled sampling is for June 2024.

EPL ID	Date	Measured Levels – dB(A) $L_{eq\ 15min}\ Day$	Measured Levels – dB(A) $L_{eq\ 15min}\ Evening$	Measured Levels – dB(A) $L_{eq\ 15min}\ Night$	Measured Levels – dB(A) $L_{A1\ (1\ min)}\ Night$	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained
N5 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N6						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N8 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N9 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			

Figure 1 – EPL 12789 Monitoring Locations



LEGEND

- | | |
|---|---|
| ■ ML1609
■ Lot boundary
— Watercourses | + Monitoring locations
+ Surface water quality monitoring
+ Licensed discharge point
△ Ambient air quality monitoring
■ Groundwater monitoring - standpipe single
○ Meteorological station
○ Noise monitoring |
|---|---|



WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: May 2024

Obtained Date: 23/05/2024

Publication Date: 11/06/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	09/05/2024	23/05/2024	NA	NA	NA	0.4
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1US)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2US)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2DS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>
	TOC	mg/L	Lab Analysis		
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KCUS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge	<i>No flow events and/or mine discharge occurred during sampling period (KCDS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		



WHITEHAVEN COAL

	TSS	mg/L	Lab Analysis	from points 11, 13, 18,27	
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>
	TDS	mg/L	Lab Analysis		
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>
	TDS	mg/L	Lab Analysis		
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>
	TDS	mg/L	Lab Analysis		
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		



WHITEHAVEN COAL

29 (P29)	Calcium	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
29 (P29)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		0	
30 (P30)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
31 (P31)	Sulphate	mg/L	Lab Analysis		0	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	Lab Analysis	Quarterly	0	
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
32 (P32)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

33 (P33)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
35 (P58)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
38 (P85)	Conductivity	µs/cm	In situ		0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	

Not scheduled for sampling during sampling period



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
43 (SD9)	Conductivity	µs/cm	In situ		0	<i>No discharge occurred during sampling period (SD9)</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

Sodium	mg/L	Lab Analysis		
Sulphate	mg/L	Lab Analysis		



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA
	pH	pH	In situ		0							6.5-8.5	NA
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
43	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
													SD9



WHITEHAVEN COAL

	Oil & Grease	mg/L	Lab Analysis		0			10	NA	
	pH	pH	In situ		0			6.5-8.5	NA	



WHITEHAVEN COAL

Table 3 – Quarterly Attended Noise Monitoring results summary table

Nosie monitoring not scheduled in May. Next scheduled sampling is for June 2024.

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained
N5 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N6						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N8 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N9 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- ML1609
- Lot boundary
- Watercourses
- + Surface water quality monitoring
- + Licensed discharge point
- ▲ Ambient air quality monitoring
- Groundwater monitoring - standpipe single
- Meteorological station
- ◊ Noise monitoring



WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: June 2024

Obtained Date: 17/07/2024

Publication Date: 18/07/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	13/06/2024	27/06/2024	NA	NA	NA	0.1
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	1	02/06/2024	12/06/2024	NA	NA	NA	103
	TOC	mg/L	Lab Analysis		1	02/06/2024	12/06/2024	NA	NA	NA	13
	Oil & Grease	mg/L	Lab Analysis		1	02/06/2024	12/06/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/06/2024	12/06/2024	NA	NA	NA	6.68
	TSS	mg/L	Lab Analysis		1	02/06/2024	12/06/2024	NA	NA	NA	169
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	0	Ambient flow 02/06/2024 following significant rain event. No flow.		NA	NA	NA	NA
	TOC	mg/L	Lab Analysis		0			NA	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		0			NA	NA	NA	NA
	pH	pH	In situ		0			NA	NA	NA	NA
	TSS	mg/L	Lab Analysis		0			NA	NA	NA	NA



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	0	02/06/2024	12/06/2024	NA	NA	NA	64
	TOC	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	14
	Oil & Grease	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	<5
	pH	pH	In situ		0	02/06/2024	12/06/2024	NA	NA	NA	6.77
	TSS	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	18
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	0	02/06/2024	12/06/2024	NA	NA	NA	124
	TOC	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	14
	Oil & Grease	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	<5
	pH	pH	In situ		0	02/06/2024	12/06/2024	NA	NA	NA	7.01
	TSS	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	53
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD7)</i>						
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	0	01/06/2024	12/06/2024	NA	NA	NA	64
	TOC	mg/L	Lab Analysis		0	01/06/2024	12/06/2024	NA	NA	NA	13
	Oil & Grease	mg/L	Lab Analysis		0	01/06/2024	12/06/2024	NA	NA	NA	<5
	pH	pH	In situ		0	01/06/2024	12/06/2024	NA	NA	NA	7.37
	TSS	mg/L	Lab Analysis		0	01/06/2024	12/06/2024	NA	NA	NA	1090
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather	0	01/06/2024	12/06/2024	NA	NA	NA	92
	TOC	mg/L	Lab Analysis		0	01/06/2024	12/06/2024	NA	NA	NA	10
	Oil & Grease	mg/L	Lab Analysis		0	01/06/2024	12/06/2024	NA	NA	NA	<5



WHITEHAVEN COAL

	pH	pH	In situ	discharge from points 11, 13, 18,27,43	0	01/06/2024	12/06/2024	NA	NA	NA	7.35	
	TSS	mg/L	Lab Analysis		0	01/06/2024	12/06/2024	NA	NA	NA	482	
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	0	Ambient flow 02/06/2024 following significant rain event. No flow.	NA	NA	NA	NA		
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA		
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA		
	pH	pH	In situ		0		NA	NA	NA	NA		
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA		
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	0	02/06/2024	12/06/2024	NA	NA	NA	136	
	TOC	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	15	
	Oil & Grease	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	<5	
	pH	pH	In situ		0	02/06/2024	12/06/2024	NA	NA	NA	6.94	
	TSS	mg/L	Lab Analysis		0	02/06/2024	12/06/2024	NA	NA	NA	96	
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>							
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>							
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>							
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Bore was dry during sampling period</i>							
	pH	pH	In situ		<i>Bore was dry during sampling period</i>							
	SWL	mbtoc	In situ		<i>Bore was dry during sampling period</i>							



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly							
	Calcium	mg/L	Lab Analysis								
	Carbonate	mg/L	Lab Analysis								
	Chloride	mg/L	Lab Analysis								
	Magnesium	mg/L	Lab Analysis								
	Potassium	mg/L	Lab Analysis								
	Sodium	mg/L	Lab Analysis								
	Sulphate	mg/L	Lab Analysis								
29 (P29)	Conductivity	µs/cm	In situ	Quarterly	1	25/06/2024	17/07/2024	NA	NA	NA	18290
	pH	pH	In situ		1	25/06/2024	17/07/2024	NA	NA	NA	6.57
	SWL	mbtoc	In situ		1	25/06/2024	17/07/2024	NA	NA	NA	4.46
	Bicarbonate	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	609
	Calcium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	168
	Carbonate	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	6490
	Magnesium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	363
	Potassium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	9
	Sodium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	3770



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		1	20/03/2024	05/04/2024	NA	NA	NA	720
30 (P30)	Conductivity	µs/cm	In situ	Quarterly	1	28/06/2024	17/07/2024	NA	NA	NA	17080
	pH	pH	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	6.42
	SWL	mbtoc	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	11.90
	Bicarbonate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	841
	Calcium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	164
	Carbonate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	5530
	Magnesium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	397
	Potassium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	18
	Sodium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	3470
	Sulphate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	1120
31 (P31)	Conductivity	µs/cm	In situ	Quarterly	1	28/06/2024	17/07/2024	NA	NA	NA	6940
	pH	pH	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	6.75
	SWL	mbtoc	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	16.42
	Bicarbonate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	832
	Calcium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	108
	Carbonate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	2000



WHITEHAVEN COAL

	Magnesium	mg/L	Lab Analysis	Quarterly	1	28/06/2024	17/07/2024	NA	NA	NA	189
	Potassium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	14
	Sodium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	1330
	Sulphate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	287329
32 (P32)	Conductivity	µs/cm	In situ	Quarterly	1	28/06/2024	17/07/2024	NA	NA	NA	2214
	pH	pH	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	7.89
	SWL	mbtoc	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	8.20
	Bicarbonate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	866
	Calcium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	2
	Carbonate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	34
	Chloride	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	178
	Magnesium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	6
	Potassium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	<1
	Sodium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	558
	Sulphate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	117
33	Conductivity	µs/cm	In situ	Quarterly	0	28/06/2024	17/07/2024	NA	NA	NA	5860
	pH	pH	In situ		0	28/06/2024	17/07/2024	NA	NA	NA	6.93
	SWL	mbtoc	In situ		0	28/06/2024	17/07/2024	NA	NA	NA	15.40
	Bicarbonate	mg/L	Lab Analysis		0	28/06/2024	17/07/2024	NA	NA	NA	NA
	Calcium	mg/L	Lab Analysis		0	28/06/2024	17/07/2024	NA	NA	NA	NA



WHITEHAVEN COAL

(P33)	Carbonate	mg/L	Lab Analysis	Quarterly	0	28/06/2024	17/07/2024	NA	NA	NA	NA
	Chloride	mg/L	Lab Analysis		0	28/06/2024	17/07/2024	NA	NA	NA	NA
	Magnesium	mg/L	Lab Analysis		0	28/06/2024	17/07/2024	NA	NA	NA	NA
	Potassium	mg/L	Lab Analysis		0	28/06/2024	17/07/2024	NA	NA	NA	NA
	Sodium	mg/L	Lab Analysis		0	28/06/2024	17/07/2024	NA	NA	NA	NA
	Sulphate	mg/L	Lab Analysis		0	28/06/2024	17/07/2024	NA	NA	NA	NA
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sodium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sulphate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
35 (P58)	Conductivity	µs/cm	In situ	Quarterly	1	28/06/2024	17/07/2024	NA	NA	NA	11760
	pH	pH	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	6.27
	SWL	mbtoc	In situ		1	28/06/2024	17/07/2024	NA	NA	NA	20.26



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly	1	28/06/2024	17/07/2024	NA	NA	NA	4790
	Calcium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	40
	Carbonate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	1670
	Magnesium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	77
	Potassium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	79
	Sodium	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	3120
	Sulfate	mg/L	Lab Analysis		1	28/06/2024	17/07/2024	NA	NA	NA	128
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sodium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sulphate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					



WHITEHAVEN COAL

37 (P84)	Conductivity	µs/cm	In situ	Quarterly	1	25/06/2024	17/07/2024	NA	NA	NA	20860
	pH	pH	In situ		1	25/06/2024	17/07/2024	NA	NA	NA	6.39
	SWL	mbtoc	In situ		1	25/06/2024	17/07/2024	NA	NA	NA	10.66
	Bicarbonate	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	2550
	Calcium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	94
	Carbonate	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	6640
	Magnesium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	396
	Potassium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	36
	Sodium	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	4460
	Sulphate	mg/L	Lab Analysis		1	25/06/2024	17/07/2024	NA	NA	NA	1140
38 (P85)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					



WHITEHAVEN COAL

	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Magnesium	mg/L	Lab Analysis		0						
43 (SD9)	Potassium	mg/L	Lab Analysis		0						
	Sodium	mg/L	Lab Analysis		0						
43 (SD9)	Sulphate	mg/L	Lab Analysis		0						
	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	0	1/06/2024	12/06/2024	NA	NA	NA	47
43 (SD9)	TOC	mg/L	Lab Analysis		0	1/06/2024	12/06/2024	NA	NA	NA	7



WHITEHAVEN COAL

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA
	pH	pH	In situ		0							6.5-8.5	NA
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
43	TSS	mg/L	Lab Analysis	Upon discharge	0	01/06/2024	12/06/2024	NA	NA	688	50	No ^a	SD9
	Oil & Grease	mg/L	Lab Analysis		0			NA	NA	<5	10	No	
	pH	pH	In situ		0			NA	NA	7.38	6.5-8.5	No	

^a Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 5/4/2024).



WHITEHAVEN COAL

Table 2 - Pollutant Limits Apply (Water)

Table 3 – Quarterly Attended Noise Monitoring results summary table

EPL ID	Date	Measured Levels – dB(A) $L_{eq\ 15min\ Day}$	Measured Levels – dB(A) $L_{eq\ 15min\ Evening}$	Measured Levels – dB(A) $L_{eq\ 15min\ Night}$	Measured Levels – dB(A) $L_{A1\ (1\ min)\ Night}$	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)			Compliant (Yes/No)	Date Obtained
N5 ¹	03/06/2024 ²	30	28	32	40	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	N	N	Y	2/07/2024
	04/06/2024 ²	37	28	27	30			Y	Y	Y	Y ¹	
	05/06/2024 ²	29	26	N/M	N/M			N	Y	Y	Y	
N6	03/06/2024 ²	I/A	30	31	37	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	N	Y	2/07/2024
	04/06/2024 ²	I/A	26	29	33			Y	Y	Y	Y	
	05/06/2024 ²	31	32	35	42			Y	Y	Y	Y	
N8 ¹	03/06/2024 ²	23	28	30	35	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	N	N	Y	2/07/2024
	04/06/2024 ²	34	26	32	39			Y	Y	Y	Y	
	05/06/2024 ²	32	27	I/A	I/A			N	Y	Y	Y	
N9 ¹	03/06/2024 ²	I/A	30	28	31	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>$L_{A1\ (1\ min)}$:</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	N	Y	2/07/2024
	04/06/2024 ²	I/A	25	30	41			Y	Y	Y	Y	
	05/06/2024 ²	31	I/A	32	38			Y	Y	Y	Y	

I/A = Inaudible, N/M = Not Measurable

Note 1: Property is owned by Narrabri Coal Operations. Noise limits contained in Conditions 1-3, Schedule 4 of PA 08_0144 Mod 2 and the identical limits contained in condition L3 of Environment Protection Licence No 12789 are not applicable.

Note 2: Evening and Night monitoring conducted on this date, Day monitoring conducted during the following day period.

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- ML1609
- Lot boundary
- Watercourses
- + Monitoring locations
- + Surface water quality monitoring
- △ Licensed discharge point
- ▲ Ambient air quality monitoring
- Groundwater monitoring - standpipe single
- Meteorological station
- Noise monitoring



WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: July 2024

Obtained Date: 26/07/2024

Publication Date: 12/08/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	11/07/2024	26/07/2024	NA	NA	NA	0.1
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1US)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2US)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2DS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>
	TOC	mg/L	Lab Analysis		
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KCUS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge	<i>No flow events and/or mine discharge occurred during sampling period (KCDS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		



WHITEHAVEN COAL

	TSS	mg/L	Lab Analysis	from points 11, 13, 18,27	
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>
	TDS	mg/L	Lab Analysis		
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>
	TDS	mg/L	Lab Analysis		
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>
	TDS	mg/L	Lab Analysis		
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
29 (P29)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		0	
30 (P30)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
31 (P31)	Sulphate	mg/L	Lab Analysis		0	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	Lab Analysis	Quarterly	0	
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
32 (P32)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

33 (P33)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
35 (P58)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
38 (P85)	Conductivity	µs/cm	In situ		0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	

Not scheduled for sampling during sampling period



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
43 (SD9)	Conductivity	µs/cm	In situ		0	<i>No discharge occurred during sampling period (SD9)</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

Sodium	mg/L	Lab Analysis		
Sulphate	mg/L	Lab Analysis		



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA
	pH	pH	In situ		0							6.5-8.5	NA
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
43	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
													SD9



WHITEHAVEN COAL

	Oil & Grease	mg/L	Lab Analysis		0			10	NA	
	pH	pH	In situ		0			6.5-8.5	NA	



WHITEHAVEN COAL

Table 3 – Quarterly Attended Noise Monitoring results summary table

Nosie monitoring not scheduled in July. Next scheduled sampling is for September 2024.

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained
N5 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N6						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N8 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			
N9 ¹						<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs			
							Evening – 0.5 hrs			
							Night – 1 hr			

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- ML1609
- Lot boundary
- Watercourses
- + Surface water quality monitoring
- + Licensed discharge point
- ▲ Ambient air quality monitoring
- Groundwater monitoring - standpipe single
- Meteorological station
- Noise monitoring



WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: August 2024

Obtained Date: 10/09/2024

Publication Date: 20/09/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	08/08/2024	27/08/2024	NA	NA	NA	0.2
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	1	06/08/2024	13/08/2024	NA	NA	NA	72
	TOC	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	13
	Oil & Grease	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	12
	pH	pH	In situ		1	06/08/2024	13/08/2024	NA	NA	NA	7.16
	TSS	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	111
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	1	06/08/2024	13/08/2024	NA	NA	NA	85
	TOC	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	19
	Oil & Grease	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	9
	pH	pH	In situ		1	06/08/2024	13/08/2024	NA	NA	NA	7.39
	TSS	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	120



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	1	06/08/2024	13/08/2024	NA	NA	NA	85	
	TOC	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	19	
	Oil & Grease	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	9	
	pH	pH	In situ		1	06/08/2024	13/08/2024	NA	NA	NA	7.39	
	TSS	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	120	
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	06/08/2024	13/08/2024	NA	NA	NA	55	
	TOC	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	14	
	Oil & Grease	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	11	
	pH	pH	In situ		1	06/08/2024	13/08/2024	NA	NA	NA	6.81	
	TSS	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	34	
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>							
	TOC	mg/L	Lab Analysis									
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	06/08/2024	13/08/2024	NA	NA	NA	152	
	TOC	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	13	
	Oil & Grease	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	12	
	pH	pH	In situ		1	06/08/2024	13/08/2024	NA	NA	NA	6.88	
	TSS	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	62	
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather	1	06/08/2024	13/08/2024	NA	NA	NA	136	
	TOC	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	12	
	Oil & Grease	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	<5	



WHITEHAVEN COAL

	pH	pH	In situ	discharge from points 11, 13, 18,27,43	1	06/08/2024	13/08/2024	NA	NA	NA	6.62
	TSS	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	59
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	0	Ambient flow 06/08/2024 following rain event. No flow.			NA	NA	NA
	TOC	mg/L	Lab Analysis		0				NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		0				NA	NA	NA
	pH	pH	In situ		0				NA	NA	NA
	TSS	mg/L	Lab Analysis		0				NA	NA	NA
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	06/08/2024	13/08/2024	NA	NA	NA	115
	TOC	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	11
	Oil & Grease	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	9
	pH	pH	In situ		1	06/08/2024	13/08/2024	NA	NA	NA	7.20
	TSS	mg/L	Lab Analysis		1	06/08/2024	13/08/2024	NA	NA	NA	22
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>						
	TDS	mg/L	Lab Analysis								
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>						
	TDS	mg/L	Lab Analysis								
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>						
	TDS	mg/L	Lab Analysis								
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Bore was dry during sampling period</i>						
	pH	pH	In situ								
	SWL	mbtoc	In situ								



WHITEHAVEN COAL

29 (P29)	Bicarbonate	mg/L	Lab Analysis	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	18610
	Calcium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	7.04
	Carbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	5.00
	Chloride	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	648
	Magnesium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	156
	Potassium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	<1
	Sodium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	6030
	Sulphate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	345
	Potassium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	8
	Sodium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	3500



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	693
30 (P30)	Conductivity	µs/cm	In situ	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	16740
	pH	pH	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	6.72
	SWL	mbtoc	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	11.64
	Bicarbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	896
	Calcium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	146
	Carbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	5120
	Magnesium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	366
	Potassium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	20
	Sodium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	3170
	Sulphate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	1230
31 (P31)	Conductivity	µs/cm	In situ	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	6840
	pH	pH	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	6.95
	SWL	mbtoc	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	16.35
	Bicarbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	873
	Calcium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	88
	Carbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	1600



WHITEHAVEN COAL

	Magnesium	mg/L	Lab Analysis	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	160
	Potassium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	14
	Sodium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	1220
	Sulphate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	349
32 (P32)	Conductivity	µs/cm	In situ	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	4890
	pH	pH	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	7.54
	SWL	mbtoc	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	7.61
	Bicarbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	1100
	Calcium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	4
	Carbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	751
	Magnesium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	35
	Potassium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	2
	Sodium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	1120
	Sulphate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	443
33	Conductivity	µs/cm	In situ	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	3160
	pH	pH	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	7.39
	SWL	mbtoc	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	15.22
	Bicarbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	476
	Calcium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	4



WHITEHAVEN COAL

(P33)	Carbonate	mg/L	Lab Analysis	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	752
	Magnesium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	13
	Potassium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	3
	Sodium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	701
	Sulphate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	151
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sodium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sulphate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
35 (P58)	Conductivity	µs/cm	In situ	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	11910
	pH	pH	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	6.74
	SWL	mbtoc	In situ		1	30/08/2024	10/09/2024	NA	NA	NA	21.63



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly	1	30/08/2024	10/09/2024	NA	NA	NA	4980
	Calcium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	34
	Carbonate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	1580
	Magnesium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	71
	Potassium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	82
	Sodium	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	3020
	Sulfate	mg/L	Lab Analysis		1	30/08/2024	10/09/2024	NA	NA	NA	139
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sodium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sulphate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					



WHITEHAVEN COAL

37 (P84)	Conductivity	µs/cm	In situ	Quarterly	1	26/06/2024	10/09/2024	NA	NA	NA	20460
	pH	pH	In situ		1	26/06/2024	10/09/2024	NA	NA	NA	6.50
	SWL	mbtoc	In situ		1	26/06/2024	10/09/2024	NA	NA	NA	13.60
	Bicarbonate	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	2690
	Calcium	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	95
	Carbonate	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	6250
	Magnesium	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	404
	Potassium	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	38
	Sodium	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	4540
	Sulphate	mg/L	Lab Analysis		1	26/06/2024	10/09/2024	NA	NA	NA	1220
38 (P85)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					



WHITEHAVEN COAL

	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Magnesium	mg/L	Lab Analysis		0					
	Potassium	mg/L	Lab Analysis		0					
	Sodium	mg/L	Lab Analysis		0					
	Sulphate	mg/L	Lab Analysis		0					
43 (SD9)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	0		<i>No discharge occurred during sampling period (SD9)</i>			
	TOC	mg/L	Lab Analysis		0					
44 (KCTOP)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	0	Ambient flow 06/08/2024 following rain event. No flow	NA	NA	NA	NA
	TOC	mg/L	Lab Analysis		0		NA	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		0		NA	NA	NA	NA
	pH	pH	In situ		0		NA	NA	NA	NA
	TSS	mg/L	Lab Analysis		0		NA	NA	NA	NA



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)	
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD4
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD2
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD7
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA	NR1
	pH	pH	In situ		0							6.5-8.5	NA	
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD8
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
43	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	No ^a	SD9
	Oil & Grease	mg/L	Lab Analysis		0							10	No	
	pH	pH	In situ		0							6.5-8.5	No	

^a Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 5/4/2024).



WHITEHAVEN COAL

Table 3 – Quarterly Attended Noise Monitoring results summary table

Nosie monitoring not scheduled in August. Next scheduled sampling is for September 2024.

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)			Compliant (Yes/No)	Date Obtained
N5						<u>Day, Evening & Night:</u> 35 <u>Night L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr					
								Y	Y	Y	Y ¹	
								N	Y	Y	Y	
N6						<u>Day, Evening & Night:</u> 35 <u>Night L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	N	Y	
								Y	Y	Y	Y	
								Y	Y	Y	Y	
N8						<u>Day, Evening & Night:</u> 35 <u>Night L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	N	N	Y	
								Y	Y	Y	Y	
								N	Y	Y	Y	
N9						<u>Day, Evening & Night:</u> 35 <u>Night L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	N	Y	
								Y	Y	Y	Y	
								Y	Y	Y	Y	

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- | | |
|---|---|
| ■ ML1609
■ Lot boundary
— Watercourses | + Monitoring locations
+ Surface water quality monitoring
△ Licensed discharge point
▲ Ambient air quality monitoring
■ Groundwater monitoring - standpipe single
○ Meteorological station
○ Noise monitoring |
|---|---|



WHITEHAVEN COAL

NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: September 2024

Obtained Date: 01/10/2024

Publication Date: 16/10/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	13/09/2024	01/10/2024	NA	NA	NA	0.2
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1US)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (KC1DS)</i>						



WHITEHAVEN COAL

16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2US)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KC2DS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>
	TOC	mg/L	Lab Analysis		
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (KCUS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge	<i>No flow events and/or mine discharge occurred during sampling period (KCDS)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		



WHITEHAVEN COAL

	TSS	mg/L	Lab Analysis	from points 11, 13, 18,27	
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27	<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>
	TOC	mg/L	Lab Analysis		
	Oil & Grease	mg/L	Lab Analysis		
	pH	pH	In situ		
	TSS	mg/L	Lab Analysis		
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>
	TDS	mg/L	Lab Analysis		
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>
	TDS	mg/L	Lab Analysis		
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>
	TDS	mg/L	Lab Analysis		
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
29 (P29)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Sulphate	mg/L	Lab Analysis		0	
30 (P30)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
31 (P31)	Sulphate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	Lab Analysis		0	
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
32 (P32)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

33 (P33)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
35 (P58)	Conductivity	µs/cm	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	Lab Analysis		0	
	SWL	mbtoc	Lab Analysis		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
38 (P85)	Conductivity	µs/cm	In situ		0	
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	

Not scheduled for sampling during sampling period



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
43 (SD9)	Conductivity	µs/cm	In situ		0	<i>No discharge occurred during sampling period (SD9)</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	



WHITEHAVEN COAL

Sodium	mg/L	Lab Analysis		
Sulphate	mg/L	Lab Analysis		



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA
	pH	pH	In situ		0							6.5-8.5	NA
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
	Oil & Grease	mg/L	Lab Analysis		0							10	NA
	pH	pH	In situ		0							6.5-8.5	NA
43	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA
													SD9



WHITEHAVEN COAL

	Oil & Grease	mg/L	Lab Analysis		0			10	NA	
	pH	pH	In situ		0			6.5-8.5	NA	



WHITEHAVEN COAL

Table 3 – Quarterly Attended Noise Monitoring results summary table

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)			Compliant (Yes/No)	Date Obtained
N5 ¹	02/09/2024 ²	I/A	I/A	I/A	I/A	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	N	N	Y	20/09/2024
	03/09/2024 ²	I/A	I/A	I/A	I/A			Y	N	N	Y	
	04/09/2024 ²	N/M	30	33	41			N	N	Y	Y	
N6	02/09/2024 ²	I/A	33	32	44	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	N	Y	N	Y	20/09/2024
	03/09/2024 ²	N/M	28	28	37			Y	N	N	Y	
	04/09/2024 ²	I/A	N/M	25	38			N	N	Y	Y	
N8 ¹	02/09/2024 ²	I/A	30	I/A	I/A	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	N	N	Y	20/09/2024
	03/09/2024 ²	I/A	30	35	48			Y	N	N	Y ¹	
	04/09/2024 ²	I/A	31	33	38			N	N	Y	Y	
N9 ¹	02/09/2024 ²	I/A	33	30	36	<u>Day, Evening & Night:</u> 35 <u>Night</u> <u>L_{A1} (1 min):</u> 45	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	N	Y	N	Y	20/09/2024
	03/09/2024 ²	I/A	I/A	I/A	I/A			Y	N	N	Y	
	04/09/2024 ²	I/A	I/A	I/A	I/A			N	N	N	Y	

I/A = Inaudible, N/M = Not Measurable

Note 1: Property is owned by Narrabri Coal Operations. Noise limits contained in Conditions 1-3, Schedule 4 of PA 08_0144 Mod 2 and the identical limits contained in condition L3 of Environment Protection Licence No 12789 are not applicable.

Note 2: Evening and Night monitoring conducted on this date, Day monitoring conducted during the following day period.

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- ML1609
- Lot boundary
- Watercourses
- + Surface water quality monitoring
- + Licensed discharge point
- ▲ Ambient air quality monitoring
- Groundwater monitoring - standpipe single
- Meteorological station
- ◊ Noise monitoring



NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: November 2024

Obtained Date: 26/11/2024

Publication Date: 16/12/2024



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	14/11/2024	26/11/2024	NA	NA	NA	0.1
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD4)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	pH	pH	In situ		<i>No flow recorded during discharge of EPL 43</i>						
	TSS	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	pH	pH	In situ		<i>No flow recorded during discharge of EPL 43</i>						
	TSS	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						



16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis								
	Oil & Grease	mg/L	Lab Analysis								
	pH	pH	In situ								
	TSS	mg/L	Lab Analysis								
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis								
	Oil & Grease	mg/L	Lab Analysis								
	pH	pH	In situ								
	TSS	mg/L	Lab Analysis								
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>						
	TOC	mg/L	Lab Analysis								
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	1	30/11/2024	30/11/2024	NA	NA	NA	660
	TOC	mg/L	Lab Analysis		1	30/11/2024	30/11/2024	NA	NA	NA	23
	Oil & Grease	mg/L	Lab Analysis		1	30/11/2024	30/11/2024	NA	NA	NA	<5
	pH	pH	In situ		1	30/11/2024	30/11/2024	NA	NA	NA	7.82
	TSS	mg/L	Lab Analysis		1	30/11/2024	30/11/2024	NA	NA	NA	39
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather	1	30/11/2024	30/11/2024	NA	NA	NA	474
	TOC	mg/L	Lab Analysis		1	30/11/2024	30/11/2024	NA	NA	NA	22
	Oil & Grease	mg/L	Lab Analysis		1	30/11/2024	30/11/2024	NA	NA	NA	<5



	pH	pH	In situ	discharge from points 11, 13, 18,27,43	1	30/11/2024	30/11/2024	NA	NA	NA	NA	7.4
	TSS	mg/L	Lab Analysis		1	30/11/2024	30/11/2024	NA	NA	NA	NA	29
21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>							
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>							
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>							
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>							
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (PCa)</i>							
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>							
	TOC	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>							
	Oil & Grease	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>							
	pH	pH	In situ		<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>							
	TSS	mg/L	Lab Analysis		<i>No flow events and/or mine discharge occurred during sampling period (PC1)</i>							
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>							
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>							
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>							
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>							
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Bore was dry during sampling period</i>							
	pH	pH	In situ		<i>Bore was dry during sampling period</i>							
	SWL	mbtoc	In situ		<i>Bore was dry during sampling period</i>							



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis								
	Calcium	mg/L	Lab Analysis								
	Carbonate	mg/L	Lab Analysis								
	Chloride	mg/L	Lab Analysis								
	Magnesium	mg/L	Lab Analysis								
	Potassium	mg/L	Lab Analysis								
	Sodium	mg/L	Lab Analysis								
	Sulphate	mg/L	Lab Analysis								
29 (P29)	Conductivity	µs/cm	In situ	Quarterly	1	07/11/2024	25/11/2024	NA	NA	NA	20440
	pH	pH	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	7.05
	SWL	mbtoc	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	3.33
	Bicarbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	556
	Calcium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	169
	Carbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	6020
	Magnesium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	356
	Potassium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	7
	Sodium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	3650



	Sulphate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	679
30 (P30)	Conductivity	µs/cm	In situ	Quarterly	1	07/11/2024	25/11/2024	NA	NA	NA	20500
	pH	pH	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	6.80
	SWL	mbtoc	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	11.55
	Bicarbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	717
	Calcium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	194
	Carbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	6000
	Magnesium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	471
	Potassium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	21
	Sodium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	3860
	Sulphate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	1280
31 (P31)	Conductivity	µs/cm	In situ	Quarterly	1	07/11/2024	25/11/2024	NA	NA	NA	6980
	pH	pH	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	7.47
	SWL	mbtoc	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	13.55
	Bicarbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	745
	Calcium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	79
	Carbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	1590



	Magnesium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	169
	Potassium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	19
	Sodium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	1300
	Sulphate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	327
32 (P32)	Conductivity	µs/cm	In situ	Quarterly	1	07/11/2024	25/11/2024	NA	NA	NA	3060
	pH	pH	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	8.01
	SWL	mbtoc	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	7.3
	Bicarbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	891
	Calcium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	1
	Carbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	17
	Chloride	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	257
	Magnesium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	11
	Potassium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	2
	Sodium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	676
	Sulphate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	190
33	Conductivity	µs/cm	In situ	Quarterly	1	07/11/2024	25/11/2024	NA	NA	NA	9970
	pH	pH	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	6.99
	SWL	mbtoc	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	14.24
	Bicarbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	468
	Calcium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	28

(P33)	Carbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	3150
	Magnesium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	100
	Potassium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	14
	Sodium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	2080
	Sulphate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	383
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sodium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sulphate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
35 (P58)	Conductivity	µs/cm	In situ	Quarterly	1	07/11/2024	25/11/2024	NA	NA	NA	13010
	pH	pH	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	6.79
	SWL	mbtoc	In situ		1	07/11/2024	25/11/2024	NA	NA	NA	16.97



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	4280
	Calcium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	20
	Carbonate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	1580
	Magnesium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	54
	Potassium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	102
	Sodium	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	2720
	Sulfate	mg/L	Lab Analysis		1	07/11/2024	25/11/2024	NA	NA	NA	142
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0	<i>Bore was dry during sampling period</i>					
	SWL	mbtoc	In situ		0	<i>Bore was dry during sampling period</i>					
	Bicarbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Calcium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Carbonate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Chloride	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Magnesium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Potassium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sodium	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					
	Sulphate	mg/L	Lab Analysis		0	<i>Bore was dry during sampling period</i>					



37 (P84)	Conductivity	µs/cm	In situ	Quarterly	1	31/10/2024	25/11/2024	NA	NA	NA	21740
	pH	pH	In situ		1	31/10/2024	25/11/2024	NA	NA	NA	6.78
	SWL	mbtoc	In situ		1	31/10/2024	25/11/2024	NA	NA	NA	13.54
	Bicarbonate	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	2270
	Calcium	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	96
	Carbonate	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	<1
	Chloride	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	6310
	Magnesium	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	433
	Potassium	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	40
	Sodium	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	4910
	Sulphate	mg/L	Lab Analysis		1	31/10/2024	25/11/2024	NA	NA	NA	1180
38 (P85)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>					
	pH	pH	In situ		0						
	SWL	mbtoc	In situ		0						
	Bicarbonate	mg/L	Lab Analysis		0						
	Calcium	mg/L	Lab Analysis		0						
	Carbonate	mg/L	Lab Analysis		0						
	Chloride	mg/L	Lab Analysis		0						
	Magnesium	mg/L	Lab Analysis		0						
	Potassium	mg/L	Lab Analysis		0						



WHITEHAVEN COAL

	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
39 (P88)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	
	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulfate	mg/L	Lab Analysis		0	
40 (P89)	Conductivity	µs/cm	In situ	Quarterly	0	<i>Bore was dry during sampling period</i>
	pH	pH	In situ		0	
	SWL	mbtoc	In situ		0	
	Bicarbonate	mg/L	Lab Analysis		0	
	Calcium	mg/L	Lab Analysis		0	
	Carbonate	mg/L	Lab Analysis		0	
	Chloride	mg/L	Lab Analysis		0	

	Magnesium	mg/L	Lab Analysis		0	
	Potassium	mg/L	Lab Analysis		0	
	Sodium	mg/L	Lab Analysis		0	
	Sulphate	mg/L	Lab Analysis		0	
43 (SD9)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	0	<i>No discharge occurred during sampling period (SD9)</i>
	TOC	mg/L	Lab Analysis		0	
44 (KCTOP)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	0	<i>No flow events and/or mine discharge occurred during sampling period (KCTOP)</i>
	TOC	mg/L	Lab Analysis		0	
	Oil & Grease	mg/L	Lab Analysis		0	
	pH	pH	In situ		0	
	TSS	mg/L	Lab Analysis		0	



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)	
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD4
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD2
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD7
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA	NR1
	pH	pH	In situ		0							6.5-8.5	NA	
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD8
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
43	TSS	mg/L	Lab Analysis	Upon discharge	0	30/11/2024	30/11/2024	-	-	175	50	No ^a	SD9	
	Oil & Grease	mg/L	Lab Analysis		0	30/11/2024	30/11/2024	-	-	<5	10	No		
	pH	pH	In situ		0	30/11/2024	30/11/2024	-	-	8.4	6.5-8.5	No		

^a Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 29/11/2024).

Table 3 – Quarterly Attended Noise Monitoring results summary table

Nosie monitoring not scheduled in November. Next scheduled sampling is for December 2024.

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained	
N5						<u>Day, Evening & Night:</u> <u>35</u> <u>Night</u> <u>L_{A1} (1 min):</u> <u>45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr				
								Y	Y	Y ¹	
								N	Y	Y	
N6						<u>Day, Evening & Night:</u> <u>35</u> <u>Night</u> <u>L_{A1} (1 min):</u> <u>45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	N	Y
								Y	Y	Y	
								Y	Y	Y	
N8						<u>Day, Evening & Night:</u> <u>35</u> <u>Night</u> <u>L_{A1} (1 min):</u> <u>45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	N	N	Y
								Y	Y	Y	
								N	Y	Y	
N9						<u>Day, Evening & Night:</u> <u>35</u> <u>Night</u> <u>L_{A1} (1 min):</u> <u>45</u>	Day – 1.5 hrs Evening – 0.5 hrs Night – 1 hr	Y	Y	N	Y
								Y	Y	Y	
								Y	Y	Y	

Figure 1 – EPL 12789 Monitoring Locations



LEGEND

- | | |
|---|---|
| ■ ML1609
■ Lot boundary
— Watercourses | Monitoring locations
+ Surface water quality monitoring
+ Licenced discharge point
▲ Ambient air quality monitoring
■ Groundwater monitoring - standpipe single
○ Meteorological station
○ Noise monitoring |
|---|---|



NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: December 2024

Obtained Date: 31/12/2024

Publication Date: 16/01/2025



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	12/12/2024	31/12/2024	NA	NA	NA	0.2
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD4)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	pH	pH	In situ		<i>No flow recorded during discharge of EPL 43</i>						
	TSS	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	1	02/12/2024	09/12/2024	NA	NA	NA	419
	TOC	mg/L	Lab Analysis		1	02/12/2024	09/12/2024	NA	NA	NA	22
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	09/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/2024	09/12/2024	NA	NA	NA	7.59
	TSS	mg/L	Lab Analysis		1	02/12/2024	09/12/2024	NA	NA	NA	30



16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	<i>No flow recorded during discharge of EPL 43</i>					
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	NA
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	1	02/12/2024	9/12/2024	NA	NA	168
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	13
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	<5
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	7.11
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	28
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>					
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD7)</i>					
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	9/12/2024	NA	NA	NA
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	NA
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	Conductivity	µs/cm	In situ		1	03/12/2024	11/12/2024	NA	NA	466
	TOC	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	17
	Oil & Grease	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	<5



	pH	pH	In situ		1	03/12/2024	11/12/2024	NA	NA	NA	7.50
	TSS	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	NA	8
	Conductivity	µs/cm	In situ		1	04/12/2024	12/12/2024	NA	NA	NA	466
	TOC	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	14
	Oil & Grease	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	04/12/2024	12/12/2024	NA	NA	NA	6.87
	TSS	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	31
	Conductivity	µs/cm	In situ		1	05/12/2024	12/12/2024	NA	NA	NA	414
	TOC	mg/L	Lab Analysis		1	05/12/2024	12/12/2024	NA	NA	NA	15
	Oil & Grease	mg/L	Lab Analysis		1	05/12/2024	12/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	05/12/2024	12/12/2024	NA	NA	NA	7.40
	TSS	mg/L	Lab Analysis		1	05/12/2024	12/12/2024	NA	NA	NA	13
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	9/12/2024	NA	NA	NA	235
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA	22
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	NA	6.99
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA	11
	Conductivity	µs/cm	In situ		1	4/12/2024	12/12/2024	NA	NA	NA	256
	TOC	mg/L	Lab Analysis		1	4/12/2024	12/12/2024	NA	NA	NA	18
	Oil & Grease	mg/L	Lab Analysis		1	4/12/2024	12/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	4/12/2024	12/12/2024	NA	NA	NA	7.15
	TSS	mg/L	Lab Analysis		1	4/12/2024	12/12/2024	NA	NA	NA	12



21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	09/12/2024	NA	NA	NA	123
	TOC	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	25
	Oil & Grease	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/024	09/12/2024	NA	NA	NA	7.45
	TSS	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	84
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	09/12/2024	NA	NA	NA	227
	TOC	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	20
	Oil & Grease	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/024	09/12/2024	NA	NA	NA	7.23
	TSS	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	43
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>						
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>						
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>						
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>						
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>						
	TDS	mg/L	Lab Analysis		<i>Not scheduled for sampling during sampling period</i>						
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>						
	pH	pH	In situ								
	SWL	mbtoc	In situ								
	Bicarbonate	mg/L	Lab Analysis								
	Calcium	mg/L	Lab Analysis								



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
29 (P29)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		



WHITEHAVEN COAL

30 (P30)	Conductivity	µs/cm	In situ	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
31 (P31)	Sulphate	mg/L	Lab Analysis	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	Conductivity	µs/cm	In situ		
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
32 (P32)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
33 (P33)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
35 (P58)	Sulphate	mg/L	Lab Analysis	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	In situ		
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulfate	mg/L	Lab Analysis		
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis		Quarterly	<i>Not scheduled for sampling during sampling period</i>
	Calcium	mg/L	Lab Analysis			
	Carbonate	mg/L	Lab Analysis			
	Chloride	mg/L	Lab Analysis			
	Magnesium	mg/L	Lab Analysis			
	Potassium	mg/L	Lab Analysis			
	Sodium	mg/L	Lab Analysis			
	Sulphate	mg/L	Lab Analysis			
38 (P85)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>	
	pH	pH	In situ			
	SWL	mbtoc	In situ			
	Bicarbonate	mg/L	Lab Analysis			
	Calcium	mg/L	Lab Analysis			
	Carbonate	mg/L	Lab Analysis			
	Chloride	mg/L	Lab Analysis			
	Magnesium	mg/L	Lab Analysis			
	Potassium	mg/L	Lab Analysis			
	Sodium	mg/L	Lab Analysis			
	Sulfate	mg/L	Lab Analysis			



WHITEHAVEN COAL

39 (P88)	Conductivity	µs/cm	In situ	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
40 (P89)	Sulfate	mg/L	Lab Analysis	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	Conductivity	µs/cm	In situ		
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		

	Sodium	mg/L	Lab Analysis								
	Sulphate	mg/L	Lab Analysis								
43 (SD9)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	1	02/12/2024	11/12/2024	NA	NA	NA	1690
	TOC	mg/L	Lab Analysis		1	02/12/2024	11/12/2024	NA	NA	NA	32
	Conductivity	µs/cm	In situ		1	03/12/2024	11/12/2024	NA	NA	NA	328
	TOC	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	NA	9
	Conductivity	µs/cm	In situ		1	04/12/2024	12/12/2024	NA	NA	NA	965
	TOC	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	14
	Conductivity	µs/cm	In situ		1	05/12/2024	12/12/2024	NA	NA	NA	884
	TOC	mg/L	Lab Analysis		1	05/12/20524	12/12/2024	NA	NA	NA	15
44 (KCTOP)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	pH	pH	In situ		<i>No flow recorded during discharge of EPL 43</i>						
	TSS	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)	
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD4
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD2
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD7
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA	NR1
	pH	pH	In situ		0							6.5-8.5	NA	
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD8
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
43	TSS	mg/L	Lab Analysis	Upon discharge	0	02/12/2024	11/12/2024	-	-	411	50	No ^a	SD9	
	Oil & Grease	mg/L	Lab Analysis		0	02/12/2024	11/12/2024	-	-	<5	10	No		

^a Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 29/11/2024).

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
	pH	pH	In situ	Upon discharge	0	02/12/2024	11/12/2024	-	-	7.46	6.5-8.5	No	
	TSS	mg/L	Lab Analysis		0	03/12/2024	11/12/2024	-	-	1900	50	No ^a	
	Oil & Grease	mg/L	Lab Analysis		0	03/12/2024	11/12/2024	-	-	<5	10	No	
	pH	pH	In situ		0	03/12/2024	11/12/2024	-	-	7.38	6.5-8.5	No	
	TSS	mg/L	Lab Analysis	Upon discharge	0	04/12/2024	12/12/2024	-	-	950	50	No ^a	
	Oil & Grease	mg/L	Lab Analysis		0	04/12/2024	12/12/2024	-	-	<5	10	No	
	pH	pH	In situ		0	04/12/2024	12/12/2024	-	-	7.25	6.5-8.5	No	
	TSS	mg/L	Lab Analysis	Upon discharge	0	05/12/2024	12/12/2024	-	-	1670	50	No ^a	
	Oil & Grease	mg/L	Lab Analysis		0	05/12/2024	12/12/2024	-	-	<5	10	No	
	pH	pH	In situ		0	05/12/2024	12/12/2024	-	-	6.74	6.5-8.5	No	

^a Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 29/11/2024).

Table 3 – Quarterly Attended Noise Monitoring December 2024 results summary table

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained	
N5 ¹	02/12/2024 ²	N/M	28	34	38	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	Y	24.12.2024
	03/12/2024 ²	N/M	34	35	40		Evening – 0.5 hrs	Y	Y	Y	
	04/12/2024 ²	29	I/A	I/A	I/A		Night – 1 hr	Y	Y	Y	
N6	02/12/2024	I/A	I/A	I/A	I/A	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	Y	24.12.2024
	03/12/2024	N/M	N/M	I/A	I/A		Evening – 0.5 hrs	N	Y	Y	
	04/12/2024	29	30	30	33		Night – 1 hr	Y	Y	Y	
N8 ¹	02/12/2024 ²	N/M	34	35	43	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	N	24.12.2024
	03/12/2024 ²	N/M	31	34	40		Evening – 0.5 hrs	Y	Y	Y	
	04/12/2024 ²	N/M	39	38	44		Night – 1 hr	Y	Y	Y	
N9 ¹	02/12/2024 ²	I/A	I/A	I/A	I/A	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	Y	24.12.2024
	03/12/2024 ²	I/A	I/A	I/A	I/A		Evening – 0.5 hrs	Y	Y	Y	
	04/12/2024 ²	I/A	I/A	I/A	I/A		Night – 1 hr	Y	Y	Y	

I/A = Inaudible, N/M = Not Measurable

Note 1: Property is owned by Narrabri Coal Operations. Noise limits contained in Conditions 1-3, Schedule 4 of PA 08_0144 Mod 2 and the identical limits contained in condition L3 of Environment Protection Licence No 12789 are not applicable.

Note 2: Evening and Night monitoring conducted on this date, Day monitoring conducted during the following day period

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- | | |
|--|--|
| ■ ML1609 | Monitoring locations |
| ■ Lot boundary | + Surface water quality monitoring |
| — Watercourses | + Licensed discharge point |
| ▲ Ambient air quality monitoring | ■ Groundwater monitoring - standpipe single |
| ○ Meteorological station | ○ Noise monitoring |



NARRABRI MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12789

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106922&SYSUID=1&LICID=12789>

Licensee: Narrabri Coal Operations Pty Ltd

Licensee Address: Narrabri Mine, 10 Kurrajong Creek Road, BAAN BAA NSW 2390

EPL Monitoring Points: See Figure 1 below

Sampling Period: December 2024

Obtained Date: 31/12/2024

Publication Date: 16/01/2025



Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Dates Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
ND3	Deposited Matter	g/m ² /month	Lab Analysis	Once a month (min. 4 weeks)	1	12/12/2024	31/12/2024	NA	NA	NA	0.2
11 (SD4)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD4)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD4)</i>						
13 (SD2)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD2)</i>						
14 (KC1US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	pH	pH	In situ		<i>No flow recorded during discharge of EPL 43</i>						
	TSS	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
15 (KC1DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18, 27, 43	1	02/12/2024	09/12/2024	NA	NA	NA	419
	TOC	mg/L	Lab Analysis		1	02/12/2024	09/12/2024	NA	NA	NA	22
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	09/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/2024	09/12/2024	NA	NA	NA	7.59
	TSS	mg/L	Lab Analysis		1	02/12/2024	09/12/2024	NA	NA	NA	30



16 (KC2US)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	<i>No flow recorded during discharge of EPL 43</i>					
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	NA
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
17 (KC2DS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27, 43	1	02/12/2024	9/12/2024	NA	NA	168
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	13
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	<5
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	7.11
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	28
18 (SD7)	Conductivity	µs/cm	In Situ	Upon discharge (within 12 hours)	<i>No discharge occurred during sampling period (SD7)</i>					
	TOC	mg/L	Lab Analysis		<i>No discharge occurred during sampling period (SD7)</i>					
19 (KCUS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	9/12/2024	NA	NA	NA
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	NA
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA
	Conductivity	µs/cm	In situ		1	03/12/2024	11/12/2024	NA	NA	466
	TOC	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	17
	Oil & Grease	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	<5



	pH	pH	In situ		1	03/12/2024	11/12/2024	NA	NA	NA	7.50
	TSS	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	NA	8
	Conductivity	µs/cm	In situ		1	04/12/2024	12/12/2024	NA	NA	NA	466
	TOC	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	14
	Oil & Grease	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	04/12/2024	12/12/2024	NA	NA	NA	6.87
	TSS	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	31
	Conductivity	µs/cm	In situ		1	05/12/2024	12/12/2024	NA	NA	NA	414
	TOC	mg/L	Lab Analysis		1	05/12/2024	12/12/2024	NA	NA	NA	15
	Oil & Grease	mg/L	Lab Analysis		1	05/12/2024	12/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	05/12/2024	12/12/2024	NA	NA	NA	7.40
	TSS	mg/L	Lab Analysis		1	05/12/2024	12/12/2024	NA	NA	NA	13
20 (KCDS)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	9/12/2024	NA	NA	NA	235
	TOC	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA	22
	Oil & Grease	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/2024	9/12/2024	NA	NA	NA	6.99
	TSS	mg/L	Lab Analysis		1	02/12/2024	9/12/2024	NA	NA	NA	11
	Conductivity	µs/cm	In situ		1	4/12/2024	12/12/2024	NA	NA	NA	256
	TOC	mg/L	Lab Analysis		1	4/12/2024	12/12/2024	NA	NA	NA	18
	Oil & Grease	mg/L	Lab Analysis		1	4/12/2024	12/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	4/12/2024	12/12/2024	NA	NA	NA	7.15
	TSS	mg/L	Lab Analysis		1	4/12/2024	12/12/2024	NA	NA	NA	12



21 (PCa)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	09/12/2024	NA	NA	NA	123
	TOC	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	25
	Oil & Grease	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/024	09/12/2024	NA	NA	NA	7.45
	TSS	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	84
22 (PC1)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	1	02/12/2024	09/12/2024	NA	NA	NA	227
	TOC	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	20
	Oil & Grease	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	<5
	pH	pH	In situ		1	02/12/024	09/12/2024	NA	NA	NA	7.23
	TSS	mg/L	Lab Analysis		1	02/12/024	09/12/2024	NA	NA	NA	43
24 (NR1)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NR1)</i>						
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>						
25 (NRUS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRUS)</i>						
	TDS	mg/L	Lab Analysis		<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>						
26 (NRDS)	pH	pH	In situ	Upon Discharge (within 4 hrs)	<i>Namoi discharge point – Not constructed or currently utilised (NRDS)</i>						
	TDS	mg/L	Lab Analysis		<i>Not scheduled for sampling during sampling period</i>						
28 (P28)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>						
	pH	pH	In situ								
	SWL	mbtoc	In situ								
	Bicarbonate	mg/L	Lab Analysis								
	Calcium	mg/L	Lab Analysis								



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
29 (P29)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		



WHITEHAVEN COAL

30 (P30)	Conductivity	µs/cm	In situ	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
31 (P31)	Sulphate	mg/L	Lab Analysis	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	Conductivity	µs/cm	In situ		
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
32 (P32)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
33 (P33)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
34 (P34)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
35 (P58)	Sulphate	mg/L	Lab Analysis	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	Conductivity	µs/cm	In situ		
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		



WHITEHAVEN COAL

	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulfate	mg/L	Lab Analysis		
36 (P83)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
	Sulphate	mg/L	Lab Analysis		
37 (P84)	Conductivity	µs/cm	In situ	Quarterly	<i>Not scheduled for sampling during sampling period</i>
	pH	pH	In situ		
	SWL	mbtoc	In situ		



WHITEHAVEN COAL

	Bicarbonate	mg/L	Lab Analysis		Quarterly	<i>Not scheduled for sampling during sampling period</i>		
	Calcium	mg/L	Lab Analysis					
	Carbonate	mg/L	Lab Analysis					
	Chloride	mg/L	Lab Analysis					
	Magnesium	mg/L	Lab Analysis					
	Potassium	mg/L	Lab Analysis					
	Sodium	mg/L	Lab Analysis					
	Sulphate	mg/L	Lab Analysis					
38 (P85)	Conductivity	µs/cm	In situ	Quarterly				
	pH	pH	In situ					
	SWL	mbtoc	In situ					
	Bicarbonate	mg/L	Lab Analysis					
	Calcium	mg/L	Lab Analysis					
	Carbonate	mg/L	Lab Analysis					
	Chloride	mg/L	Lab Analysis					
	Magnesium	mg/L	Lab Analysis					
	Potassium	mg/L	Lab Analysis					
	Sodium	mg/L	Lab Analysis					
	Sulfate	mg/L	Lab Analysis					



WHITEHAVEN COAL

39 (P88)	Conductivity	µs/cm	In situ	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		
	Sodium	mg/L	Lab Analysis		
40 (P89)	Sulfate	mg/L	Lab Analysis	Quarterly	<p><i>Not scheduled for sampling during sampling period</i></p>
	Conductivity	µs/cm	In situ		
	pH	pH	In situ		
	SWL	mbtoc	In situ		
	Bicarbonate	mg/L	Lab Analysis		
	Calcium	mg/L	Lab Analysis		
	Carbonate	mg/L	Lab Analysis		
	Chloride	mg/L	Lab Analysis		
	Magnesium	mg/L	Lab Analysis		
	Potassium	mg/L	Lab Analysis		

	Sodium	mg/L	Lab Analysis								
	Sulphate	mg/L	Lab Analysis								
43 (SD9)	Conductivity	µs/cm	In situ	Upon discharge (within 12 hours)	1	02/12/2024	11/12/2024	NA	NA	NA	1690
	TOC	mg/L	Lab Analysis		1	02/12/2024	11/12/2024	NA	NA	NA	32
	Conductivity	µs/cm	In situ		1	03/12/2024	11/12/2024	NA	NA	NA	328
	TOC	mg/L	Lab Analysis		1	03/12/2024	11/12/2024	NA	NA	NA	9
	Conductivity	µs/cm	In situ		1	04/12/2024	12/12/2024	NA	NA	NA	965
	TOC	mg/L	Lab Analysis		1	04/12/2024	12/12/2024	NA	NA	NA	14
	Conductivity	µs/cm	In situ		1	05/12/2024	12/12/2024	NA	NA	NA	884
	TOC	mg/L	Lab Analysis		1	05/12/20524	12/12/2024	NA	NA	NA	15
44 (KCTOP)	Conductivity	µs/cm	In situ	In the event of flow during the quarter & after each wet weather discharge from points 11, 13, 18,27,43	<i>No flow recorded during discharge of EPL 43</i>						
	TOC	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	Oil & Grease	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						
	pH	pH	In situ		<i>No flow recorded during discharge of EPL 43</i>						
	TSS	mg/L	Lab Analysis		<i>No flow recorded during discharge of EPL 43</i>						



Table 2 - Pollutant Limits Apply (Water)

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)	
11	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD4
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
13	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD2
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
18	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD7
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
24	TDS	mg/L	Lab Analysis	Upon discharge	0	<i>Namoi discharge point – Not constructed or currently utilised.</i>						350	NA	NR1
	pH	pH	In situ		0							6.5-8.5	NA	
27	TSS	mg/L	Lab Analysis	Upon discharge	0	<i>No discharge occurred during sampling period</i>						50	NA	SD8
	Oil & Grease	mg/L	Lab Analysis		0							10	NA	
	pH	pH	In situ		0							6.5-8.5	NA	
43	TSS	mg/L	Lab Analysis	Upon discharge	0	02/12/2024	11/12/2024	-	-	411	50	No ^a	SD9	
	Oil & Grease	mg/L	Lab Analysis		0	02/12/2024	11/12/2024	-	-	<5	10	No		

^a Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 29/11/2024).

EPL ID	Pollutant	Units of Measure	Sample Method	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Max or Only Value	EPL Limit	Exceedance (Yes/No)	Comments (Mine Site Sample ID)
	pH	pH	In situ	Upon discharge	0	02/12/2024	11/12/2024	-	-	7.46	6.5-8.5	No	
	TSS	mg/L	Lab Analysis		0	03/12/2024	11/12/2024	-	-	1900	50	No ^a	
	Oil & Grease	mg/L	Lab Analysis		0	03/12/2024	11/12/2024	-	-	<5	10	No	
	pH	pH	In situ		0	03/12/2024	11/12/2024	-	-	7.38	6.5-8.5	No	
	TSS	mg/L	Lab Analysis	Upon discharge	0	04/12/2024	12/12/2024	-	-	950	50	No ^a	
	Oil & Grease	mg/L	Lab Analysis		0	04/12/2024	12/12/2024	-	-	<5	10	No	
	pH	pH	In situ		0	04/12/2024	12/12/2024	-	-	7.25	6.5-8.5	No	
	TSS	mg/L	Lab Analysis	Upon discharge	0	05/12/2024	12/12/2024	-	-	1670	50	No ^a	
	Oil & Grease	mg/L	Lab Analysis		0	05/12/2024	12/12/2024	-	-	<5	10	No	
	pH	pH	In situ		0	05/12/2024	12/12/2024	-	-	6.74	6.5-8.5	No	

^a Total Suspended Solids (TSS) concentration limit did not apply as per EPL12789 Condition L2.5(a) as the controlled discharge occurred solely as a result of rainfall exceeding 38.4mm over a consecutive 5-day period (triggered 29/11/2024).

Table 3 – Quarterly Attended Noise Monitoring December 2024 results summary table

EPL ID	Date	Measured Levels – dB(A) L _{eq} 15min Day	Measured Levels – dB(A) L _{eq} 15min Evening	Measured Levels – dB(A) L _{eq} 15min Night	Measured Levels – dB(A) L _{A1} (1 min) Night	Limit(s)	Measurement Periods	Weather Compliant Conditions (D/E/N)	Compliant (Yes/No)	Date Obtained	
N5 ¹	02/12/2024 ²	N/M	28	34	38	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	Y	24.12.2024
	03/12/2024 ²	N/M	34	35	40		Evening – 0.5 hrs	Y	Y	Y	
	04/12/2024 ²	29	I/A	I/A	I/A		Night – 1 hr	Y	Y	Y	
N6	02/12/2024	I/A	I/A	I/A	I/A	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	Y	24.12.2024
	03/12/2024	N/M	N/M	I/A	I/A		Evening – 0.5 hrs	N	Y	Y	
	04/12/2024	29	30	30	33		Night – 1 hr	Y	Y	Y	
N8 ¹	02/12/2024 ²	N/M	34	35	43	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	N	24.12.2024
	03/12/2024 ²	N/M	31	34	40		Evening – 0.5 hrs	Y	Y	Y	
	04/12/2024 ²	N/M	39	38	44		Night – 1 hr	Y	Y	Y	
N9 ¹	02/12/2024 ²	I/A	I/A	I/A	I/A	<u>Day, Evening & Night:</u> <u>35 Night</u> <u>L_{A1} (1 min): 45</u>	Day – 1.5 hrs	N	Y	Y	24.12.2024
	03/12/2024 ²	I/A	I/A	I/A	I/A		Evening – 0.5 hrs	Y	Y	Y	
	04/12/2024 ²	I/A	I/A	I/A	I/A		Night – 1 hr	Y	Y	Y	

I/A = Inaudible, N/M = Not Measurable

Note 1: Property is owned by Narrabri Coal Operations. Noise limits contained in Conditions 1-3, Schedule 4 of PA 08_0144 Mod 2 and the identical limits contained in condition L3 of Environment Protection Licence No 12789 are not applicable.

Note 2: Evening and Night monitoring conducted on this date, Day monitoring conducted during the following day period

Figure 1 – EPL 12789 Monitoring Locations


LEGEND

- | | |
|--|---|
| ■ ML1609 | Monitoring locations |
| ■ Lot boundary | + Surface water quality monitoring |
| — Watercourses | + Licensed discharge point |
| | ▲ Ambient air quality monitoring |
| | ■ Groundwater monitoring - standpipe single |
| | ○ Meteorological station |
| | ○ Noise monitoring |