



**NSW
Resources
Regulator**

FWP0001599

NARRABRI COLLIERY FORWARD PROGRAM

Wednesday 1 January 2025 to Friday 31 December 2027

Summary

DETAIL

Mine	Narrabri Colliery
Reference	FWP0001599
Forward program commencement date	Wednesday 1 January 2025
Forward program end date	Friday 31 December 2027
Forward program revision (if applicable)	
Contact	Brent Baker
Mining leases	ML 1609 (1992), ML 1839 (1992)
Project location	Narrabri Coal Pty Ltd
Date of submission	Thursday 10 April 2025

Important

The department may make the information in your program and any supporting information available for inspection by members of the public, including by publication on its website or by displaying the information at any of its offices. If you consider any part of your program to be confidential, please communicate this to the department via the message function on this submission within the NSW Resources Regulator Portal.

Three-year forecast – surface disturbance activities

Project description

The Narrabri Mine is an existing underground coal mine in the Gunnedah Coalfield. It is located 25 km southeast of Narrabri and 60 km northwest of Gunnedah. The Mine includes an underground coal mine, a CHPP and associated rail siding and surface infrastructure. The Narrabri Mine Stage 2 Project is authorised by ML1609 and approved under Project Approval (PA 08_0144) for the underground extraction of 11 Mtpa of coal from the Hoskissons Coal Seam. Modification 7 of PA 08_0144 is the most recent modification approved on 23 Nov 2021, allowing for a change in mining method of the previously approved LW 201 and LW 202 for up to 0.7 Mtpa via bord and pillar extraction. The Narrabri Mine Stage 3 Project is approved under Development Consent SSD-10269 to allow continuation of mining via the 300-series longwall panels south of Stage 2 on ML1839 and MLA2. EPBC Act approval EPBC 2019/8427 was received during the reporting period. Commencement of Stage 3 is planned for the second half of 2025.

Description of surface disturbance activities

Exploration activities

One exploration borehole is planned within ML1609 during 2025 to confirm the geological structure of a Life of Mine Mains panel for a planned service borehole.

Construction activities

Construction activities to support mining operations over the forward period will include:

- Ventilation shaft infrastructure located on the southern boundary of ML1609 to support mining progression into the 300 series panels.
- Electricity transmission line and water pipeline infrastructure from the pit-top area to the ventilation infrastructure located on the southern boundary of ML1609.

Mining schedule

Mining development method and sequencing and general mine features.

2025

- The planned mine production for 2025 will be 5.5 Mt of ROM coal, which is expected to contain approximately 0.12 Mt of coarse reject material.
- Longwall extraction of LW203 will continue with completion currently forecast early 2025.
- Longwall extraction of LW204 is forecast to commence in mid 2025.
- Development (first workings) will

continue for MG205, MG206 and 200 Mains with MG207 forecast to commence mining (first workings) late 2025. • Ongoing production from the bord and pillar operations in CF201-CF202. 2026 • Longwall extraction of LW 204 will continue. • Surface disturbance activities above LW205 for preparation of mining. • Ongoing production from the bord and pillar operations in CF201-CF202 • Surface disturbance activities commence on ML1839 for the Stage 3 project. 2027 • Longwall extraction of LW 204 forecast for completion and commencement of production from LW205 • Surface disturbance activities above LW206. • Ongoing production from the bord and pillar operations in CF201-CF202 • Surface disturbance activities for the Stage 3 project continue on ML1839

Areas identified for emplacements, the sequencing of emplacements, construction, and management.

Not applicable

Processing infrastructure activities and the location of tailings facilities and schedule for emplacement.

Coal processing rejects are disposed on site at the rejects emplacement area (REA) in accordance with the REA Capping Assessment and Closure Design (ATC Williams, 2022). Construction of the REA will progress throughout the next 3-year period. Disposal of rejects within the REA occurs in cells. Rejects emplacement is current occurring in Cell 2 and the southern side of Cell 3. The REA final landform is not expected to be achieved within the next 3-year period. In addition rejects disposal, the following coal processing activities that will occur within the next 3-year period include: • coal processing at the CHPP located at the pit top area • coal (ROM and product) stockpiling within the pit top area to be transported offsite by rail • mine water captured within the rail loop dams located within the pit top area.

Waste disposal and materials handling operations.

Waste disposal and materials handling over the next 3-year period will include: • Management of brine generated by the water conditioning plant, drill cuttings, and coarse rejects • Management of non-production waste such as recyclable and non-recyclable general wastes, sewage and effluent, and other wastes from mining and workshop activities (e.g. waste oils, scrap metals and used tyres) • Management of putrescible wastes to be stored in covered containers wherever practicable (i.e. general waste bins and skips and transported to an approved waste facility) Ongoing hydrocarbon/contaminated material management including: • Store excess hydrocarbon material collected during maintenance activities or through the waste separator in bunded areas within the workshops within the workshop or at the waste oil depot prior to removal by licensed waste oil recycler • Used oil filters, used particulate filters, and workshop wastes will be temporarily stored on-site in designated bins prior to removal • Equipment will be refuelled at the bunded fuel farm in the pit top area and refuelling activities in the field to be conducted in accordance with site procedures • Internal audits and spot checks of hydrocarbon storage and waste

management areas will be conducted • Spill kits will be available onsite and contaminated soil will be rehabilitated in accordance with NCOPL’s procedures.

Key production milestones

MATERIAL	UNIT	YEAR 1	YEAR 2	YEAR 3
Stripped topsoil <small>(if applicable)</small>	(m ³)	51,990	31,230	44,520
Rock/overburden	(m ³)	0	0	0
Ore	(Mt)	5.5	6.7	7.3
Reject material¹	(Mt)	0.12	0.15	0.17
Product	(Mt)	5.5	6.69	7.1

¹ This includes coarse rejects, tailings and any other wastes resulting from beneficiation.

Three-year rehabilitation forecast

Rehabilitation planning schedule

Rehabilitation planning schedule

Commencement of Stage 3 triggers a range of planning activities including:

- drafting of a Rehabilitation strategy, subject to consultation with relevant agencies, that must be approved by the secretary
- revision of NCOPL's rehabilitation outcome documents, risk assessment, and RMP to include the Stage 3 project area and consideration of State and Commonwealth approvals
- revision of monitoring programs, including establishment of analogue sites in accordance with the Stage 3 Biodiversity Management Plan

The RMP includes proposed rehabilitation completion criteria. NCOPL plan to review and potentially submit the proposed completion criteria to the Resources Regulator for consideration during the Forward Program period. The revised subsidence pond monitoring program is expected to inform rehabilitation requirements for subsidence ponds.

Stakeholder consultation

Consultation relevant to rehabilitation is expected to include:

- consultation on the draft rehabilitation strategy with the Resources Regulator, DCCEEW Water, Conservation Programs, Heritage and Regulation Group (CPHR, formerly known as the Biodiversity, Conservation and Science Group [BCS]), and Narrabri Shire Council
- continued consultation with the CCC and the RAPs on rehabilitation progress

Rehabilitation studies, risk assessments and/or design work

The Narrabri Mine's rehabilitation risk assessment will be revised prior to commencement of Stage 3. With commencement of Stage 3 in 2025, NCOPL will transition from Stage 2 management plans to Stage 3 management plans through a change management process. This is not expected to result in significant changes to rehabilitation activities.

Rehabilitation research and trials

RRT NUMBER	PROJECT/TRIAL NAME	OBJECTIVE OF TRIAL/PROJECT	METHODOLOGY	EXPECTED DATE OF COMPLETION	STATUS
RRT0001120	Subsidence pond remediation	Remediation of subsidence ponds in situ., including additional engineering design.	Options analysis which will consider the impacts and benefits to ecology and hydrology for the remediation of subsidence ponds in situ., including additional engineering design.	20 Dec 2024	Complete
RRT0001146	Coolabah bertya propagation and translocation trial	A propagation and translocation trial program will be implemented for the Coolabah bertya to further the understanding around management of this species.	A 'Translocation and Propagation Management Plan' has been developed to document the requirements of the trial program	10 Dec 2030	Ongoing

Rehabilitation maintenance and corrective actions

Maintenance and corrective actions are determined via the rehabilitation monitoring program and will be carried out in accordance with the RMP TARP as well as the relevant Extraction Plan/s. The RMP TARP includes corrective actions for impacts to soil quality/quantity, erosion and sedimentation, ground cover establishment, weeds, vegetation health, subsidence, land and water contamination, and infrastructure decommissioning. Additional field inspections will be conducted if a significant decrease in PAB is detected via the annual remote sensing. Monitoring activities include:

- drill pad inspections (borehole sealing, removal of services, soil contamination, waste removal, topsoil spreading, erosion, habitat features present, revegetation)
- subsidence pond inspections and photo points
- remediated subsidence and erosion inspections (roads, creeks, surface cracking)
- remote sensing
- weed and feral animal monitoring

Maintenance at rehabilitated areas may include, but not limited to:

- weed and feral animal control
- managing bushfire risks
- earthworks to remediate any significant erosion features, including contour banks and diversion channels and maintenance of erosion and sediment controls
- infill planting and/or seeding to meet vegetation community requirements

NCOPL is continuing to revise and contemporise its rehabilitation monitoring and management actions to align with the requirements of the Minging Regulation 2016 and Stage 3 management plan requirements.

Rehabilitation schedule

Areas no longer required for ongoing mining operations will be progressively rehabilitated. Over the forward program, this will generally follow mining sequence, with pre-conditioning and gas drainage infrastructure areas above longwall panels LW203 and LW204 to be rehabilitated as mining progresses. Key rehabilitation activities for the next 3-year period (2025-2027) will include:

- seeding where required
- erosion and subsidence remediation where required
- ongoing monitoring/inspections and subsequent corrective actions where required
- ongoing consultation with the relevant government agencies, RAPs and the CCC
- revision of rehabilitation outcome documents and RMP with commencement of Stage 3

Completion of rehabilitation

Not applicable to this forward program.

Subsidence remediation for underground operations

A multi-scale, multi-data monitoring approach has been developed to monitor the environmental consequences of subsidence effects. Whole-of-site monitoring includes remote sensing data, while field

surveys focus on native vegetation, agricultural areas, watercourses, and surface cracking and erosion. Subsidence will be remediated in accordance with the approved Extraction Plan/s. Ongoing measures for subsidence remediation include: visual inspections of the surface during active subsidence behind the retreating longwall face, larger surface cracks (<50 mm) will be remediated following active subsidence (rip or grade), surface cracks that cannot be filled by surface ripping or grading will be filled using subsoil stockpile material from stockpiles maintained at nearby gas drainage or ventilation sites, or material from within the footprint of the REA. Monitoring of subsidence impacts will be updated to reflect Stage 3 requirements prior to commencement of operations.

Progressive mining and rehabilitation statistics

Three-yearly forecast cumulative disturbance and rehabilitation progression

	FORECAST	UNIT	YEAR 1	YEAR 2	YEAR 3
A1	Total disturbance footprint - surface disturbance	(ha)	554.91	575.74	605.42
B	Total active disturbance	(ha)	366.25	382.21	406.87
P	Total new area of land proposed for active rehabilitation	(ha)	4.37	9.24	14.26

Rehabilitation key performance indicators (KPIs)

	FORECAST	UNIT	YEAR 1	YEAR 2	YEAR 3
O	Total new disturbance area during reporting period	(ha)	42.84	20.82	29.68
P	Total new area of land proposed for rehabilitation during the reporting period	(ha)	4.37	4.86	5.02
Q	Annual rehabilitation to disturbance ratio		0.1	0.23	0.17

Attachment 1 – Reporting Definitions

REPORTING CATEGORY	DEFINITION
<p>A Total disturbance footprint – surface disturbance</p>	<p>All areas within a mining lease that either have at some point in time or continue to pose a rehabilitation liability due to surface disturbance activities.</p> <p>The total disturbance footprint is the sum of the total active disturbance, decommissioning, landform establishment, growth medium development, ecosystem and land use establishment, ecosystem and land use development and rehabilitation completion (see definitions below).</p> <p>Underground mining operations should not include the footprint of underground mining areas/subsidence management areas in the total disturbance footprint.</p>
<p>B Total active disturbance</p>	<p>Includes on-lease exploration areas, stripped areas ahead of mining, infrastructure areas, water management infrastructure, sewage treatment facilities, topsoil stockpile areas, access tracks and haul roads, active mining areas, waste rock emplacements (active/unshaped/in or out-of-pit), tailings dams (active/unshaped/uncapped) and temporary stabilised areas (e.g. areas sown with temporary cover crops for dust mitigation and temporary rehabilitation).</p>
<p>C Rehabilitation – land preparation</p>	<p>Includes the sum of all disturbed land within a mining lease that have commenced any, or all, of the following phases of rehabilitation – decommissioning, landform establishment and growth medium development.</p> <p>Refer to the glossary of terms in this document for the definition of these phases of rehabilitation.</p>
<p>D Ecosystem and land use establishment</p>	<p>Includes the area which has been seeded/planted with the target vegetation species for the intended final land use. However, vegetation has not matured to a stage where it can be demonstrated that it will be sustainable for the long term and or require only a maintenance regime consistent with target reference/analogue sites.</p> <p>Typically, rehabilitation areas would be in this phase for at least two years (and usually more) before rehabilitation can be classified as being in the ecosystem and land use development phase. This phase does not apply to infrastructure areas that are being retained as part of final land use for the site.</p>

REPORTING CATEGORY	DEFINITION
O	The area of any new active disturbance that will be created during the next three years, as defined under definition A1 (definition A1 Table 5).
P	The sum of any new rehabilitation to be commenced in the next three years. These areas may be in the phases “Rehabilitation - Land Preparation” or the “Ecosystem & Land Use Establishment” (definitions C & D in Table 5).
Q	The rehabilitation to disturbance ratio (S / R) indicates how many hectares of new rehabilitation are undertaken for each hectare of land disturbed during the three years. A ratio of 1/1 indicates that the area of new rehabilitation and disturbance in that period are the same.

Attachment 2 – Definitions

WORD	DEFINITION
Active	In the context of rehabilitation, land associated with mining domains is considered ‘active’ for the period following disturbance until the commencement of rehabilitation.
Active mining phase of rehabilitation	In the context of rehabilitation, the active mining phase of rehabilitation constitutes the rehabilitation activities undertaken during mining operations such as salvaging and managing soil resources, salvaging habitat resources, and native seed collection. This phase also includes management actions taken during operations to manage risks to rehabilitation and enhance rehabilitation outcomes such as selective handling of waste rock and management of tailings emplacements.
Analogue site	In the context of rehabilitation, an analogue site is a ‘reference site’ that represents an example of the defining characteristics (such as vegetation composition and structure or agricultural productivity) of the final land use. Characteristics of analogue sites can be assessed to develop the rehabilitation objectives and completion criteria for final land use domains.
Annual rehabilitation report and forward program	As described in the Mining Regulation 2016.
Annual reporting period	As defined in the Mining Regulation 2016.
Closure	A whole-of-mine-life process, which typically culminates in the relinquishment of the mining lease. It includes decommissioning and rehabilitation to achieve the approved final land use(s).
Decommissioning	The process of removing mining infrastructure and removing contaminants and hazardous materials.
Decommissioning Phase of Rehabilitation	Activities associated with the removal of mining infrastructure and removal and/or remediation of contaminants and hazardous materials. In the context of the rehabilitation management plan this phase of rehabilitation may also include studies and assessments associated with decommissioning and demolition of infrastructure or works carried out to make safe or ‘fit for purpose’ built infrastructure to be retained for future use(s) following lease relinquishment.

WORD	DEFINITION
Department	The Department of Regional NSW.
Disturbance	See Surface Disturbance.
Disturbance area	<p>An area that has been disturbed and that requires rehabilitation.</p> <p>This may include areas such as on-licence exploration areas, stripped areas ahead of mining, infrastructure areas, water management infrastructure, sewage treatment facilities, topsoil stockpile areas, access tracks and haul roads, active mining areas, waste emplacements (active/unshaped/in or out-of-pit), tailings dams (active/unshaped/uncapped), and areas requiring rehabilitation that are temporarily stabilised (i.e. managed to minimise dust generation and/or erosion).</p>
Domain	<p>An area (or areas) of the land that has been disturbed by mining and has a specific operational use (mining domain) or specific final land use (final land use domain). Land within a domain typically has similar geochemical and/or geophysical characteristics and therefore requires specific rehabilitation activities to achieve the associated final land use.</p>
Ecosystem and Land Use Development	<p>This phase of rehabilitation consists of the activities to manage maturing rehabilitation areas on a trajectory to achieving the approved rehabilitation objectives and completion criteria.</p> <p>For vegetated land uses this phase may include processes to develop characteristics of functional self-sustaining ecosystems, such as nutrient recycling, vegetation flowering and reproduction, and increasing habitat complexity, and development of a productive, self-sustaining soil profile.</p> <p>This phase of rehabilitation may include specific vegetation management strategies and maintenance such as tree thinning, supplementary plantings and weed management.</p>
Ecosystem and Land Use Establishment	<p>This phase of rehabilitation consists of the processes to establish the approved final land use following construction of the final landform.</p> <p>For vegetated land uses this rehabilitation phase includes establishing the desired vegetation community and implementing land management activities such as weed control. This phase of rehabilitation may also include habitat augmentation such as installation of nest boxes.</p>
Exploration	Has the same meaning as that term under the State Environmental Planning Policy (Mining, Petroleum Production and Extractive Industries) 2007.

WORD	DEFINITION
Final landform and rehabilitation plan	As defined in the Mining Regulation 2016.
Final land use	As defined in the Mining Regulation 2016.
Form and way	Means the form and way approved by the Secretary. Approved form and way documents are available on the Department’s website.
Growth Medium Development	<p>This phase of rehabilitation consists of activities required to establish the physical, chemical and biological components of the substrate required to establish the desired vegetation community (including short lived pioneer species).</p> <p>This phase may include spreading the prepared landform with topsoil and/or subsoil and/or soil substitutes, applying soil ameliorants to enhance the physical, chemical and biological characteristics of the growth media, and actions to minimise loss of growth media due to erosion.</p>
Habitat	Has the same meaning as that term under the <i>Biodiversity Conservation Act 2016</i> and the <i>Fisheries Management Act 1994</i> (as relevant).
Indicator	An attribute of the biophysical environment (e.g. pH, topsoil depth, biomass) that can be used to approximate the progression of a biophysical process. It can be measured and audited to demonstrate (and track) the progress of an aspect of rehabilitation towards a desired completion criterion (i.e. defined end point). It may be aligned to an established protocol and used to evaluate changes in a system.
Land	As defined in the <i>Mining Act 1992</i> .
Landform Establishment	<p>This phase of rehabilitation consists of the processes and activities required to construct the final landform.</p> <p>In addition to profiling the surface of rehabilitation areas to the approved final landform profile this phase may include works to construct surface water drainage features, encapsulate problematic materials such as tailings, and prepare a substrate with the desired physical and chemical characteristics (e.g. rock raking or ameliorating sodic materials).</p>
Large mine	As defined in the Mining Regulation 2016.
Lease holder	The holder of a mining lease.

WORD	DEFINITION
Life of mine	The timeframe of how long a mine is approved to mine, from commencement to closure.
Mine rehabilitation portal	<p>Means the NSW Resources Regulator’s online portal that lease holders must use (via a registered account) to:</p> <ul style="list-style-type: none"> ■ upload rehabilitation geographical information system (GIS) spatial data ■ develop rehabilitation GIS spatial data (using online tracing functions) ■ generate rehabilitation plans and rehabilitation statistics using the map viewer and Rehabilitation Key Performance Indicator functionalities. <p>Data submitted to the mine rehabilitation portal is collated in a centralised geodatabase for use by the NSW Resources Regulator to regulate rehabilitation performance of lease holders.</p>
Mining area	As defined in the <i>Mining Act 1992</i> .
Mining domain	A land management unit with a discrete operational function (e.g. overburden emplacement), and therefore similar geophysical characteristics, that will require specific rehabilitation treatments to achieve the final land use(s).
Mining land	As defined in the <i>Mining Act 1992</i> .
Native vegetation	Has the same meaning as that term under section 60B of the <i>Local Land Services Act 2013</i> .
Overburden	Material overlying coal or a mineral deposit.
Performance indicator	An attribute of the biophysical environment (for example pH, slope, topsoil depth, biomass) that can be used to demonstrate achievement of a rehabilitation objective. It can be measured and audited to demonstrate (and track) the progress of an aspect of rehabilitation towards a desired completion criterion, that is, a defined end point. It may be aligned to an established protocol and used to evaluate changes in a system.

WORD	DEFINITION
Phases of rehabilitation	<p>The stages and sequences of actions required to rehabilitate disturbed land to achieve the final land use. The phases of rehabilitation are:</p> <ul style="list-style-type: none"> ■ active mining ■ decommissioning ■ landform Establishment ■ growth medium development ■ ecosystem and land use establishment ■ ecosystem and land use development.
Progressive rehabilitation	<p>The progress of rehabilitation towards achieving the approved rehabilitation completion criteria. This may be described in terms of domains, phases, performance indicators and rehabilitation completion criteria.</p>
Rehabilitation Completion	<p>The final phase of rehabilitation when a rehabilitation area has achieved the approved rehabilitation objectives and rehabilitation completion criteria for the final land use. Rehabilitation areas may be classified as complete when the NSW Resources Regulator has determined in writing that the relevant rehabilitation obligations have been fulfilled following submission of <i>Form ESF2 Rehabilitation completion and/or review of rehabilitation cost estimate</i> application by the lease holder.</p>
Rehabilitation Completion criteria	<p>As defined in the Mining Regulation 2016.</p>
Rehabilitation cost estimate	<p>As defined in the Mining Regulation 2016.</p>
Rehabilitation management plan	<p>As defined in the Mining Regulation 2016.</p>
Rehabilitation objectives	<p>As defined in the Mining Regulation 2016.</p>
Rehabilitation risk assessment	<p>As defined in the Mining Regulation 2016.</p>
Rehabilitation schedule	<p>The defined timeframes for progressive rehabilitation set out in the forward program.</p>

WORD	DEFINITION
Relevant stakeholders	<p>Means any persons or bodies who may be affected by the mining operations, including rehabilitation, carried out on the lease land, and includes:</p> <ul style="list-style-type: none"> ■ the relevant development consent authority ■ the local council ■ the relevant landholder(s) ■ community consultative committee (if required under the development consent) or equivalent consultative group ■ affected land holder(s) ■ government agencies relevant to the final land use ■ affected infrastructure authorities (electricity, telecommunications, water, pipeline, road, rail authorities) ■ local Aboriginal communities, and ■ any other person or body determined by the Minister to be a relevant stakeholder in relation to a mining lease.
Risk	The effect of uncertainty on objectives. It is measured in terms of consequences and likelihood (AS/NZS ISO 31000:2009).
Secretary	The Secretary of the Department.
Security deposit	An amount that a mining lease holder is required to provide and maintain under a mining lease condition, to secure funding for the fulfilment of obligations under the lease (including obligations that may arise in the future).
Surface disturbance	Includes activities that disturb the surface of the mining area, including mining operations, ancillary mining activities and exploration.
Tailings	A combination of the fine-grained solid material remaining after the recoverable metals and minerals have been extracted from the mined ore, and any process water ² .
Waste	Has the same meaning as that term under the <i>Protection of the Environment Operations Act 1997</i> .

² Commonwealth of Australia (DITR), 2007. *Tailings Management*.

Attachment 3 – Plans



WHC01_ForecastYear1_2025.pdf

WHC01_ForecastYear2_2026.pdf

WHC01_ForecastYear3_2027.pdf

Forward Program (LARGE MINE) v2.5

I:\A01_Clients_GIS\IEMG-Whitehaven-Coal\IWHC01-Narrabri\IWHC01-014-ARREP-RCE-2025\IWHC01-014-ARREP-RCE-2025.aprx IWHC01-ForecastYear1-2025-5




LEGEND

- Project Approval Boundary
- Current Authorisations**
- Relevant Titles
- Forecast Area Type - Year 1 (2025)**
- Forecast Disturbance
- Forecast Land Prepared for Rehabilitation
- Previous Rehabilitation
- Previous Disturbance

Narrabri Colliery


**Mining and Rehabilitation
Plan 2A
Year 1 - 2025**

Mine name	Narrabri Colliery
Plan name	Mining and Rehabilitation
Year of anticipated relinquishment	TBA following Portal Submission
Data theme submission ID No.	TBA following Portal Submission
Spatial Reference	GDA2020 MGA Zone 55
Plan date (date created)	21/03/2025



- LEGEND**
- Project Approval Boundary
 - Current Authorisations**
 - Relevant Titles
 - Forecast Area Type - Year 2 (2026)**
 - Forecast Disturbance
 - Forecast Land Prepared for Rehabilitation
 - Previous Rehabilitation
 - Previous Disturbance

I:\A01_Clients_GIS\IEMG-Whitehaven_Coal\IWH01_Narrabri\IWH01_014_ARREP_RCE_2025\IWH01_014_ARREP_RCE_2025.aprx\IWH01_ForecastYear2_2026_5



Narrabri Colliery

**Mining and Rehabilitation
Plan 2B
Year 2 - 2026**

Mine name	Narrabri Colliery
Plan name	Mining and Rehabilitation
Year of anticipated relinquishment	TBA following Portal Submission
Data theme submission ID No.	TBA following Portal Submission
Spatial Reference	GDA2020 MGA Zone 55
Plan date (date created)	21/03/2025

/A01 Clients: GIS/WHG - Whitehaven - Coal/WHC01 - Narrabri/WHC01 - 014 - ARREP - RCE - 2025/WHC01 - 014 - ARREP - RCE - 2025.aprx.1/WHC01 - Forecast/Year3 - 2027 - 5



LEGEND

- Project Approval Boundary
- Current Authorisations**
- Relevant Titles
- Forecast Area Type - Year 3 (2026)**
- Forecast Disturbance
- Forecast Land Prepared for Rehabilitation
- Previous Rehabilitation
- Previous Disturbance

Narrabri Colliery

**Mining and Rehabilitation
Plan 2C
Year 3 - 2027**

Mine name	Narrabri Colliery
Plan name	Mining and Rehabilitation
Year of anticipated relinquishment	TBA following Portal Submission
Data theme submission ID No.	TBA following Portal Submission
Spatial Reference	GDA2020 MGA Zone 55
Plan date (date created)	21/03/2025