

#### **Site Information**

EPL No: 12870

**EPA Website Link:** <u>http://epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=40278&SYSUID=1&LICID=12870</u>

Licensee: Whitehaven Coal Mining Pty Ltd

Licensee Address: Rocglen Coal Mine, Wean Road, GUNNEDAH NSW 2380

**EPL Monitoring Points:** See Figure 1 below

Sampling Period: August 2018

**Obtained Date:** 7<sup>th</sup> September 2018

Publication Date: 10<sup>th</sup> September 2018

#### Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
4	Particulates- Deposited Matter	g/m²/month	Continuous	1	17/08/18	30/08/18	-	-	-	2.5
6	Particulates- Deposited Matter	g/m²/month	Continuous	1	17/08/18	30/08/18	-	-	-	0.9
10	PM <sub>10</sub>	µg/m³	Every 6 days	5	Various	7/09/18	9.6	20.7	19.5	31.5
11	Conductivity	μS/cm	Special	-	-		-	-	-	-
11	Total organic carbon	mg/L	Frequency 1*			-	-	-	-	-
12	Conductivity	μS /cm	Special				-	-	-	-
12	Total organic carbon	mg/L	Frequency 1*	-	-	-	-	-	-	-
	TSS	mg/L					-	-	-	-
	Conductivity	μS/cm	Special				-	-	-	-
13	Oil & Grease	mg/L	Frequency 2**	-	-	-	-	-	-	-
	рН	рН					-	-	-	-
	Total organic carbon	mg/L					-	-	-	-
	TSS	mg/L					-	-	-	-
14	Conductivity	μS/cm		-	-	-	-	-	-	-



EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Oil & Grease	mg/L	Special				-	-	-	-
	рН	рН	Frequency 2**				-	-	-	-
	Total organic carbon	mg/L					-	-	-	-
	TSS	mg/L					-	-	-	-
	Conductivity	μS /cm	Special Frequency 2**			-	-	-	-	
15	Oil & Grease	mg/L		-		-	-	-	-	-
	рН	рН					-	-	-	-
	Total organic carbon	mg/L					-	-	-	-

#### **Table 2 - Pollutant Limits Apply**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Max or Only Value	100%ile Limit	Exceedance (Yes/No)	Comments
	TSS	mg/L	Special				-	-	50	-	
11	Oil & Grease	mg/L	Frequency	-	-	-	-	-	10	-	-
	рН	рΗ	1*				-	-	6.5-8.5	-	
	TSS	mg/L	Special				-	-	50	-	
12	Oil & Grease	mg/L	Frequency 1*	-	-	-	-	-	10	-	-
	рН	рН					-	-	6.5-8.5	-	

\* Special Frequency 1 means the collection of samples as soon as practicable after each discharge commences and in any case not more than 12 hours after each discharge commences.

\*\* Special Frequency 2 means collection of samples quarterly (in the event of flow during the quarter) at a time when there is flow and as soon as practicable after each wet weather discharge from points 11 and 12 commences and in any case not more than 12 hours after each discharge commences.



### Table 3 – Monitoring (Quarterly & Yearly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value/Only Value
	Aluminium	mg/L					-	-	-	-
	Arsenic	mg/L					-	-	-	-
	Bicarbonate	mg/L	Yearly	-	-	-	-	-	-	-
16	Chloride	mg/L					-	-	-	-
	Iron	mg/L					-	-	-	-
	Manganese	mg/L					-	-	-	-
	Sodium	mg/L					-	-	-	-
	Conductivity	μS/cm			8/08/18	15/08/18	-	-	-	2150
	Oil & Grease	mg/L					-	-	-	<5
16	рН	рН	Quarterly	1			-	-	-	9.00
	TOC	mg/L					-	-	-	3
	TSS	mg/L					-	-	-	13



EPL ID	Date	Start Time	Period (mins)	Rocglen Measured Levels – dB(A) L <sub>eq 15min Day</sub>	Rocglen Measured Levels – dB(A) Leq 15min Evening	Rocglen Measured Levels – dB(A) Leq 15min Night	Rocglen Measured Levels – dB(A) La 1min Night	Limits	Wind speed (m/s)	Compliant (Y/N)	Comments
		-	90	-					-	-	
		-	30		-				-	-	
	-	-	60			-			-	-	
		-	60				-		-	-	
		-	90	-				35 dB(A) Leq (15 min)	-	-	
N11		-	30		-			Day, Evening, Night	-	-	
N1	-	-	60			-		45dB(A) L <sub>A</sub> (1 min)	-	-	
		-	60				-	Night	-	-	
		-	90	-					-	-	
		-	30		-				-	-	
	-	-	60			-			-	-	
		-	60				-		-	-	
		-	90	-					-	-	
	_	-	30		-				-	-	
	-	-	60			-			-	-	
		-	60				-		-	-	
		-	90	-				35 dB(A) Leq (15 min)	-	-	
N2		-	30		-			Day, Evening, Night	-	-	
IN Z	-	-	60			-		45dB(A) L <sub>A</sub> (1 min)	-	-	
		-	60				-	Night	-	-	
		-	90	-					-	-	
		-	30		-				-	-	
	-	-	60			-			-	-	
		-	60				-		-	-	

# Table 4 – Monitoring (Noise – Limits Apply)

Note: Measured noise levels are not necessarily the result of activity at Rocglen Coal Mine



EPL ID	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max or Only Value	100%ile Limit	(Potential) Non-compliance /breach
BB1	Blast Noise	dB (Lin Peak)	Every Blast	2	99.9	102.5	120	No
DDI	Blast Vibration	mm/s	Every Blast	5	0.16	0.24	10	No
002	Blast Noise	dB (Lin Peak)	Every Blast	2	95.5	97.2	120	No
BB3	Blast Vibration	mm/s	Every Blast		0.42	0.83	10	No

### Table 5 – Monitoring (Blasts – Limits Apply)





Figure 1 – EPL 12870 Monitoring Locations