

Site Information

EPL No: 12957

EPA Website Link: http://epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=40292&SYSUID=1&LICID=12957

Licensee: Namoi Mining Pty Ltd

Licensee Address: Sunnyside Coal Project, 259 Coocooboonah Lane, GUNNEDAH NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: March 2018 Obtained Date: 18th April 2018 Publication Date: 23rd April 2018

Table 1 - No Pollutant Limits Apply

| EPL ID | Pollutant | Units of Measure | Monitoring Frequency | No. of Samples for the Month | Date(s) Sampled | Date(s) Obtained | Min Value | Mean Value | Median Value | Max or Only Value |
|-----------|-----------------------------------|---------------------|-------------------------|------------------------------------|--------------------|---------------------|--------------|---------------|-----------------|-------------------------|
| 1 | Particulates- Deposited Matter | g/m²/month | Continuous | 1 | 21/03/18 | 3/04/18 | - | - | - | 4.0 |
| 2 | Particulates- Deposited Matter | g/m²/month | Continuous | 1 | 21/03/18 | 3/04/18 | - | - | - | 14.2 |
| 4 | Particulates- Deposited Matter | g/m²/month | Continuous | 1 | 21/03/18 | 3/04/18 | - | - | - | 11.9 |
| 5 | Particulates- Deposited Matter | g/m²/month | Continuous | 1 | 21/03/18 | 3/04/18 | - | - | - | 4.7 |
| 6 | Particulates- Deposited Matter | g/m²/month | Continuous | 1 | 21/03/18 | 3/04/18 | - | - | - | 2.6 |
| 7 | PM ₁₀ | μg/m³ | Every 6 days | 4 | Various | 18/04/18 | 7.2 | 17.6 | 14.5 | 39.5 |
| 9 | Conductivity | μS/cm | Cassial | - | - | - | - | - | - | - |
| | Total organic carbon | mg/L | Special Frequency 1* | | | | - | - | - | - |
| 10 | Conductivity | μS/cm | | - | - | - | - | - | - | - |

| EPL ID | Pollutant | Units of Measure | Monitoring Frequency | No. of Samples for the Month | Date(s) Sampled | Date(s) Obtained | Min Value | Mean Value | Median Value | Max or Only Value |
|-----------|----------------------|---------------------|--------------------------|------------------------------------|--------------------|---------------------|--------------|---------------|-----------------|-------------------------|
| | Total organic carbon | mg/L | Special Frequency 1* | | | | 1 | 1 | - | - |
| | TSS | mg/L | | - | _ | - | - | - | - | - |
| | Conductivity | μS/cm | | - | | | - | - | - | - |
| 11 | Oil & Grease | mg/L | Special Frequency 2** | - | | | - | - | - | - |
| 11 | рН | рН | | - | | | - | - | - | - |
| | Total organic carbon | mg/L | | - | | | - | - | - | - |
| | TSS | mg/L | Special Frequency 2** | - | - | - | - | - | - | - |
| | Conductivity | μS /cm | | - | | | - | - | - | - |
| 12 | Oil & Grease | mg/L | | - | | | - | - | - | - |
| | рН | рН | | - | | | - | - | - | - |
| | Total organic carbon | mg/L | | - | | | - | - | - | - |

Table 2 - Pollutant Limits Apply

| EPL ID | Pollutant | Units of Measure | Monitoring Frequency | No. of Samples for the Month | Date Sampled | Date Obtained | Min Value | Max Value | 100%ile Limit | Exceedance (Yes/No) | Comments |
|-----------|--------------|---------------------|-------------------------|------------------------------------|-----------------|------------------|--------------|--------------|------------------|------------------------|--------------|
| | TSS | mg/L | Special | 0 | | | - | - | 50 | - | No discharge |
| 9 | Oil & Grease | mg/L | Frequency | 0 | - | - | - | - | 10 | - | No discharge |
| | рН | рН | 1* | 0 | | | - | - | 6.5-8.5 | - | No discharge |
| | TSS | mg/L | Special | 0 | | | - | - | 50 | - | No discharge |
| 10 | Oil & Grease | mg/L | Frequency | 0 | - | - | - | - | 10 | - | No discharge |
| | рН | рН | 1* | 0 | | | - | - | 6.5-8.5 | - | No discharge |

^{*} Special Frequency 1 means the collection of samples as soon as practicable after each discharge commences and in any case not more than 12 hours after each discharge commences.



** Special Frequency 2 means collection of samples quarterly (in the event of flow during the quarter) at a time when there is flow and as soon as practicable after each wet weather discharge from points 9 and 10 commences and in any case not more than 12 hours after each discharge commences.

Table 3 – Monitoring (Blasts – Limits Apply)

| Location | Parameter | Units of Measure | Frequency | No. of Blasts for the Month | Average Value | Max or Only Value | 100%ile Limit | (Potential) Non- compliance/breach |
|----------|-----------------|---------------------|-------------|-----------------------------|------------------|----------------------|---------------|---------------------------------------|
| 10 | Blast Noise | dB (Lin Peak) | Fuora Blact | 1 | - | 98.7 | 120 | No |
| 19 | Blast Vibration | mm/s | Every Blast | | - | 0.65 | 10 | No |
| 20 | Blast Noise | dB (Lin Peak) | Fuora Blast | 1 | - | 95.6 | 120 | No |
| 20 | Blast Vibration | mm/s | Every Blast | | - | 0.89 | 10 | No |
| 22 | Blast Noise | dB (Lin Peak) | Fuery Blact | 1 | - | 97.7 | 120 | No |
| 23 | Blast Vibration | mm/s | Every Blast | | - | 0.27 | 10 | No |
| 24 | Blast Noise | dB (Lin Peak) | Eveny Blact | 1 | - | 103.3 | 120 | No |
| | Blast Vibration | mm/s | Every Blast | | - | 0.44 | 10 | No |



Figure 1 – EPL 12957 Monitoring Locations

