

Document Owner: Operations Supt

Last Revision Date: 10/2017

Date Printed: 26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN

BUSHFIRE MANAGEMENT PLAN



Document Owner: Operations Supt

Last Revision Date: 10/2017

Date Printed: 26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN

Contents

1	INTRODUCTION	4
2	PRIOR ASSESSMENTS	7
3	POTENTIAL CAUSES OF BUSHFIRE	7
4	CONTROLS	7
5	REPORTING	8
6	DOCUMENT REVIEW	8
Fig	gures	
Figu	ure 1 - Regional Location	5
_	re 2 - Project Lavout	



Document Owner:	Operations Supt
Last Revision Date:	10/2017
Date Printed:	26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN

ACRONYMS USED THROUGHOUT THIS DOCUMENT

NMPL - Namoi Mining Pty Ltd

PA - Project Approval

RFS - Rural Fire Service



Document Owner:	Operations Supt
Last Revision Date:	10/2017
Date Printed:	26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN

1 <u>INTRODUCTION</u>

This Bushfire Management Plan has been prepared in accordance with Statement of Commitment 18.17 for the Sunnyside Coal Project (Sunnyside). Sunnyside is operated by Namoi Mining Pty Ltd (NMPL), a subsidiary company of Whitehaven Coal Limited. Mining operations at Sunnyside were suspended in late November 2012 and recommenced in late 2017. This document considers the area of land corresponding to the project site boundary for Sunnyside, referred to as the "mine site".

As illustrated in Figure 1, Sunnyside is located approximately 15km west of Gunnedah. The project layout is shown in Figure 2.



Document Owner: Operations Supt

Last Revision Date: 10/2017

Date Printed: 26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN




Figure 1 - Regional Location



Document Owner:	Operations Supt
Last Revision Date:	10/2017
Date Printed:	26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN



Figure 2 - Project Layout



Document Owner:	Operations Supt
Last Revision Date:	10/2017
Date Printed:	26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN

2 PRIOR ASSESSMENTS

Much of the mine site has been previously cleared for agricultural activities and exhibits a low bushfire hazard.

Bushfire hazard associated with the mine was assessed as part of the Environmental Assessment (EA) in 2008. The EA identified potential ignition sources at the mine and along the transport route and recommended safeguards and/or controls to limit the risk posed by these risks. The assessment concluded that the proposed controls and safeguards would ensure that a low bushfire hazard was maintained at the site.

3 POTENTIAL CAUSES OF BUSHFIRE

Potential causes of fire include:

- Fires on plant and equipment;
- Spontaneous combustion;
- Undertaking specific activities in inappropriate areas and/or without adequate controls;
 and
- Aspects unrelated to and out of the control of NPMP (eg. lightning strikes).

4 **CONTROLS**

Bushfire controls include:

- Appropriate maintenance and storage of plant and equipment;
- Undertaking operations with due consideration of weather conditions;
- Restricting vehicular access in undisturbed areas and maintaining firebreaks;
- Managing hot work processes;
- Fuel and hydrocarbon management;
- No smoking policy on site;
- Management of spontaneous combustion;
- Maintaining appropriate fire fighting equipment onsite, including water supply;
- Training; and
- External assistance and liaising with nearby landholders and tenants, including maintaining an up to date contact list for relevant Whitehaven, RFS and landholder/tenant details.

Internal documents will be prepared, where required, to address and implement such controls.



Document Owner:	Operations Supt
Last Revision Date:	10/2017
Date Printed:	26/10/2017

WHC_PLN_SUN_BUSHFIRE MANAGEMENT PLAN

5 <u>REPORTING</u>

Incident reporting shall be undertaken in accordance with Conditions 5(3) and 5(4) of PA 06_0308.

6 **DOCUMENT REVIEW**

This document will be reviewed in accordance with the requirements of Condition 5(5A) of PA 06_0308.