



## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

### Site Information

**EPL No:** 12957

**EPA Website Link:** <http://epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=40292&SYSUID=1&LICID=12957>

**Licensee:** Namoi Mining Pty Ltd

**Licensee Address:** Sunnyside Coal Project, 259 Coocooboona Lane, GUNNEDAH NSW 2380

**EPL Monitoring Points:** See Figure 1 below

**Sampling Period:** May 2020

**Obtained Date:** 14<sup>th</sup> June 2020

**Publication Date:** 20<sup>th</sup> June 2020

**Table 1 - No Pollutant Limits Apply**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
1	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/05/2020	27/05/20	-	-	-	2.4
2	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/05/2020	27/05/20	-	-	-	0.9
4	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/05/2020	27/05/20	-	-	-	0.8
5	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/05/2020	27/05/20	-	-	-	1.7
6	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/05/2020	27/05/20	-	-	-	0.8
7	PM <sub>10</sub>	µg/m <sup>3</sup>	Every 6 days	5	Various	14/06/20	0.1	3.82	3.1	7.4
9	Conductivity	µS/cm	Special Frequency 1*	-	-	-	-	-	-	-
	Total organic carbon	mg/L					-	-	-	-
10	Conductivity	µS/cm	Special Frequency 1*	-	-	-	-	-	-	-
	Total organic carbon	mg/L					-	-	-	-
11	TSS	mg/L		-	-	-	-	-	-	-

## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Conductivity	µS/cm	Special Frequency 2**	-			-	-	-	-
	Oil & Grease	mg/L		-			-	-		
	pH	pH		-			-	-		
	Total organic carbon	mg/L		-			-	-		
12	TSS	mg/L	Special Frequency 2**	-	-	-	-	-	-	-
	Conductivity	µS/cm		-			-	-		
	Oil & Grease	mg/L		-			-	-		
	pH	pH		-			-	-		
	Total organic carbon	mg/L		-			-	-		

**Table 2 - Pollutant Limits Apply**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Max Value	100%ile Limit	Exceedance (Yes/No)	Comments
9	TSS	mg/L	Special Frequency 1*	0	-	-	-	-	50	-	No discharge
	Oil & Grease	mg/L		0			-	-	10	-	No discharge
	pH	pH		0			-	-	6.5-8.5	-	No discharge
10	TSS	mg/L	Special Frequency 1*	0	-	-	-	-	50	-	No discharge
	Oil & Grease	mg/L		0			-	-	10	-	No discharge
	pH	pH		0			-	-	6.5-8.5	-	No discharge

\* Special Frequency 1 means the collection of samples as soon as practicable after each discharge commences and in any case not more than 12 hours after each discharge commences.

\*\* Special Frequency 2 means collection of samples quarterly (in the event of flow during the quarter) at a time when there is flow and as soon as practicable after each wet weather discharge from points 9 and 10 commences and in any case not more than 12 hours after each discharge commences.

Figure 1 – EPL 12957 Monitoring Locations

