

SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12957

EPA Website Link: <http://epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=40292&SYSUID=1&LICID=12957>

Licensee: Namoi Mining Pty Ltd

Licensee Address: Sunnyside Coal Project, 259 Coocooboona Lane, GUNNEDAH NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: November 2021

Obtained Date: 14 December 2021

Publication Date: 17th December 2021

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
1	Particulates-Deposited Matter (SD1)	g/m ² /month	Continuous	1	15/11/21	23/11/2021	-	-	-	0.89
2	Particulates-Deposited Matter (SD3)	g/m ² /month	Continuous	1	15/11/21	23/11/2021	-	-	-	0.71
4	Particulates-Deposited Matter (SD5)	g/m ² /month	Continuous	1	15/11/21	23/11/2021	-	-	-	1.02
5	Particulates-Deposited Matter (SD6)	g/m ² /month	Continuous	1	15/11/21	23/11/2021	-	-	-	0.40
6	Particulates-Deposited Matter (SD7)	g/m ² /month	Continuous	1	15/11/21	23/11/2021	-	-	-	0.72
7	PM ₁₀	µg/m ³	Every 6 days	5	Various	14/12/2021	2.2	9.6	7.1	25.5
9	Conductivity	µS/cm	Special Frequency 1*	-	-	-	-	-	-	-
	Total organic carbon	mg/L		-	-	-	-	-	-	-
10	Conductivity	µS/cm		-	-	-	-	-	-	-

SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Total organic carbon	mg/L	Special Frequency 1*				-	-	-	-
11	TSS	mg/L	Special Frequency 2**	1	22 Nov 2021	29 Nov 2021	-	-	-	38
	Conductivity	µS/cm		1			-	-	-	215
	Oil & Grease	mg/L		1			-	-	-	<5
	pH	pH		1			-	-	-	7.4
	Total organic carbon	mg/L		1			-	-	-	21
12	TSS	mg/L	Special Frequency 2**	1	22 Nov 2021	29 Nov 2021	-	-	-	312
	Conductivity	µS/cm		1			-	-	-	180
	Oil & Grease	mg/L		1			-	-	-	<5
	pH	pH		1			-	-	-	7.6
	Total organic carbon	mg/L		1			-	-	-	13

Table 2 - Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Max Value	100%ile Limit	Exceedance (Yes/No)	Comments
9	TSS	mg/L	Special Frequency 1*	0	-	-	-	-	50	-	No discharge
	Oil & Grease	mg/L		0			-	-	10	-	No discharge
	pH	pH		0			-	-	6.5-8.5	-	No discharge
10	TSS	mg/L	Special Frequency 1*	0	-	-	-	-	50	-	No discharge
	Oil & Grease	mg/L		0			-	-	10	-	No discharge
	pH	pH		0			-	-	6.5-8.5	-	No discharge

* Special Frequency 1 means the collection of samples as soon as practicable after each discharge commences and in any case not more than 12 hours after each discharge commences.

** Special Frequency 2 means collection of samples quarterly (in the event of flow during the quarter) at a time when there is flow and as soon as practicable after each wet weather discharge from points 9 and 10 commences and in any case not more than 12 hours after each discharge commences.

Figure 1 – EPL 12957 Monitoring Locations

