



## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

### Site Information

**EPL No:** 12957

**EPA Website Link:** <http://epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=40292&SYSUID=1&LICID=12957>

**Licensee:** Namoi Mining Pty Ltd

**Licensee Address:** Sunnyside Coal Project, 259 Coocooboona Lane, GUNNEDAH NSW 2380

**EPL Monitoring Points:** See Figure 1 below

**Sampling Period:** December 2022

**Obtained Date:** 16<sup>th</sup> January 2023

**Publication Date:** 17<sup>th</sup> January 2023

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
1	Particulates-Deposited Matter (SD1)	g/m <sup>2</sup> /month	Continuous	1	15/12/2022	16/1/2023	-	-	-	1.98
2	Particulates-Deposited Matter (SD3)	g/m <sup>2</sup> /month	Continuous	1	15/12/2022	16/1/2023	-	-	-	1.35
4	Particulates-Deposited Matter (SD5)	g/m <sup>2</sup> /month	Continuous	1	15/12/2022	16/1/2023	-	-	-	1.95
5	Particulates-Deposited Matter (SD6)	g/m <sup>2</sup> /month	Continuous	1	15/12/2022	16/1/2023	-	-	-	1.32
6	Particulates-Deposited Matter (SD7)	g/m <sup>2</sup> /month	Continuous	1	15/12/2022	16/1/2023	-	-	-	1.67
7	PM <sub>10</sub>	µg/m <sup>3</sup>	Every 6 days	5	6/12/2022 12/12/2022 18/12/2022 24/12/2022 30/12/2022	(Last result received) 16/01/2023	2	7.3	7.2	14.2

## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date(s) Obtained	Min Value	Mean Value	Median Value	Max or Only Value
11	TSS	mg/L	Special Frequency 2** (CCUS)	0	-	-	-	-	-	-
	Conductivity	µS/cm					-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	Total organic carbon	mg/L					-	-	-	-
12	TSS	mg/L	Special Frequency 2**(CCDS)	0	-	-	-	-	-	-
	Conductivity	µS/cm					-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	Total organic carbon	mg/L					-	-	-	-

<sup>1</sup> The Total Suspended Solids concentration limits specified for Points 9 and 10 may be exceeded for water discharged provided that:

- (a) the discharge occurs solely as a result of rainfall measured at the premises that exceeds 38.4 millimetres over any consecutive 5-day period immediately prior to the discharge occurring; and

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Max Value	100%ile Limit	Exceedance (Yes/No)	Comments
9	TSS	mg/L	Special Frequency 1*(SD3)	0	0	-	-	-	50	-	No discharge
	Conductivity	µS/cm		0			-	-	-	-	No discharge
	Oil & Grease	mg/L		0			-	-	10	-	No discharge
	pH	pH		0			-	-	6.5-8.5	-	No discharge
	Total organic carbon	mg/L		0			-	-	-	-	No discharge
10	TSS	mg/L	Special Frequency 1*(SD4)	0	0	-	-	-	50	-	No discharge
	Conductivity	µS/cm		0			-	-	-	-	No discharge
	Oil & Grease	mg/L		0			-	-	10	-	No discharge
	pH	pH		0			-	-	6.5-8.5	-	No discharge
	Total organic carbon	mg/L		0			-	-	-	-	No discharge



## **SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY**

(b) all practical measures have been implemented to dewater all sediment dams within 5 days of rainfall such that they have sufficient capacity to store run off from a 38.4 millimetre, 5 day rainfall event.

\* Special Frequency 1 means the collection of samples as soon as practicable after each discharge commences and, in any case, not more than 12 hours after each discharge commences.

\*\* Special Frequency 2 means collection of samples quarterly (in the event of flow during the quarter) at a time when there is flow and as soon as practicable after each wet weather discharge from points 9 and 10 commences and in any case not more than 12 hours after each discharge commences.

Figure 1 – EPL 12957 Monitoring Locations

