

Date	Flixton PM ₁₀ 24hr Average	Operational Response
1/01/2018	18.4	No action required
2/01/2018	21.6	No action required
3/01/2018	18.7	No action required
4/01/2018	25.5	No action required
5/01/2018	23.3	No action required
6/01/2018	21.5	No action required
7/01/2018	30.6	No action required
8/01/2018	34.3	No action required
9/01/2018	40.9	Actioned and Monitored operation according to Management Plan
10/01/2018	18.3	No action required
11/01/2018	16.2	No action required
12/01/2018	13.8	No action required
13/01/2018	37.4	No action required
14/01/2018	13.9	No action required
15/01/2018	15.8	No action required
16/01/2018	22.6	No action required
17/01/2018	28.5	No action required
18/01/2018	22.4	No action required
19/01/2018	27.3	No action required
20/01/2018	20.8	No action required
21/01/2018	31.2	No action required
22/01/2018	41.9	Actioned and Monitored operation according to Management Plan
23/01/2018	72.2	Actioned and Monitored operation according to Management Plan
24/01/2018	54.2	Actioned and Monitored operation according to Management Plan
25/01/2018	67.7	Actioned and Monitored operation according to Management Plan
26/01/2018	9.1	No action required
27/01/2018	8.5	No action required
28/01/2018	9.0	No action required
29/01/2018	15.4	No action required
30/01/2018	26.5	No action required
31/01/2018	32.0	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

Note - Flixton is utilised as management unit in accordance with the approved BTM Air Quality Management Strategy

Date	Flixton PM ₁₀ 24hr Average	Operational Response
1/02/2018	11.1	No action required
2/02/2018	6.4	No action required
3/02/2018	6.7	No action required
4/02/2018	9.6	No action required
5/02/2018	12.8	No action required
6/02/2018	20.2	No action required
7/02/2018	11.8	No action required
8/02/2018	18.2	No action required
9/02/2018	32.2	No action required
10/02/2018	31.2	No action required
11/02/2018	31.8	No action required
12/02/2018	30.4	No action required
13/02/2018	21.4	No action required
14/02/2018	34.1	No action required
15/02/2018	37.8	No action required
16/02/2018	30.8	No action required
17/02/2018	39.5	No action required
18/02/2018	44.2	Actioned and Monitored operation according to Management Plan
19/02/2018	40.7	Actioned and Monitored operation according to Management Plan
20/02/2018	9.4	No action required
21/02/2018	8.5	No action required
22/02/2018	16.2	No action required
23/02/2018	16.6	No action required
24/02/2018	8.6	No action required
25/02/2018	13.7	No action required
26/02/2018	4.6	No action required
27/02/2018	7.4	No action required
28/02/2018	16.0	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

Note - Flixton is utilised as management unit in accordance with the approved BTM Air Quality Management Strategy

Date	Flixton PM ₁₀ 24hr Average	Operational Response
1/03/2018	24.7	No action required
2/03/2018	25.5	No action required
3/03/2018	25.3	No action required
4/03/2018	17.8	No action required
5/03/2018	17.7	No action required
6/03/2018	7.8	No action required
7/03/2018	8.7	No action required
8/03/2018	12.0	No action required
9/03/2018	9.7	No action required
10/03/2018	12.9	No action required
11/03/2018	11.1	No action required
12/03/2018	23.1	No action required
13/03/2018	27.7	No action required
14/03/2018	17.2	No action required
15/03/2018	24.7	No action required
16/03/2018	38.8	No action required
17/03/2018	39.2	No action required
18/03/2018	37.9	No action required
19/03/2018	34.4	No action required
20/03/2018	66.7	Actioned and Monitored operation according to Management Plan
21/03/2018	54.2	Actioned and Monitored operation according to Management Plan
22/03/2018	30.6	No action required
23/03/2018	37.6	No action required
24/03/2018	21.6	No action required
25/03/2018	20.6	No action required
26/03/2018	14.8	No action required
27/03/2018	29.9	No action required
28/03/2018	49.8	Actioned and Monitored operation according to Management Plan

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

Note - Flixton is utilised as management unit in accordance with the approved BTM Air Quality Management Strategy

Date	Flixton PM ₁₀ 24hr Average	Operational Response
1/04/2018	33.4	No action required
2/04/2018	36.2	No action required
3/04/2018	34.3	No action required
4/04/2018	22.8	No action required
5/04/2018	24.2	No action required
6/04/2018	32.1	No action required
7/04/2018	38.1	No action required
8/04/2018	48.3	Actioned and Monitored operation according to Management Plan
9/04/2018	56.8	Actioned and Monitored operation according to Management Plan
10/04/2018	53.1	Actioned and Monitored operation according to Management Plan
11/04/2018	57.7	Actioned and Monitored operation according to Management Plan
12/04/2018	72.2	Actioned and Monitored operation according to Management Plan
13/04/2018	62.1	Actioned and Monitored operation according to Management Plan
14/04/2018	30.2	No action required
15/04/2018	98.3	Actioned and Monitored operation according to Management Plan
16/04/2018	36.9	No action required
17/04/2018	23.4	No action required
18/04/2018	34.2	No action required
19/04/2018	26.2	No action required
20/04/2018	10.6	Actioned and Monitored operation according to Management Plan
21/04/2018	13.7	Actioned and Monitored operation according to Management Plan
22/04/2018	21.7	No action required
23/04/2018	16.3	No action required
24/04/2018	17.1	No action required
25/04/2018	15.6	No action required
26/04/2018	27.6	No action required
27/04/2018	24.9	No action required
28/04/2018	15.5	No action required
29/04/2018	20.5	
30/04/2018	53.1	Actioned and Monitored operation according to Management Plan

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

Note - Flixton is utilised as management unit in accordance with the approved BTM Air Quality Management Strategy

Date	Flixton PM ₁₀ 24hr Average	Operational Response
1/05/2018	44.5	Actioned and Monitored operation according to Management Plan
2/05/2018	34.7	No action required
3/05/2018	44.9	No action required
4/05/2018	54.0	Actioned and Monitored operation according to Management Plan
5/05/2018	24.8	No action required
6/05/2018	51.6	Actioned and Monitored operation according to Management Plan
7/05/2018	26.1	No action required
8/05/2018	45.4	Actioned and Monitored operation according to Management Plan
9/05/2018	42.4	Actioned and Monitored operation according to Management Plan
10/05/2018	78.7	Actioned and Monitored operation according to Management Plan
11/05/2018	25.4	No action required
12/05/2018	30.9	No action required
13/05/2018	19.8	No action required
14/05/2018	24.2	No action required
15/05/2018	32.8	No action required
16/05/2018	42.1	Actioned and Monitored operation according to Management Plan
17/05/2018	48.9	Actioned and Monitored operation according to Management Plan
18/05/2018	37.8	No action required
19/05/2018	35.6	No action required
20/05/2018	27.9	No action required
21/05/2018	37.0	No action required
22/05/2018	38.4	No action required
23/05/2018	31.5	No action required
24/05/2018	52.7	Actioned and Monitored operation according to Management Plan
25/05/2018	28.1	No action required
26/05/2018	26.7	No action required
27/05/2018	31.9	No action required
28/05/2018	41.4	Actioned and Monitored operation according to Management Plan
29/05/2018	61.0	Actioned and Monitored operation according to Management Plan
30/05/2018	17.8	No action required
31/05/2018	15.4	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

Note - Flixton monitor is utilised as management unit in accordance with the approved BTM Air Quality Management Strategy

Date	Flixton PM ₁₀ 24hr Average	Operational Response
1/06/2018	19.2	No action required
2/06/2018	21.2	No action required
3/06/2018	15.7	No action required
4/06/2018	20.4	No action required
5/06/2018	20.2	No action required
6/06/2018	18.8	No action required
7/06/2018	23.1	No action required
8/06/2018	31.4	No action required
9/06/2018	9.5	No action required
10/06/2018	6.1	No action required
11/06/2018	9.1	No action required
12/06/2018	30.7	No action required
13/06/2018	38.3	No action required
14/06/2018	28.3	No action required
15/06/2018	42.4	Actioned and Monitored operation according to Management Plan
16/06/2018	56.9	Actioned and Monitored operation according to Management Plan
17/06/2018	21.8	No action required
18/06/2018	21.8	No action required
19/06/2018	15.9	No action required
20/06/2018	19.7	No action required
21/06/2018	27.8	No action required
22/06/2018	27.7	No action required
23/06/2018	27.5	No action required
24/06/2018	22.9	No action required
25/06/2018	38.4	No action required
26/06/2018	S	No action required
27/06/2018	10.1	No action required
28/06/2018	4	No action required
29/06/2018	4.3	No action required
30/06/2018	9.6	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

S -- Servicing / calibration of unit- no data available

Note - Flixton monitor is utilised as management unit in accordance with the approved BTM Air Quality Management Strategy therefore no limits apply

Date	Flixton PM ₁₀ 24hr Average [$\mu\text{g}/\text{m}^3$]	Operational Response
1/07/2018	8.0	No action required
2/07/2018	7.9	No action required
3/07/2018	8.3	No action required
4/07/2018	16.9	No action required
5/07/2018	19.9	No action required
6/07/2018	53.2	Actioned and Monitored operation according to Management Plan
7/07/2018	26.0	No action required
8/07/2018	18.1	No action required
9/07/2018	15.4	No action required
10/07/2018	13.5	No action required
11/07/2018	26.7	No action required
12/07/2018	27.5	No action required
13/07/2018	18.7	No action required
14/07/2018	18.0	No action required
15/07/2018	25.2	No action required
16/07/2018	28.7	No action required
17/07/2018	32.2	No action required
18/07/2018	46.9	Actioned and Monitored operation according to Management Plan
19/07/2018	37.2	No action required
20/07/2018	124.2	Actioned and Monitored operation according to Management Plan
21/07/2018	23.9	No action required
22/07/2018	22.3	No action required
23/07/2018	47.1	Actioned and Monitored operation according to Management Plan
24/07/2018	45.6	Actioned and Monitored operation according to Management Plan
25/07/2018	47.1	Actioned and Monitored operation according to Management Plan
26/07/2018	51.2	Actioned and Monitored operation according to Management Plan
27/07/2018	64.6	Actioned and Monitored operation according to Management Plan
28/07/2018	45.5	Actioned and Monitored operation according to Management Plan
29/07/2018	12.5	No action required
30/07/2018	16.0	No action required
31/07/2018	16.7	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

S -- Servicing / calibration of unit- no data available

Note - Flixton monitor is utilized as an operation management unit in accordance with the approved BTM Air Quality Management Strategy therefore no limits apply.

Date	Flixton PM ₁₀ 24hr Average [$\mu\text{g}/\text{m}^3$]	Operational Response
1/8/2018	14.2	No action required
2/8/2018	22.6	No action required
3/8/2018	26.7	No action required
4/8/2018	85.0	Actioned and Monitored operation according to Management Plan
5/8/2018	40.4	Actioned and Monitored operation according to Management Plan
6/8/2018	18.4	No action required
7/8/2018	22.0	No action required
8/8/2018	11.6	No action required
9/8/2018	9.9	No action required
10/8/2018	14.2	No action required
11/8/2018	23.6	No action required
12/8/2018	15.4	No action required
13/08/2018	14.6	No action required
14/08/2018	12.3	No action required
15/08/2018	29.7	No action required
16/08/2018	32.2	No action required
17/08/2018	21.4	No action required
18/08/2018	21.1	No action required
19/08/2018	42.6	Actioned and Monitored operation according to Management Plan
20/08/2018	16.5	No action required
21/08/2018	18.9	No action required
22/08/2018	21.7	No action required
23/08/2018	24.0	No action required
24/08/2018	30.4	No action required
25/08/2018	9.3	No action required
26/08/2018	6.9	No action required
27/08/2018	7.5	No action required
28/08/2018	8.8	No action required
29/08/2018	11.4	No action required
30/08/2018	18.4	No action required
31/08/2018	41.6	Actioned and Monitored operation according to Management Plan

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

S -- Servicing / calibration of unit- no data available

Note - Flixton monitor is utilized as an operation management unit in accordance with the approved BTM Air Quality Management Strategy therefore no limits apply.

Date	Flixton PM ₁₀ 24hr Average [$\mu\text{g}/\text{m}^3$]	Operational Response
1/09/2018	159.4	Actioned and Monitored operation according to Management Plan
2/09/2018	10.3	No action required
3/09/2018	12.2	No action required
4/09/2018	4.9	No action required
5/09/2018	6.2	No action required
6/09/2018	10.9	No action required
7/09/2018	12.2	No action required
8/09/2018	12.6	No action required
9/09/2018	9.1	No action required
10/09/2018	13.1	No action required
11/09/2018	29.1	No action required
12/09/2018	27.7	No action required
13/09/2018	27.5	No action required
14/09/2018	31.6	No action required
15/09/2018	56.3	Actioned and Monitored operation according to Management Plan
16/09/2018	22.2	No action required
17/09/2018	27.4	No action required
18/09/2018	48.2	Actioned and Monitored operation according to Management Plan
19/09/2018	51.7	Actioned and Monitored operation according to Management Plan
20/09/2018	20.7	No action required
21/09/2018	24.4	No action required
22/09/2018	28.1	No action required
23/09/2018	24	No action required
24/09/2018	23.1	No action required
25/09/2018	8.7	No action required
26/09/2018	9.2	No action required
27/09/2018	9.7	No action required
28/09/2018	20.9	No action required
29/09/2018	19.8	No action required
30/09/2018	19.9	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

S -- Servicing / calibration/ comms problem of unit- no data available

Note - Flixton monitor is utilized as an operation management unit in accordance with the approved BTM Air Quality Management Strategy therefore no limits apply.

Date	Flixton PM ₁₀ 24hr Average [$\mu\text{g}/\text{m}^3$]	Operational Response
1/10/2018	14.6	No action required
2/10/2018	23.4	No action required
3/10/2018	19.1	No action required
4/10/2018	9.9	No action required
5/10/2018	3.0	No action required
6/10/2018	3.0	No action required
7/10/2018	5.7	No action required
8/10/2018	10.8	No action required
9/10/2018	16.9	No action required
10/10/2018	15.5	No action required
11/10/2018	4.3	No action required
12/10/2018	4.6	No action required
13/10/2018	4.7	No action required
14/10/2018	5.6	No action required
15/10/2018	7.5	No action required
16/10/2018	10.8	No action required
17/10/2018	6.4	No action required
18/10/2018	12.4	No action required
19/10/2018	S	No action required
20/10/2018	S	No action required
21/10/2018	S	No action required
22/10/2018	S	No action required
23/10/2018	11.3	No action required
24/10/2018	19.0	No action required
25/10/2018	18.0	No action required
26/10/2018	22.8	No action required
27/10/2018	26.7	No action required
28/10/2018	21.9	No action required
29/10/2018	17.7	No action required
30/10/2018	16.6	No action required
31/10/2018	26.3	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

S -- Servicing / calibration/ comms problem of unit- no data available

Note - Flixton monitor is utilized as an operation management unit in accordance with the approved BTM Air Quality Management Strategy therefore No Limits Apply.

Date	Flixton PM ₁₀ 24hr Average [$\mu\text{g}/\text{m}^3$]	Operational Response
1/11/2018	27.7	No action required
2/11/2018	32.7	No action required
3/11/2018	39.6	No action required
4/11/2018	19.1	No action required
5/11/2018	23.3	No action required
6/11/2018	111.7	Actioned and Monitored operation according to Management Plan
7/11/2018	64.6	No action required
8/11/2018	5.8	No action required
9/11/2018	14.6	No action required
10/11/2018	24.1	No action required
11/11/2018	20.8	No action required
12/11/2018	20.9	No action required
13/11/2018	29.1	No action required
14/11/2018	35.4	No action required
15/11/2018	25.5	No action required
16/11/2018	26.2	No action required
17/11/2018	24.5	No action required
18/11/2018	16.3	No action required
19/11/2018	15.2	No action required
20/11/2018	31.5	No action required
21/11/2018	47.7	Actioned and Monitored operation according to Management Plan
22/11/2018	137.4	Dust Storm- Actioned and Monitored operation according to Management Plan
23/11/2018	121.1	Dust Storm- Actioned and Monitored operation according to Management Plan
24/11/2018	25.2	No action required
25/11/2018	16.1	No action required
26/11/2018	19.3	No action required
27/11/2018	36	No action required
28/11/2018	31.9	No action required
29/11/2018	6.8	No action required
30/11/2018	10.1	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

S -- Servicing / calibration/ comms problem of unit- no data available

Note - Flixton monitor is utilized as an operation management unit in accordance with the approved BTM Air Quality Management Strategy therefore No Limits Apply.

Date	Flixton PM ₁₀ 24hr Average [$\mu\text{g}/\text{m}^3$]	Operational Response
1/12/2018	15.2	No action required
2/12/2018	84.7	Actioned and Monitored operation according to Management Plan
3/12/2018	36.3	No action required
4/12/2018	24.9	No action required
5/12/2018	22.5	No action required
6/12/2018	13.9	No action required
7/12/2018	13.9	No action required
8/12/2018	20.9	No action required
9/12/2018	30.0	No action required
10/12/2018	43.4	Actioned and Monitored operation according to Management Plan
11/12/2018	26.4	No action required
12/12/2018	17.6	No action required
13/12/2018	22.9	No action required
14/12/2018	117.3	Actioned and Monitored operation according to Management Plan
15/12/2018	172.2	Actioned and Monitored operation according to Management Plan
16/12/2018	67.6	Actioned and Monitored operation according to Management Plan
17/12/2018	20.3	No action required
18/12/2018	27.7	No action required
19/12/2018	53.9	Actioned and Monitored operation according to Management Plan
20/12/2018	30.5	No action required
21/12/2018	26.7	No action required
22/12/2018	31.2	No action required
23/12/2018	11.7	No action required
24/12/2018	10.3	No action required
25/12/2018	15.5	No action required
26/12/2018	21.2	No action required
27/12/2018	22.0	No action required
28/12/2018	29.3	No action required
29/12/2018	16.7	No action required
30/12/2018	25.1	No action required
31/12/2018	38.4	No action required

(C) – Result calculated from incomplete data provided at least 75% of the data is successfully obtained.

S -- Servicing / calibration/ comms problem of unit- no data available

Note - Flixton monitor is utilized as an operation management unit in accordance with the approved BTM Air Quality Management Strategy therefore No Limits Apply.