

## WERRIS CREEK COAL EPL – MONTHLY SUMMARY

### Site Information

**EPL No.:** 12290

**EPA Website Link:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31280&SYSUID=1&LICID=12290>

**Licensee:** Werris Creek Coal Pty Limited

**Premises:** Werris Creek Coal, 1435 Werris Creek Road, WERRIS CREEK NSW 2341

**EPL Monitoring Points:** See figure at end of document

**Sampling Period:** October 2018

**Obtained Date:** 28/11/2018

**Publication Date:** 10/12/2018

**Table 1 - No Pollutant Limits Apply**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
28	PM10	µg/m <sup>3</sup>	Every 6 days	5	22/10/2018	29/10/2018	3.2	11.4	10.2	18.8
	Solid Particles	g/m <sup>2</sup> /month	Continuous	1	19/10/2018	26/10/2018	0.6	0.6	0.6	0.6
29	PM10	µg/m <sup>3</sup>	Every 6 days	5	22/10/2018	29/10/2018	9.1	18.2	18.1	24.5
	Solid Particles	g/m <sup>2</sup> /month	Continuous	1	19/10/2018	26/10/2018	1.0	1.0	1.0	1.0
30	PM10	µg/m <sup>3</sup>	Continuous	Continuous	31/10/2018	1/11/2018	4.4	11.0	11.0	19.0
	Solid Particles	g/m <sup>2</sup> /month	Continuous	1	19/10/2018	26/10/2018	0.6	0.6	0.6	0.6
10	Conductivity	µS/cm	Special Frequency 1	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Special Frequency 1	0	-	-	-	-	-	-
12	Conductivity	µS/cm	Special Frequency 1	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Special Frequency 1	0	-	-	-	-	-	-
14	Conductivity	µS/cm	Special Frequency 1	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 1	0	-	-	-	-	-	-

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	Nitrogen (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Special Frequency 1	0	-	-	-	-	-	-
32	Conductivity	µS/cm	Special Frequency 1	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Oil and Grease	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	pH	pH	Special Frequency 1	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Special Frequency 1	0	-	-	-	-	-	-
23	Total Suspended Solids	mg/L	Special Frequency 1	0	-	-	-	-	-	-
	Conductivity	µS/cm	Special Frequency 2	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Oil and Grease	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	pH	pH	Special Frequency 2	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
24	Reactive Phosphorus	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Total Suspended Solids	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Conductivity	µS/cm	Special Frequency 2	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Oil and Grease	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	pH	pH	Special Frequency 2	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Special Frequency 2	0	-	-	-	-	-	-

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	Total Suspended Solids	mg/L	Special Frequency 2	0	-	-	-	-	-	-
25	Conductivity	µS/cm	Special Frequency 2	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Oil and Grease	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	pH	pH	Special Frequency 2	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Special Frequency 2	0	-	-	-	-	-	-
26	Total Suspended Solids	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Conductivity	µS/cm	Special Frequency 2	0	-	-	-	-	-	-
	Nitrate	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Oil and Grease	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	pH	pH	Special Frequency 2	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Special Frequency 2	0	-	-	-	-	-	-
33*	Total Suspended Solids	mg/L	Special Frequency 2	0	-	-	-	-	-	-
	Aluminium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Arsenic (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Barium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Beryllium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	BOD	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Cadmium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Chromium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	Cobalt (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Copper (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Iron (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Lead (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Magnesium	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Manganese (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Nickel (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Potassium	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Selenium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Sodium	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Total dissolved solids	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Vanadium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Zinc (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
34	Aluminium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Arsenic (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Barium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Beryllium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	BOD	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Cadmium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Chromium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Cobalt (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Copper (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Iron (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Lead (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Magnesium	mg/L	Special Frequency 3	0	-	-	-	-	-	-

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	Manganese (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Nickel (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Potassium	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Selenium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Sodium	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Total dissolved solids	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Vanadium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Zinc (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
35	Aluminium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Arsenic (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Barium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Beryllium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	BOD	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Cadmium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Chromium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Cobalt (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Copper (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Iron (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Lead (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Magnesium	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Manganese (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Nickel (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Potassium	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Selenium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Sodium	mg/L	Special Frequency 3	0	-	-	-	-	-	-

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	Total dissolved solids	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Vanadium (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-
	Zinc (dissolved)	mg/L	Special Frequency 3	0	-	-	-	-	-	-

\*Dust gauge sample contaminated with glass. Broken funnel noted on field sheet.

**Table 2 - Pollutant Limits Apply**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of samples for the Month	Date Sampled	Date Obtained	Min Value	Max Value	100%ile Limit	Exceedance (Yes/No)
10	Total Suspended Solids	mg/L	Special Frequency 1	0	-	-	-	-	50*	No
	Oil and Grease	mg/L	Special Frequency 1	0	-	-	-	-	10	No
	pH	pH	Special Frequency 1	0	-	-	-	-	6.5-8.5	No
12	Total Suspended Solids	mg/L	Special Frequency 1	0	-	-	-	-	50*	No
	Oil and Grease	mg/L	Special Frequency 1	0	-	-	-	-	10	No
	pH	pH	Special Frequency 1	0	-	-	-	-	6.5-8.5	No
14	Total Suspended Solids	mg/L	Special Frequency 1	0	-	-	-	-	50*	No
	Oil and Grease	mg/L	Special Frequency 1	0	-	-	-	-	10	No
	pH	pH	Special Frequency 1	0	-	-	-	-	6.5-8.5	No
32	Total Suspended Solids	mg/L	Special Frequency 1	0	-	-	-	-	50*	No
	Oil and Grease	mg/L	Special Frequency 1	0	-	-	-	-	10	No
	pH	pH	Special Frequency 1	0	-	-	-	-	6.5-8.5	No
33*	Electrical Conductivity	mg/L	Special Frequency 4	0	-	-	-	-	2000	No
	Oil and Grease	mg/L	Special Frequency 3	0	-	-	-	-	10	No
	pH	pH	Special Frequency 4	0	-	-	-	-	9	No
34	Electrical Conductivity	mg/L	Special Frequency 4	0	-	-	-	-	2000	No
	Oil and Grease	mg/L	Special Frequency 3	0	-	-	-	-	10	No
	pH	pH	Special Frequency 4	0	-	-	-	-	9	No

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of samples for the Month	Date Sampled	Date Obtained	Min Value	Max Value	100%ile Limit	Exceedance (Yes/No)
35	Electrical Conductivity	mg/L	Special Frequency 4	0	-	-	-	-	2000	No
	Oil and Grease	mg/L	Special Frequency 3	0	-	-	-	-	10	No
	pH	pH	Special Frequency 4	0	-	-	-	-	9	No

\* EPL ID Point 33 is the point of discharge for discharge sampling

**Table 3 – Monitoring (Quarterly & 6 monthly – no limits apply)**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
16	Conductivity	µS/cm	Every 3 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Oil and Grease	mg/L	Every 3 Months	0	-	-	-	-	-	-
	pH	pH	Every 3 Months	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Total Suspended Solids	mg/L	Every 3 Months	0	-	-	-	-	-	-
27	Conductivity	µS/cm	Every 3 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Oil and Grease	mg/L	Every 3 Months	0	-	-	-	-	-	-
	pH	pH	Every 3 Months	0	-	-	-	-	-	-

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	Phosphorus (Total)	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 3 Months	0	-	-	-	-	-	-
	Total Suspended Solids	mg/L	Every 3 Months	0	-	-	-	-	-	-
17	Conductivity	µS/cm	Every 6 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	pH	pH	Every 6 Months	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Standing Water Level	Metres	Every 6 Months	0	-	-	-	-	-	-
18	Conductivity	µS/cm	Every 6 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	pH	pH	Every 6 Months	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Standing Water Level	Metres	Every 6 Months	0	-	-	-	-	-	-
19	Conductivity	µS/cm	Every 6 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	pH	pH	Every 6 Months	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Standing Water Level	Metres	Every 6 Months	0	-	-	-	-	-	-
20	Conductivity	µS/cm	Every 6 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-



**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	pH	pH	Every 6 Months	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Standing Water Level	Metres	Every 6 Months	0	-	-	-	-	-	-
21	Conductivity	µS/cm	Every 6 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	pH	pH	Every 6 Months	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Standing Water Level	Metres	Every 6 Months	0	-	-	-	-	-	-
22	Conductivity	µS/cm	Every 6 Months	0	-	-	-	-	-	-
	Nitrate	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Nitrogen (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	pH	pH	Every 6 Months	0	-	-	-	-	-	-
	Phosphorus (Total)	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Reactive Phosphorus	mg/L	Every 6 Months	0	-	-	-	-	-	-
	Standing Water Level	Metres	Every 6 Months	0	-	-	-	-	-	-

TLTS- Too low to sample

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**
**Table 4 – Monitoring (Noise – Limits Apply)**

Location	Date	Measurement Period	Start Time	Measured levels – dB(A)		Limit(s)	Weather (inversion oC/100m, wind m/s & °)	Observations	(Potential) Non-compliance /breach	Date Obtained
				LA1, 1 Minute	L <sub>Aeq</sub> , 15 Minute					
<b>R24</b>	29/10/2018	60 minutes	3:48 pm	N/A	43	Day 37	NA, 2.1m/s, 212 degrees	Birds (40), traffic (35), plane (34), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R12</b>	29/10/2018	60 minutes	2:30 pm	N/A	41	Day 38	NA, 1.3m/s, 247 degrees	Traffic (38), birds (37), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R96</b>	29/10/2018	60 minutes	12:21 pm	N/A	37	Day 38	NA, 0.8m/s, 269 degrees	Traffic (34), Wind (32), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R98</b>	29/10/2018	60 minutes	1:25 pm	N/A	37	Day 36	NA, 2.1m/s, 209 degrees	Birds (36), plane (25), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R57</b>	29/10/2018	60 minutes	3:30 pm	N/A	48	Day 35	NA, 2.3m/s, 185 degrees	Birds (47), traffic (37), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R24</b>	29/10/2018	60 minutes	8:08 pm	<20	41	Night 37	NA, 4.7m/s, 137 degrees.	Traffic (40), crickets (33), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R12</b>	29/10/2018	60 minutes	9:50 pm	<20	36	Night 38	2.3°/100m, 1.3m/s, 73 degrees.	Traffic (34), wind (28), crickets (24), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R96</b>	29/10/2018	60 minutes	7:15 pm	<20	47	Night 38	0.1°/100m, 5.6m/s, 148 degrees.	Insects (46), wind (36), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R98</b>	29/10/2018	60 minutes	8:16 pm	<20	27	Night 38	NA, 4.7m/s, 137 degrees	Insects (24), Wind (23), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018
<b>R57</b>	29/10/2018	60 minutes	9:51 pm	<20	39	Night 35	2.3°/100m, 1.3m/s, 73 degrees.	Traffic (35), wind (34), <b>WCC inaudible (&lt;20)</b>	No	28/11/2018

**NM = Not Measurable. This denotes noise from the mine was audible at low levels however cannot be quantified.**

**IA = Inaudible.**

**WERRIS CREEK COAL EPL – MONTHLY SUMMARY**
**Table 5 – Monitoring (Blasts – Limits Apply)**

Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date Obtained
R11	Blast Noise	dB (Lin Peak)	Every Blast	10	99.61	107.70	120.0	No	1/11/2018
	Blast Vibration	mm/s	Every Blast	10	0.09	0.23	10.0	No	1/11/2018
R98	Blast Noise	dB (Lin Peak)	Every Blast	10	102.14	110.0	120.0	No	1/11/2018
	Blast Vibration	mm/s	Every Blast	10	0.71	1.87	10.0	No	1/11/2018
R62	Blast Noise	dB (Lin Peak)	Every Blast	10	99.31	107.70	120.0	No	1/11/2018
	Blast Vibration	mm/s	Every Blast	10	0.33	0.68	10.0	No	1/11/2018
R92	Blast Noise	dB (Lin Peak)	Every Blast	10	97.17	104.10	120.0	No	1/11/2018
	Blast Vibration	mm/s	Every Blast	10	0.18	0.38	10.0	No	1/11/2018

## WERRIS CREEK COAL EPL – MONTHLY SUMMARY

