



Vickery Extension Project Groundwater Monitoring Report

Quarterly Review November 2023 – January 2024

Whitehaven Coal Ltd

Blue Vale Rd, Boggabri NSW 2382 Australia

Prepared by:

SLR Consulting Australia

SLR Project No.: 640.031099.00001

4 April 2024

Revision: 3.0

Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
3.0	3 April 2024	Joy Xie/Sharon Hulbert	Sharon Hulbert	Brian Rask

Basis of Report

This report has been prepared by SLR Consulting Australia (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Whitehaven Coal Ltd (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.



Table of Contents

Basis of Report	ii
Acronyms and Abbreviations	v
1.0 Introduction	1
1.1 Background	1
1.2 Trigger Action Response Plan	2
1.3 Report Objective.....	2
2.0 Monitoring Results.....	3
2.1 Climate Data	3
2.2 Groundwater Monitoring Network.....	3
2.3 Data Availability.....	5
2.4 Groundwater Levels	5
2.4.1 Groundwater Level Data Summary	5
2.4.2 TARP Trigger Level Summary.....	9
2.5 Groundwater Quality and Exceedance Summary	10
3.0 Action and Response.....	12
4.0 Recommendations	13
5.0 References.....	15

Tables in Text

Table 1: Monthly Rainfall vs Long-Term Average Rainfall.....	3
Table 2: Groundwater Levels in Alluvial Aquifer.....	5
Table 3: Groundwater Levels in Permian Aquifer.....	6
Table 4: Summary of Logger Data Available	8
Table 5: Summary of GW Interim Trigger Values Compared to Initial Results	10
Table 6: Summary and Status of Recommendations to Date.....	13

Figures in Text

Figure 1: VCM Groundwater Monitoring Network.....	4
Figure 2: Alluvial Bores Hydrograph (Manual Dips)	6
Figure 3: Permian Bores Hydrograph (Manual Dips).....	7
Figure 4: Logger Hydrograph – VKY036C	9



Appendices

Appendix A	Trigger Action Response Plan
Appendix B	Groundwater Level Results
Appendix C	Groundwater Quality Results
Appendix D	Quality Trigger Level Analysis



Acronyms and Abbreviations

CMAs	Corrective Management Actions
EC	Electronic Conductivities
EP&A Act	Environmental Planning and Assessment Act, 1979
GWMP	Groundwater Management Plan
mbgl	meter below ground level
mbtoc	meters below top of casing
pH	potential of Hydrogen
TARP	Trigger Action Response Plan
VCPL	Vickery Coal Pty Ltd
VEP	Vickery Extension Project
WMP	Water Management Plan



1.0 Introduction

1.1 Background

SLR Consulting Australia Pty Ltd (SLR) was engaged by Whitehaven Coal Pty Ltd (Whitehaven) to undertake a review of groundwater data for the Vickery Extension Project (VEP) between 1st November 2023 through 31st January 2024.

The VEP Development Consent (SSD-7480) was granted to Vickery Coal Pty Ltd. (VCPL) on 12 August 2020 by the NSW Independent Planning Commission as a delegate of the NSW Minister for Planning under Section 75J of the NSW Environmental Planning and Assessment Act 1979 (EP&A Act).

Pertinent to the groundwater monitoring and subsequent reporting, is Condition 8, that states:

8. In Addition to the Groundwater Management Plan monitoring requirements specified in condition B53 of the State Development Consent, the approval holder must:

- a. Establish and maintain a network of groundwater monitoring bores designed to detect changes in groundwater levels and include bores that are co-located or paired with surface water monitoring sites to allow monitoring and analysis of groundwater – surface water interactions. These monitoring bores must be installed prior to the commencement of mining operations.*
- b. Monitor groundwater levels in each bore (required under condition 8.a) at least once every 3 months, starting within one week of the commencement of mining operations for the life of this approval.*
- c. Publish on the website all groundwater monitoring data from the bore network, updated at least once every three months to include the most recent readings available and to maintain the data on the website for the life of this approval. The monitoring data must include hydrographs for the bore network and explain what the data means in relation to the groundwater performance measures specified in the State Development Consent.*

This quarterly report has been compiled for Vickery Coal Mine (VCM) to comply with Condition 8(c) of EPBC 2016/7649. Groundwater monitoring commenced in October 2023 aligning with the commencement of mining in October 2023 and in accordance with Condition 8(b). Reporting to date includes:

1. Initial Quarterly Report (August 2023 through October 2023), published January 2024
2. 2023 Annual Review (1st January 2023 through 31st December 2023), to be published on the website following approval from NSW Department of Planning, Housing and Infrastructure (DPHI)

Mining operations are not yet advanced to mining below the water table with operational activities focusing on construction of infrastructure and removal of the initial overburden in advance of coal extraction.



1.2 Trigger Action Response Plan

A Trigger Action Response Plan (TARP) was established in the Groundwater Management Plan (GWMP), as a means of providing specific suitable action where exceedances of the groundwater performance criteria are observed. The aim of the TARPs is to evaluate adverse changes to existing groundwater sources, confirm if they are due to the development, and provide a means to repair, mitigate and/or offset any adverse groundwater impacts (Whitehaven 2023). The groundwater level and quality TARP for the open cut activities at VEP is shown in **Appendix A**.

The GWMP states the procedure for the review, as follows. The confirmed exceedances will prompt an investigation, carried out by suitably qualified personnel, to assess the reasons for trigger exceedance, which could include but not be limited to climatic conditions, agriculture abstraction, and or mining activities. In the case exceedances are attributed to mining activities, the changes in groundwater conditions, such as a decrease in water level or changes in groundwater quality, will be compared to performance measures (discussed in Section 8.1 of GWMP) to evaluate the significance of any impacts manifested on the groundwater systems.

The results of the trigger investigations will be reported in each annual review. WHC will use the annual review following each reporting period to analyse the data and revise the trigger thresholds in response to additional baseline data as it becomes available. When this occurs the GWMP will be updated.

1.3 Report Objective

This report assesses the VEP groundwater monitoring data against the trigger levels for all required parameters (as per the TARP in the site GWMP) for the reporting period from 1st November 2023 to 31st January 2024.

This report includes:

- A summary of TARP exceedances, if any, during the reporting period;
- A summary of trigger exceedances, if any, over time including the identification of breaches of triggers that remain within normal condition in this reporting period;
- A high-level outline of potential influence factors for exceedances (a detailed analysis of exceedances is not discussed in this report) during the reporting period; and
- Recommendation of relevant actions and responses to be undertaken, in alignment with the TARPs.

The information in this monitoring report will be included in the ongoing quarterly monitoring reports for VEP and summarised in the 2024 Annual Review.



2.0 Monitoring Results

This section summarises the climate information, groundwater monitoring network, and monitoring results available to the conclusion of the reporting period.

2.1 Climate Data

Local climate data was obtained from the Canyon MET station, approximately 7km from VEP. Collection of meteorological data at VEP commenced in September 2023 and will be utilised as more data becomes available. In order to understand long-term rainfall trends, the SILO climate record for the location 0.05° x 0.05° tile centred on a location within proximity of VEP (latitude: -30.75, longitude: 150.15) has been utilised (Queensland Government 2024). Comparison of the data sets show analogous trends, indicating the SILO data is a suitable representation of long-term trends.

Rainfall over the past 12 months, in comparison to the long-term average (i.e., January 1900 – present) is shown in **Table 1**. The SILO climate record for the location 0.05° x 0.05° tile centred on a location within proximity of VEP (latitude: -30.75, longitude: 150.15) has been used for this assessment to understand long-term rainfall trends (Queensland Government 2024). The quarterly reporting period showed notably higher rainfall than long-term averages in November. December rainfall was slightly above long-term averages whilst January was below long-term averages.

Table 1: Monthly Rainfall vs Long-Term Average Rainfall

	2023											2024
	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
SILO 2023 monthly rainfall (mm)	15.2	152.1	26.7	0.	30.5	11.5	8.2	5	20.3	93.3	71.7	59
SILO Long-term average rainfall (mm)	57.8	45.9	32.7	39.3	40.3	38.5	35	37.3	49.1	58	60.9	69.6
On-site Rainfall (mm)	4.2	137	24.8	0	31.6	9.6	10.6	4.2	27.6	123.8	87.4	29.4

2.2 Groundwater Monitoring Network

Based on the GWMP, the existing groundwater monitoring network consists of 51 monitoring sites, including

- 24 monitoring locations in Alluvial aquifer; and
- 25 monitoring locations in Permian aquifer.
- Two sites (WR1 and WR2) positioned to monitor the potential for seepage from the spoil dump (installed January 2024).

VEP will incorporate an additional nine monitoring locations in the next reporting period, including:

- Two locations screening the alluvium to the southeast of the mine, situated outside the 1 metre predicted drawdown impact zone of the mine;
- Five locations screening the alluvium to the north of the mine in proximity of the proposed VEP bore field; and
- Two locations screening the Permian aquifer to the north of the mine.

The groundwater network is presented on **Figure 1**, and full details provided in the GWMP.



2.3 Data Availability

In line with the VCM GWMP, the full suite of bores was monitored during the reporting period, excluding the following monitoring sites:

- GW-2 – Unable to locate,
- GW030051 – No access – NSW Water locked bore,
- GW030052 – No access – NSW Water locked bore,
- GW036459 – No access – NSW Water locked bore.
- VNW223 – was reported blocked at 1.3 m below top of casing (btoc) and was unable to be sampled.

The small number of unavailable bores is not believed to impact the overall ability of the network to monitor for adverse impacts to the groundwater system via on-site operations at this stage. There are bores monitoring the same strata at locations suitable to capture potential impacts (i.e. closer to the extraction site), captured in the monitored data.

2.4 Groundwater Levels

Groundwater levels are measured via both manual dip and continuous loggers. The data available in the 2023 year is presented in this section, and shown in **Appendix B**.

2.4.1 Groundwater Level Data Summary

Groundwater levels are collected via manual dips and continuous read loggers. A summary of the data available to date is presented below.

2.4.1.1 Alluvial Groundwater Bores

The groundwater levels in the alluvial monitoring bores are summarised in **Table 2**, and presented in **Figure 2**.

Table 2: Groundwater Levels in Alluvial Aquifer


Sample Location	Depth to Water (mbgl*)				
	Apr-22	Dec-22	May-23	Oct-23	Jan-24
GW01	9.12	8.2	8.40	8.53	9.19
GW02	-	7.45	8.34	8.48	8.78
GW-11	-	-	-	16.70	16.64
GW-9	-	-	-	17.76	18.4
SB01	7.34	6.37	7.23	7.19	7.38
SB02	10.3	9.84	9.68	9.46	9.74
SB04	7.5	6.34	7.59	7.33	7.64
SB05	8.32	7.1	7.90	7.73	8.11
SB06	9.82	8.43	8.77	8.87	8.98
SB07	-	8.01	8.89	8.79	8.83
SB08	7.77	6.73	7.60	7.70	7.63
SB09	7.85	6.36	7.33	7.22	7.49
SB10	8.14	7.45	8.00	8.15	8.21



Sample Location	Depth to Water (mbgl*)				
	Apr-22	Dec-22	May-23	Oct-23	Jan-24
SB11	9.78	8.1	8.72	8.6	9.19
SB15	9.3	8.18	8.77	9.12	9.57
VNW223	-	-	-	22.01	21.9
VNW394	-	6.73	6.83	6.49	6.53
VNW395	-	7.43	7.25	7.26	7.3

* mbgl = metres below ground level

Figure 2: Alluvial Bores Hydrograph (Manual Dips)



2.4.1.2 Permian Groundwater Bores

The groundwater levels in the Permian monitoring bores are summarised in **Table 3**, and presented in **Figure 3**.

Table 3: Groundwater Levels in Permian Aquifer


Sample Location	Depth to Water (mbgl*)				
	Apr-22	Dec-22	May-23	Oct-23	Jan-24
GW03	-	6.12	6.85	7.23	7.27
GW-7	-	-	-	27.86	27.80
GW-8	-	-	-	21.74	21.69



Sample Location	Depth to Water (mbgl*)				
	Apr-22	Dec-22	May-23	Oct-23	Jan-24
MD01	-	28.02	27.63	27.68	27.57
MD02	-	40.98	40.57	40.30	40.03
TR18	-	13.04	13.38	12.92	13.17
TR26	-	12.44	12.39	12.24	12.21
TR35	-	18.16	18.17	18.04	11.23
TR7	-	9.85	9.93	9.75	9.69
VKY034C	-	39.79	39.97	39.61	40.27
VKY035C	-	42.37	42.03	42.01	42.04
VKY036C	-	49.23	47.24	49.17	49.88
VKY042C	-	42.68	42.40	42.56	42.80
VKY043C	-	16.41	15.56	15.70	15.82
VNW390	-	9.38	9.33	9.36	9.37
VNW391	-	7.80	7.75	7.76	7.79
VNW392	-	6.25	6.14	6.21	6.24
VNW393	-	10.64	10.50	10.48	10.57

* Metres below ground level

Figure 3: Permian Bores Hydrograph (Manual Dips)



2.4.1.3 Data Loggers

A summary of the available logger data is presented in **Table 4**. An example of a logger plot is provided in **Figure 4**, with all plots provided in **Appendix B**.


Table 4: Summary of Logger Data Available

Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
GW01	VWP	10/10/2023 – 22/01/2024	106	Calibration factors and sensor depth required to calculate the water depth
GW02	VWP	15/11/2023 – 17/01/2024	48	Calibration factors and sensor depth required to calculate the water depth
TR7	Logger (Rugged TROLL 100)	17/03/2012 – 19/03/2014; and 03/06/2020 – 18/01/2024	1,614	-
TR18	Logger (Rugged TROLL 100)	16/04/2020 – 17/01/2024	1,372	-
VKY034C	Logger (Rugged TROLL 100)	07/01/2020 – 23/01/2024	5,907	-
VKY035C	Logger (Rugged TROLL 100)	04/11/2020 – 23/01/2024	4,700	-
VKY036C	Logger (Rugged TROLL 100)	07/01/2020 – 23/01/2024	5,908	-
VKY041C (38, 51, 70, 95, 115 m)	VWP	11/03/2015 – 17/01/2024	3,235/sensor	Calibration factors and sensor depths to be confirmed.
VKY041C (140, 170, 199 m)	VWP	11/03/2015 – 17/01/2024	3,235/sensor	Calibration factors and sensor depths to be confirmed.
VKY042C	Logger (Rugged TROLL 100)	04/11/2020 – 23/01/2024	4,700	-
VKY043C	Logger (Rugged TROLL 100)	07/01/2020 – 13/07/2023	5,135	Logger stopped reading in July 23
VKY3053C	VWP	04/03/2020 – 17/01/2024		Calibration factors and sensor depths to be confirmed.
VKY33C (38, 51, 70, 95, 115m)	VWP (DT2055-02029)	11/03/2015 – 22/01/2024	3,240/sensor	Calibration factors and sensor depths to be confirmed.
VKY33C (140, 170, 190m)	VWP (DT2055-02087)	11/03/2015 – 22/01/2024	3,241/sensor	Calibration factors and sensor depths to be confirmed.
VS048 (30m)	VWP	17/06/2011 – 15/06/2012; and 04/03/2020 – 17/01/2024	6,983	Calibration factors and sensor depths to be confirmed.
VS054	VWP (SN11-1769)	16/11/2023 – 23/01/2024	69	Calibration factors and sensor depths to be confirmed.
VS056-25m	VWP (SN11-1765)	04/03/2020 – 17/01/2024	1,161	Calibration factors and sensor depths to be confirmed.
VS056-100m	VWP (SN11-1771)	04/03/2020 – 17/01/2024	1,162	Calibration factors and sensor depths to be confirmed.



Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
VS058 (30, 100, 170m)	VWP (SN11-1768)	16/04/2020 – 18/01/2024	5,487 / sensor	Calibration factors and sensor depths to be confirmed.
VS062	VWP	12/02/2021 – 17/01/2024	10,068	Calibration factors and sensor depths to be confirmed.
VS059 (30, 65, 113m)	VWP	16/04/2020 – 24/01/2024	5,143	Calibration factors and sensor depths to be confirmed.

Figure 4: Logger Hydrograph – VKY036C



2.4.2 TARP Trigger Level Summary

Groundwater levels in the Permian and Alluvial bores have remained steady with no significant changes or trends occurring in levels over the monitoring period. Given no extractive activities below the water table occurred during the reporting period, this is as expected. There is insufficient data (less than 2 years) to provide any commentary on seasonal fluctuations or changes in responds to climate conditions (residual rainfall mass). Analyses on these patterns will be included when more than 2 years of data has been collected.

Given the current status of mining, and lack of notable change in groundwater levels, the Groundwater Level TARP is not enacted during the monitoring period. The groundwater levels are considered to be reflective of natural conditions and not impacted by extraction activities.



2.5 Groundwater Quality and Exceedance Summary

Routine groundwater monitoring commenced in October 2023, with a subsequent round of monitoring occurring in January 2024. The full January 2024 field and laboratory suite results are summarised in **Appendix C**.

Table 5 summarises the bores that have exceedances of the interim trigger values as set out in Table 8-3 of the GWMP. **Appendix D** provides a summary of both monitoring rounds to date compared to the interim trigger values.

Table 5: Summary of GW Interim Trigger Values Compared to Initial Results

Groundwater Bore ID	Parameters	Unit	Trigger Value	Monitoring Results
GW02	EC	µS/cm	969	971
GW03	EC	µS/cm	811	888
GW-11	pH	pH unit	7.0 – 9.3	6.93
GW-7	pH	pH unit	7.7 – 8.5	8.82
	SO ₄ ²⁻	mg/L	86	385
GW-8	SO ₄ ²⁻	mg/L	86	100
GW-9	SO ₄ ²⁻	mg/L	86	128
MD01	pH	pH unit	6.7 – 8.4	11.69 [#]
SB04	SO ₄ ²⁻	mg/L	365	394
SB05	SO ₄ ²⁻	mg/L	365	551
TR18	EC	µS/cm	12315	13640
	SO ₄ ²⁻	mg/L	86	620
TR26	SO ₄ ²⁻	mg/L	86	230
TR35	EC	µS/cm	12315	17330
	SO ₄ ²⁻	mg/L	86	651
TR7	pH	pH unit	7.4 – 7.8	7.05
	EC	µS/cm	12970	15390
	SO ₄ ²⁻	mg/L	365	714
VKY034C	SO ₄ ²⁻	mg/L	86	185
VKY036C	SO ₄ ²⁻	mg/L	86	294
VKY042C	SO ₄ ²⁻	mg/L	86	309
VNW390	SO ₄ ²⁻	mg/L	86	95
VNW391	SO ₄ ²⁻	mg/L	86	88
VNW392	SO ₄ ²⁻	mg/L	86	284
VNW393	SO ₄ ²⁻	mg/L	86	185
VNW394	SO ₄ ²⁻	mg/L	365	551

- value considered not representative of aquifer. Bore investigation and purge undertaken in Feb 2024, found bore potentially failed and high pH due to grout contamination. To be reported in full in next quarterly report.



The trigger level exceedances summarised in **Table 5** are unlikely to be a result of mining and highly likely to be due to natural variation in water quality as mining has not yet impacted the water table. The interim trigger levels were defined utilising standard guideline value and consequently are not reflective of the local natural conditions. As per the GWMP, these trigger values will be updated when reasonable baseline data is collected.

Given operations have yet to breach the water table, and the early position in the project life cycle, it is highly unlikely these exceedances of interim trigger values reflect response to mining. Consequently, the groundwater quality results indicate a 'normal condition' TARP response.



3.0 Action and Response

Based on the results summary presented in **Section 2.0**, the fact that both Groundwater Level and Groundwater Quality are considered “Normal Conditions”, there are no specific action and responses required.



4.0 Recommendations

Previous quarterly reporting provided recommendations, which are summarised in **Table 6**, with a comment on their current status.

Table 6: Summary and Status of Recommendations to Date

Recommendation	Cited	Status
The pH at MD01 is anomalous and a purge of the bore will be undertaken prior to the next monitoring event	2023 Annual Review / Quarterly Report	COMPLETE: Purge at MD01 was completed early Feb 2024. Bore likely damaged.
Install two bores to monitor for potential seepage from the Waste Rock dump (spoil area)	GWMP / 2023 Annual Review	COMPLETE: Two bores successfully installed in January 2024.
Section 5.2 of the GWMP mandates monitoring certain groundwater quality parameters that are not reported during this period. It is recommended to incorporate these parameters in future monitoring or update the GWMP with justifications. The missing groundwater quality parameters are listed as follows: - field measurement: sediment load; - major cations: magnesium; - hydrocarbons: oil and grease; and - dissolved metals: barium, silver, strontium, and tin.	2023 Annual Review	COMPLETE: All parameters incorporated in January 2023 sampling round to reflect requirements of GWMP.
Several monitoring wells were unlocated (GW-02) or inaccessible (GW030051, GW030052, and GW036459) during the reporting period. It is recommended to locate these wells for future monitoring or provide justifications for updating the GWMP.	2023 Annual Review	ONGOING: These bores were not accessible for the January monitoring. Review their suitability for the ongoing monitoring.
Continue the monitoring program and the quarterly reporting on groundwater levels and quality as outlined in the GWMP.	2023 Annual Review	COMPLETE: ongoing monitoring and reporting complete and ongoing.

Recommendations based on the review and analysis completed herein, are as follows:

- Survey two new bores WR1 and WR2 for location and incorporate into the next monitoring round.
- Elevation survey of all bores to assist with groundwater level trigger development and plotting of bores as reduced water levels (i.e. as metres below Australian height datum – mAHD).
- Verify calibration factors and sensor depths for all VVPs in the network to assist with groundwater level calculation.
- Review necessity of MD01 to network, as investigation indicate the bore is damaged. Confirm whether requires replacement or removal from the monitoring regime.
- Review necessity of GW-2 to network, as bore has been unable to be monitored to date. Confirm whether requires replacement or removal from the monitoring regime.
- Logger to be replaced in bore VKY043C.
- Review logger data from TR7, as appears erroneous, and replace as necessary.




- When adequate baseline data becomes available, review and update the trigger values.
- GW-7: field sampling contractors noted this site was overgrown and dangerous. It is recommended to perform site maintenance prior to next monitoring event.
- VNW223 is blocked at 1.3 mbtoc and was unable to be sampled. Recommend investigate blockage and action accordingly.



5.0 References

- Hydrosimulations. 2018. "Vickery Extension Project: Groundwater Assessment. Report ."
- Queensland Government. 2024. *SILLO Long Paddock*. <https://www.longpaddock.qld.gov.au/>.
- Whitehaven. 2023. "Vickery Coal Mine Water Management Plan Appendic C Groundwater Management Plan."





Appendix A Trigger Action Response Plan

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review November 2023 – January 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

4 April 2024

Table A-1: Tigger Action Response Plan

PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
<u>Performance Measure Feature</u> Negligible groundwater level impact on the Namoi Alluvium aquifer and associated surface watercourses, groundwater dependent ecosystems, and private landowner bores. Negligible groundwater level impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater impacts (Hydrosimulations 2018). <u>TARP Objective</u> This TARP defines levels of deviation in groundwater level from 'normal' conditions and the actions to be implemented in response to each level deviation as a result of open cut mining. <u>Assessment Criteria</u> Bore specific trigger values are based on the water levels across the entire history of monitoring in each individual bore and the predicted impacts from the Hydrosimulations (2018) numerical groundwater model.	<u>Locations</u> Open standpipes and VWPs All monitoring locations as set out in Table 4-1 of the Groundwater Management Plan (GWMP). All monitoring locations are shown in Figure 4-1 of the GWMP. <u>Monitoring Frequency</u> During mining Quarterly manual measurements of water level. Continuous monitoring in bores installed with Vibrating Wire Piezometers (VWPs). <u>Post-mining</u> TBC	Normal Condition		
		Groundwater level remains above the respective trigger limits (defined as the 95th percentile over the baseline period and detailed in Table 8-2 of the GWMP) for each individual groundwater bore.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		One quarterly monitoring result shows an exceedance of the trigger limit as detailed in Table 8-2 of the GWMP.	- Actions as required for Normal Condition. - Re-sample of groundwater level within seven days.	Report declines and climate investigation outcomes in Annual Review.
		Level 2		
		- Groundwater level in a groundwater bore exceeds the respective trigger limit during three consecutive quarterly monitoring rounds. OR - Complaint received by landowners of private bores regarding groundwater level declines.	- Actions as stated in Level 1. For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to check and validate the data and assess cause of trigger exceedances to determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater levels to be carried out by qualified personnel. - Increase monitoring and review of data frequency for sites where Level 2 has been reached, subject to land access. For Private Bores: - Undertake investigation to demonstrate if the decline will impact the long-term viability of the affected water supply works. - Commence level monitoring of said private bore in quarterly monitoring rounds, subject to negotiation and land access restrictions. The investigation will be commenced/ completed as efficiently as practicable.	- Responses as stated in Level 1. - Include outcomes from the preliminary investigation report in Annual Review.
		Level 3		




PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
		- The reduction in water level is determined in the Level 2 preliminary investigation not to be controlled by climatic or external anthropogenic factors. OR - Groundwater level in a groundwater bore continues to exceed the respective trigger limit during six consecutive monitoring rounds.	- Actions as stated in Level 2. For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review groundwater model. For Private Bores: - Review corrective management actions (CMAs) as specified in Section 8.3 of the GWMP considering findings from further investigations and consider additional reasonable and feasible options.	- Responses as stated in Level 2. - Report trigger exceedance to DPE and key stakeholders. Provide the detailed investigation report to relevant agencies within a reasonable timeframe of identifying the non-compliance. - Report trigger exceedance and investigation outcomes in Annual Review. - Develop/design contingency and remedial measures based on the results of the above investigations. Contingency and remedial measures considered practical for implementation may include: 1 Undertake landholder and government consultation; 2 Offset groundwater leakage from the Namoi Alluvium aquifer; 3 Review and refine the GWMP including undertaking additional 4 specific monitoring of private landholder bores; 5 Review Site Water Balance and predictive groundwater model; and 6 Review mine plan impacts on alluvial groundwater source. For Private Bores: - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 8.3 of the GWMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed “make-good” arrangements). - Monitor and report on success of CMAs in Annual Review.
Performance Measure Feature Negligible quality impact on the Namoi Alluvium aquifer and associated surface watercourses and private landholder bores. Negligible quality impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater (Hydrosimulations 2018). TARP Objective This TARP defines levels of deviation in groundwater quality from baseline conditions and the actions to be implemented in response to each level deviation. Assessment Criteria	Locations Open standpipes All open standpipe monitoring locations as set out in Table 4-2 of the GWMP. Monitoring Frequency During mining Six-monthly measurements of pH and electrical conductivity parameters. Other parameters (detailed in Table 4-2 of the GWMP) to be measured on an annual basis. Post-mining TBC	Normal Condition		
		- Groundwater pH remains within the baseline 5th and 95th percentile range, as specified in the GWMP. - Other groundwater quality parameters remain below the baseline 95th percentile, as specified in the GWMP.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		Two six-monthly exceedances or one annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters).	- Actions as required for Normal Condition. - Re-sample of groundwater quality within seven days	Report declines and climate investigation outcomes in Annual Review.
		Level 2		



PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
Quality in each monitoring bore remains within the 5th and 95th percentile of the baseline conditions set out in Table 8-4 of the GWMP for the following parameters: - Electrical Conductivity; - pH; and - Sulfate. Other major and metal ions will be assessed against the relevant ANZECC guidelines.		- Three consecutive six-monthly exceedances or two annual quality exceedances (including re-samples from Level 1) outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters). OR - Complaint received by landowners of private bores regarding groundwater quality declines.	- Actions as stated in Level 1. For Open Standpipe Monitoring Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to assess cause of quality exceedances and determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater quality to be carried out by qualified personnel. Increase monitoring and review of data frequency for sites where Level 2 has been reached, subject to land access. For Private Bores: - Collect quality sample from said private bore for comparison with wider aquifer data, subject to negotiation and land access restrictions. - Undertake investigation to demonstrate if quality will impact the long-term viability of the affected water supply works. The investigation will be commenced/ completed as efficiently as practicable.	- Responses as stated in Level 1. - Include outcomes from the preliminary investigation report in Annual Review.
		Level 3		
		- The water quality changes are determined from Level 2 preliminary investigation to not be controlled by climatic, local land uses, or other external anthropogenic factors. OR - Groundwater quality continues to decline with six consecutive six-monthly exceedances or three annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters). AND - Quality exceedances are widespread (three or more bores in an aquifer show water quality exceedances) across the aquifers being monitored.	- Actions as stated in Level 2. For Private Bores and Open Standpipe Monitoring Bores - Increase monitoring to at least quarterly measurements for sites where Level 3 has been reached, subject to land access. - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review corrective management actions (CMAs) as specified in Section 8.3 of the WMP considering findings from further investigations and consider additional reasonable and feasible options.	- Responses as stated in Level 2. For Private Bores and Open Standpipe Monitoring Bores: - Report trigger exceedance to DPE and key stakeholders. - Report trigger exceedance and investigation outcomes in Annual Review. For Private Bores, if the changes have been confirmed to be related to mining effects: - Initiate negotiations with impacts landowners as soon as practicable. Consider all reasonable and feasible options for remediation as relevant (e.g., isolation, remediation, etc.). - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 10.2.2 of the WMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed "make-good" arrangements). - Monitor and report on success of CMAs in Annual Review.





Appendix B Groundwater Level Results

Vickery Extension Project Groundwater Monitoring Report


Quarterly Review November 2023 – January 2024

Whitehaven Coal Ltd


SLR Project No.: 640.031099.00001

4 April 2024


Hydrograph - TR7




Hydrograph - TR18




Hydrograph - VS056




Hydrograph - VS062




Hydrograph - VS058




Hydrograph - VKY034C




Hydrograph - VKY035C




Hydrograph - VKY036C




Hydrograph - VKY042C




Hydrograph - VKY043C




Hydrograph - VS048



Hydrograph of Alluvial Monitoring Bores



Hydrograph of Permian Monitoring Bores





Appendix C Groundwater Quality Results

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review November 2023 – January 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

4 April 2024

Table C-1: Field GW Monitoring Data

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
SB02	24-10-2023 10:40	7.21	7250	24.1	44	Nil	Slightly turbid	Orange	Quarterly sampling
GW01	24-10-2023 9:36	7.33	1042	22.4	79	Nil	Clear	Colourless	Quarterly sampling
SB15	24-10-2023 10:10	7.29	1019	22.6	59	Nil	Clear	Colourless	Quarterly sampling
SB06	24-10-2023 7:35	7.35	3280	20.6	41	Nil	Clear	Colourless	Quarterly sampling
SB11	24-10-2023 8:25	7.26	1080	22.6	46	Nil	Clear	Colourless	Quarterly sampling
SB10	23-10-2023 15:55	7.43	1880	24.3	34	Nil	Clear	Colourless	Quarterly sampling; small amount of sediment in water
SB05	23-10-2023 16:20	2.09	3740	25	43	Nil	Clear	Colourless	Quarterly sampling
SB09	23-10-2023 15:20	3.32	949	27.3	28	Nil	Slightly turbid	Orange/brown	Quarterly sampling; a lot of sediment in water, possible rust particles
SB01	23-10-2023 15:00	7.44	1541	26.5	36	Nil	Clear	Colourless	Quarterly sampling
SB04	23-10-2023 13:19	7.29	2680	28.2	47	Slight	Slightly turbid	Grey	Quarterly sampling; bailed due to depth; Standpipe extremely unstable; too shallow to hydrasleeve so bailed to test.
SB08	23-10-2023 13:35	7.24	983	26.3	41	Nil	Clear	Colourless	Quarterly sampling
SB07	23-10-2023 11:47	7.35	770	23.2	46	Nil	Clear	Colourless	Quarterly sampling
GW02	23-10-2023 10:51	7.59	731	25.2	25	Nil	Clear	Colourless	Quarterly sampling
MD01	25-10-2023 9:50	11.58	1799	25.6	-91	Slight	Clear	Colourless	Quarterly sampling; Slight unknown odour. No cap on bore;
MD02	25-10-2023 11:10	6.84	1195	27.4	-69	Nil	Clear	Colourless	Quarterly sampling
GW03	23-10-2023 14:14	7.19	862	25.9	21	Nil	Clear	Colourless	Quarterly sampling; fence panels down and logger missing (assume down the bore).
TR26	25-10-2023 12:00	7.06	6290	26.3	52	Nil	Clear	Colourless	Quarterly sampling
TR7	25-10-2023 12:25	6.53	####	26.4	61	Nil	Clear	Colourless	Quarterly sampling
TR18	25-10-2023 13:30	6.58	####	27.8	99	Nil	Clear	Colourless	Quarterly sampling
TR35	25-10-2023 14:10	6.66	####	25.5	-55	Slight	Clear	Colourless	Quarterly sampling
VKY043C	26-10-2023 8:25	7.72	2990	20	-32	Nil	Clear	Colourless	Quarterly sampling
VKY042C	26-10-2023 11:45	6.75	5420	28.1	-28	Nil	Clear	Colourless	Quarterly sampling; Unable to determine total bore depth as it was greater than 150m (length of the dip tape)
VKY035C	26-10-2023 10:40	7.1	3110	25.5	-26	Nil	Clear	Colourless	Quarterly sampling
VKY034C	26-10-2023 9:15	7.3	3590	23.4	70	Nil	Clear	Colourless	Quarterly sampling
VKY036C	26-10-2023 12:40	7.08	5600	25.1	-39	Nil	Clear	Colourless	Quarterly sampling
VNW390	24-10-2023 12:35	6.92	2300	22.6	-96	Moderate	Clear	Colourless	Quarterly sampling; Sulphur odour
VNW391	24-10-2023 14:20	7.04	2530	23.9	-60	Nil	Clear	Colourless	Quarterly sampling
VNW392	22-11-2023 13:58	6.74	3690	20.8	-96	Slight	Clear	Colourless	Quarterly sampling; No access - locked out on 24/10/2023; Sampled 22/11/2023; Slight H2S odour
VNW393	24-10-2023 13:05	7.36	2740	22.1	26	Slight	Clear	Colourless	Quarterly sampling; Slight sulphur odour
VNW394	22-11-2023 13:12	7.13	5520	12.8	-70	Nil	Slight	Grey	Quarterly sampling;
VNW395	24-10-2023 13:41	7.47	463	20.9	57	Slight	Clear	Colourless	Quarterly sampling; no logger
GW-8	22-11-2023 15:47	7.11	4290	22.5	-176	Nil	Slight	Brown	Quarterly sampling; Unable to locate on 27/10/2023; Sampled 22/11/2023
GW-7	27-10-2023 11:50	8.89	4300	22.7	60	Nil	Clear	Colourless	Quarterly sampling; Suspended matter in water
VNW223	27-10-2023 10:10	7.25	5940	19.9	49	Nil	Clear	Colourless	
GW-11	27-10-2023 9:40	7.36	4360	21.5	-111	Nil	Clear	Colourless	Quarterly sampling; old windmill overhead
GW-9	27-10-2023 12:55	7.94	6110	22.6	-87	Nil	Clear	Brown	Quarterly sampling; old windmill overhead
VKY GW Duplicate 1	24-10-2023 8:25	7.26	1081	22.6	46	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from SB11
VKY GW Duplicate 2	26-10-2023 8:25	7.71	2990	20.1	-32	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from VKY0043C
VKY GW Lab Split Dup 1	24-10-2023 8:25	7.27	1080	22.7	47	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from SB11

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY GW Lab Split Dup 2	26-10-2023 8:25	7.71	2990	20	-33	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from VKY0043C
VKY GW Blank	24-10-2023 7:35	8.77	13	15.4	70	Nil	Clear	Colourless	Quarterly sampling; blank
SB02	25-10-2023 12:25	7.28	7330	22.5	Clear	Nil	Slightly turbid	Orange	
GW01	23-01-2024 7:39	7.2	1265	19.6	-15.7	Nil	Clear	Colourless	
SB15	23-01-2024 8:05	7.23	1070	21.1	-88	Nil	Clear	Colourless	
SB06	17-01-2024 12:55	7.61	3460	26.5	-84	Nil	Turbid	Brown	
SB11	17-01-2024 13:26	7.7	1021	26.4	-62	Nil	Clear	Colourless	
SB10	17-01-2024 13:49	7.47	1972	29.7	-69	Nil	Clear	Colourless	
SB05	17-01-2024 14:31	7.73	3690	28	-131	Nil	Clear	Colourless	
SB09	17-01-2024 15:18	7.56	1014	26.1	-70	Nil	Slightly turbid	Black	
SB01	17-01-2024 14:58	7.31	1716	28.3	-70	Nil	Clear	Colourless	
SB04	17-01-2024 15:51	7.43	3360	24.6	-188	Slightly	Clear	Colourless	Slight H2S odour
SB08	18-01-2024 16:09	7.39	1115	23.4	-119	Nil	Clear	Colourless	
SB07	17-01-2024 16:32	7.47	919	24.5	-87	Nil	Clear	Colourless	
GW02	18-01-2024 10:54	7.79	971	23.9	-74	Nil	Clear	Colourless	
MD01	18-01-2024 9:10	11.69	1786	22.9	-135	Nil	Slightly turbid	Brown	
MD02	23-01-2024 10:29	6.78	1306	24.3	-140	Nil	Clear	Colourless	
GW03	23-01-2024 6:59	7.16	888	19.6	66	Nil	Clear	Colourless	
TR26	18-01-2024 13:35	7.16	8380	24.8	-62	Nil	Slightly turbid	Brown	
TR7	18-01-2024 13:55	7.05	1539	25.2	-30	Nil	Slightly turbid	Brown	
TR18	18-01-2024 14:28	6.85	1364	24.5	-21	Nil	Slightly turbid	Brown	
TR35	18-01-2024 15:25	6.75	1733	24	-63	Nil	Clear	Colourless	
VKY043C	18-01-2024 14:58	7.8	3410	24.1	-74	Nil	Clear	Colourless	
VKY042C	23-01-2024 12:58	6.72	5430	31	-119	Nil	Clear	Colourless	
VKY035C	23-01-2024 12:14	7.01	3340	27.2	-170	Nil	Clear	Colourless	
VKY034C	23-01-2024 11:05	6.94	3850	29.4	-149	Nil	Slightly turbid	Brown	
VKY036C	23-01-2024 11:35	6.79	5810	28.7	-139	Nil	Clear	Colourless	
VNW390	17-01-2024 11:23	7.13	2376	24.3	-69	Nil	Clear	Colourless	
VNW391	17-01-2024 11:52	7.31	2471	23.1	-109	Nil	Clear	Colourless	
VNW392	17-01-2024 12:22	6.74	3310	26.1	-149	Nil	Clear	Grey	
VNW393	17-01-2024 10:51	7.56	2830	29.5	-90	Slightly	Clear	Colourless	Very slight H2S odour
VNW394	17-01-2024 9:30	6.92	5410	23.9	-104	Nil	Slightly turbid	Grey	
VNW395	17-01-2024 11:39	7.77	1395	27	-168	Nil	Clear	Grey	
GW-8	24-01-2024 13:55	7.03	3950	26.5	-208	Nil	Clear	Black	
GW-7	23-01-2024 9:12	8.82	4490	23	-64	Nil	Clear	Colourless	Site overgrown and dangerous - Need cleaning up
VNW223	24-01-2024	-	-	-	-	-	-	-	Blocked at 1.3 mbtoc
GW-11	23-01-2024 14:26	6.93	4340	30.6	-192	Nil	Slightly turbid	Orange	
GW-9	23-01-2024 13:49	6.68	3320	24.2	-196	Nil	Slightly turbid	Brown	No logger
GW030051	-	-	-	-	-	-	-	-	No access - NSWWater locked bore
GW030052	-	-	-	-	-	-	-	-	No access - NSWWater locked bore

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
GW-2	-	-	-	-	-	-	-	-	Unable to locate
VKY GW Duplicate 1 - MD01	18-01-2024 9:38	11.54	1848	22.9	-147	Nil	Slightly turbid	Brown	
VKY GW Duplicate 2 - GW-11	23-01-2024 14:26	-	-	-	-	-	-	-	
VKY GW Lab Split Dup 1 - MD01	18-01-2024 9:42	11.73	1872	22.9	-149	Nil	Slightly turbid	Brown	
VKY GW Lab Split Dup 2 -	23-01-2024 13:53	6.65	3490	24.8	-193	Nil	Slightly turbid	Brown	
VKY GW Blank	17-01-2024 9:35	8.94	3.1	22.8	100	Nil	Clear	Colourless	

Table C-2: Laboratory GW Monitoring Data (as COA provided by ALS)



CERTIFICATE OF ANALYSIS

Work Order : **ES2402592**

Amendment : **1**

Client : **CBASED ENVIRONMENTAL PTY LTD**

Contact : All Deliverables

Address : Unit 3 2 Enterprise Cres
Singleton NSW 2330

Telephone : +61 02 6571 3334

Project : Vickery Quarterly Groundwaters

Order number : ----

C-O-C number : ----

Sampler : Greg Quayle

Site :

Quote number : SYBQ/403/21v3 and PLANNED EVENTS

No. of samples received : 40

No. of samples analysed : 40

Page : 1 of 26

Laboratory : Environmental Division Sydney

Contact : Jessica Chen

Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : +61-2-8784 8555

Date Samples Received : 25-Jan-2024 16:30

Date Analysis Commenced : 27-Jan-2024

Issue Date : 07-Feb-2024 17:47



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Dian Dao	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW
Wisam Marassa	Inorganics Coordinator	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- As per QWI – EN55-3 Data Interpreting Procedures, Ionic balances are typically calculated using Major Anions - Chloride, Alkalinity and Sulfate; and Major Cations - Calcium, Magnesium, Potassium and Sodium. Where applicable and dependent upon sample matrix, the Ionic Balance may also include the additional contribution of Ammonia, Dissolved Metals by ICPMS and H⁺ to the Cations and Nitrate, SiO₂ and Fluoride to the Anions.
- EK057G/EK059G: Sample 14 were confirmed for NOX/NO₂
- EG020A-F: Positive results for sample ES2402592 # 033 have been confirmed by reanalysis.
- It has been noted that Nitrite is greater than NO_x, however this difference is within the limits of experimental variation.
- EK057/EK059G: Nitrite and NO_x results confirmed by re analysis.
- TDS by method EA-015 may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- TDS by method EA-015 may bias high for various samples due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- Amendment (06/02/2024): This report has been amended and re-released to allow the reporting of additional analytical data, specifically method EA005P for all samples.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.
- ED045G: The presence of Thiocyanate, Thiosulfate and Sulfite can positively contribute to the chloride result, thereby may bias results higher than expected. Results should be scrutinised accordingly.



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB02 104215	GW01 104216	SB15 104217	SB06 104218	SB11 101419
Sampling date / time				18-Jan-2024 12:10	23-Jan-2024 07:39	23-Jan-2024 08:05	17-Jan-2024 12:55	17-Jan-2024 13:26
Compound	CAS Number	LOR	Unit	ES2402592-001	ES2402592-002	ES2402592-003	ES2402592-004	ES2402592-005
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.68	7.63	7.76	8.01	8.13
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	7480	1230	1040	3280	1120
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	4680	720	604	2320	658
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	844	465	369	494	388
Total Alkalinity as CaCO ₃	----	1	mg/L	844	465	369	494	388
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	1100	171	79	362	72
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	1340	64	91	615	131
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	79	73	72	38	33
Magnesium	7439-95-4	1	mg/L	75	49	46	39	26
Sodium	7440-23-5	1	mg/L	1710	170	118	744	215
Potassium	7440-09-7	1	mg/L	2	2	1	1	1
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	0.02	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.003	<0.001	<0.001	0.003	<0.001
Barium	7440-39-3	0.001	mg/L	0.028	0.090	0.070	0.090	0.057
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	0.003	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.001	0.003	0.010



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB02 104215	GW01 104216	SB15 104217	SB06 104218	SB11 101419
Sampling date / time				18-Jan-2024 12:10	23-Jan-2024 07:39	23-Jan-2024 08:05	17-Jan-2024 12:55	17-Jan-2024 13:26	
Compound	CAS Number	LOR	Unit	ES2402592-001	ES2402592-002	ES2402592-003	ES2402592-004	ES2402592-005	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L	0.002	<0.001	<0.001	0.002	<0.001	
Nickel	7440-02-0	0.001	mg/L	0.012	0.013	0.032	0.002	0.057	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Zinc	7440-66-6	0.005	mg/L	0.007	<0.005	<0.005	<0.005	<0.005	
Manganese	7439-96-5	0.001	mg/L	0.735	0.967	0.008	1.18	0.023	
Molybdenum	7439-98-7	0.001	mg/L	0.003	<0.001	<0.001	0.002	<0.001	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Strontium	7440-24-6	0.001	mg/L	2.19	1.55	1.42	1.20	0.842	
Tin	7440-31-5	0.001	mg/L	0.001	<0.001	<0.001	<0.001	<0.001	
Boron	7440-42-8	0.05	mg/L	0.21	0.14	0.12	0.19	0.13	
Iron	7439-89-6	0.05	mg/L	1.63	0.57	<0.05	<0.05	<0.05	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.36	0.46	<0.01	0.11	<0.01	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	0.03	0.03	0.26	0.08	0.25	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	0.03	0.03	0.26	0.08	0.25	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	3.71	0.36	0.07	2.13	0.15	
EN055: Ionic Balance									
∅ Total Anions	----	0.01	meq/L	77.6	14.6	11.6	34.8	12.9	
∅ Total Cations	----	0.01	meq/L	84.5	15.1	12.5	37.5	13.2	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB02 104215	GW01 104216	SB15 104217	SB06 104218	SB11 101419
Sampling date / time					18-Jan-2024 12:10	23-Jan-2024 07:39	23-Jan-2024 08:05	17-Jan-2024 12:55	17-Jan-2024 13:26
Compound	CAS Number	LOR	Unit	ES2402592-001	ES2402592-002	ES2402592-003	ES2402592-004	ES2402592-005	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	4.31	1.56	3.95	3.79	0.83	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB10 104220	SB05 104221	SB09 104222	SB01 104223	SB04 104224
Sampling date / time				17-Jan-2024 13:49	17-Jan-2024 14:31	17-Jan-2024 15:18	17-Jan-2024 14:58	17-Jan-2024 15:51
Compound	CAS Number	LOR	Unit	ES2402592-006	ES2402592-007	ES2402592-008	ES2402592-009	ES2402592-010
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.98	8.14	8.05	7.90	7.97
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	2000	3610	993	1720	3390
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	1260	2430	594	986	2270
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	676	666	406	447	737
Total Alkalinity as CaCO ₃	----	1	mg/L	676	666	406	447	737
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	188	551	63	183	394
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	193	514	32	186	465
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	45	30	46	95	71
Magnesium	7439-95-4	1	mg/L	39	25	31	67	79
Sodium	7440-23-5	1	mg/L	406	876	162	221	726
Potassium	7440-09-7	1	mg/L	<1	1	2	2	1
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.001	0.004	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.060	0.071	0.045	0.130	0.073
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB10 104220	SB05 104221	SB09 104222	SB01 104223	SB04 104224
Sampling date / time				17-Jan-2024 13:49	17-Jan-2024 14:31	17-Jan-2024 15:18	17-Jan-2024 14:58	17-Jan-2024 15:51	
Compound	CAS Number	LOR	Unit	ES2402592-006	ES2402592-007	ES2402592-008	ES2402592-009	ES2402592-010	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	0.003	<0.001	
Nickel	7440-02-0	0.001	mg/L	<0.001	0.002	0.015	0.032	<0.001	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
Manganese	7439-96-5	0.001	mg/L	0.074	0.233	0.335	0.390	0.380	
Molybdenum	7439-98-7	0.001	mg/L	0.002	0.004	0.001	<0.001	0.001	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Strontium	7440-24-6	0.001	mg/L	1.13	0.788	0.933	2.02	2.08	
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Boron	7440-42-8	0.05	mg/L	0.16	0.21	0.11	0.11	0.16	
Iron	7439-89-6	0.05	mg/L	<0.05	0.07	<0.05	<0.05	0.11	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.03	0.03	0.04	0.02	0.08	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	0.11	0.07	0.01	0.02	0.08	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	0.11	0.07	0.01	0.02	0.08	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.12	1.07	0.14	0.76	0.32	
EN055: Ionic Balance									
∅ Total Anions	----	0.01	meq/L	22.9	39.3	10.3	18.0	36.0	
∅ Total Cations	----	0.01	meq/L	23.1	41.7	11.9	19.9	41.6	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB10 104220	SB05 104221	SB09 104222	SB01 104223	SB04 104224
Sampling date / time					17-Jan-2024 13:49	17-Jan-2024 14:31	17-Jan-2024 15:18	17-Jan-2024 14:58	17-Jan-2024 15:51
Compound	CAS Number	LOR	Unit	ES2402592-006	ES2402592-007	ES2402592-008	ES2402592-009	ES2402592-010	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	0.54	2.97	7.27	5.09	7.21	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB08 104225	SB07 104226	GW02 104227	MD01 104228	MD02 104229
Sampling date / time				18-Jan-2024 16:09	17-Jan-2024 16:32	18-Jan-2024 10:54	18-Jan-2024 09:10	23-Jan-2024 10:29
Compound	CAS Number	LOR	Unit	ES2402592-011	ES2402592-012	ES2402592-013	ES2402592-014	ES2402592-015
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.87	7.96	7.99	11.3	7.41
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	1090	946	974	1470	1310
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	610	530	574	764	750
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	139	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	285	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	374	315	353	<1	520
Total Alkalinity as CaCO ₃	----	1	mg/L	374	315	353	424	520
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	87	74	74	23	29
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	65	40	46	106	100
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	75	55	51	17	80
Magnesium	7439-95-4	1	mg/L	40	26	26	<1	58
Sodium	7440-23-5	1	mg/L	124	132	152	242	146
Potassium	7440-09-7	1	mg/L	<1	<1	1	28	10
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	0.58	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	0.001
Barium	7440-39-3	0.001	mg/L	0.057	0.046	0.058	0.042	0.256
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	0.004	<0.001	0.002	0.020	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB08 104225	SB07 104226	GW02 104227	MD01 104228	MD02 104229
Sampling date / time				18-Jan-2024 16:09	17-Jan-2024 16:32	18-Jan-2024 10:54	18-Jan-2024 09:10	23-Jan-2024 10:29
Compound	CAS Number	LOR	Unit	ES2402592-011	ES2402592-012	ES2402592-013	ES2402592-014	ES2402592-015
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L	0.063	0.070	0.375	0.005	0.036
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.013	0.312	<0.005
Manganese	7439-96-5	0.001	mg/L	0.002	<0.001	0.021	0.004	0.039
Molybdenum	7439-98-7	0.001	mg/L	<0.001	<0.001	<0.001	0.018	0.001
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	1.13	0.774	0.677	0.105	1.26
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	0.002	<0.001
Boron	7440-42-8	0.05	mg/L	0.10	0.05	0.10	0.06	0.08
Iron	7439-89-6	0.05	mg/L	<0.05	<0.05	<0.05	<0.05	0.95
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.03	0.23	16.7	0.28
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.04	0.07	7.87	<0.01
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.13	5.95	0.31	<0.20	0.08
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.13	5.99	0.38	7.43	0.08
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.07	0.01	0.29	1.54	0.10
EN055: Ionic Balance								
∅ Total Anions	----	0.01	meq/L	11.1	8.96	9.89	11.9	13.8
∅ Total Cations	----	0.01	meq/L	12.4	10.6	11.3	12.1	15.4



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB08 104225	SB07 104226	GW02 104227	MD01 104228	MD02 104229
Sampling date / time					18-Jan-2024 16:09	17-Jan-2024 16:32	18-Jan-2024 10:54	18-Jan-2024 09:10	23-Jan-2024 10:29
Compound	CAS Number	LOR	Unit	ES2402592-011	ES2402592-012	ES2402592-013	ES2402592-014	ES2402592-015	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	5.57	8.49	6.74	0.62	5.34	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				GW03 104230	TR26 104231	TR7 104232	TR0018 104233	TR0035 104234
Sampling date / time				23-Jan-2024 06:59	18-Jan-2024 14:28	18-Jan-2024 13:55	18-Jan-2024 14:28	18-Jan-2024 15:25
Compound	CAS Number	LOR	Unit	ES2402592-016	ES2402592-017	ES2402592-018	ES2402592-019	ES2402592-020
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.84	7.59	7.67	7.48	7.46
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	882	8440	15900	13800	17400
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	548	4950	10000	8920	11700
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	351	1440	750	629	655
Total Alkalinity as CaCO ₃	----	1	mg/L	351	1440	750	629	655
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	56	230	714	620	651
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	82	1850	5380	4140	5320
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	82	179	255	219	281
Magnesium	7439-95-4	1	mg/L	36	226	361	339	539
Sodium	7440-23-5	1	mg/L	81	1540	2750	2510	2910
Potassium	7440-09-7	1	mg/L	2	13	15	12	20
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.090	0.175	0.126	0.067	0.128
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0002
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	0.002
Copper	7440-50-8	0.001	mg/L	<0.001	0.010	0.863	0.070	1.24



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW03 104230	TR26 104231	TR7 104232	TR0018 104233	TR0035 104234
Sampling date / time				23-Jan-2024 06:59	18-Jan-2024 14:28	18-Jan-2024 13:55	18-Jan-2024 14:28	18-Jan-2024 15:25	
Compound	CAS Number	LOR	Unit	ES2402592-016	ES2402592-017	ES2402592-018	ES2402592-019	ES2402592-020	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	0.008	<0.001	0.007	
Nickel	7440-02-0	0.001	mg/L	0.971	0.014	0.390	0.021	0.713	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.006	<0.005	0.015	
Manganese	7439-96-5	0.001	mg/L	0.014	0.070	0.637	0.042	1.72	
Molybdenum	7439-98-7	0.001	mg/L	<0.001	0.002	0.002	0.001	0.011	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Strontium	7440-24-6	0.001	mg/L	0.942	4.84	8.70	6.50	7.75	
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Boron	7440-42-8	0.05	mg/L	0.09	0.14	0.10	0.11	0.12	
Iron	7439-89-6	0.05	mg/L	<0.05	<0.05	<0.05	<0.05	0.12	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.01	0.06	0.04	0.11	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	0.30	0.20	0.01	0.07	<0.01	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	0.30	0.20	0.01	0.07	<0.01	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.16	0.10	0.37	0.61	0.04	
EN055: Ionic Balance									
∅ Total Anions	----	0.01	meq/L	10.5	85.7	182	142	177	
∅ Total Cations	----	0.01	meq/L	10.6	94.8	162	148	185	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW03 104230	TR26 104231	TR7 104232	TR0018 104233	TR0035 104234
Sampling date / time					23-Jan-2024 06:59	18-Jan-2024 14:28	18-Jan-2024 13:55	18-Jan-2024 14:28	18-Jan-2024 15:25
Compound	CAS Number	LOR	Unit		ES2402592-016	ES2402592-017	ES2402592-018	ES2402592-019	ES2402592-020
				Result	Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
ø Ionic Balance	----	0.01	%		0.65	5.04	5.57	2.08	2.42
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VKY0043C 104235	VKY0042C 104236	VKY0035C 104237	VKY034C 104238	VKY036C 104239
Sampling date / time				18-Jan-2024 14:58	23-Jan-2024 12:58	23-Jan-2024 12:14	23-Jan-2024 11:05	23-Jan-2024 12:35
Compound	CAS Number	LOR	Unit	ES2402592-021	ES2402592-022	ES2402592-023	ES2402592-024	ES2402592-025
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	8.35	7.58	7.86	7.78	7.63
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	2900	5940	3120	3840	5980
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	1720	4260	1910	2390	3350
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	37	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	914	779	753	896	738
Total Alkalinity as CaCO ₃	----	1	mg/L	951	779	753	896	738
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	<1	309	77	185	294
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	391	1290	526	685	1320
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	10	178	49	53	148
Magnesium	7439-95-4	1	mg/L	4	235	46	60	124
Sodium	7440-23-5	1	mg/L	779	790	673	832	1040
Potassium	7440-09-7	1	mg/L	6	24	9	10	12
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	0.001	0.002	<0.001
Barium	7440-39-3	0.001	mg/L	0.338	0.150	0.082	0.051	0.068
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.002	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	0.006	<0.001	<0.001	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY0043C 104235	VKY0042C 104236	VKY0035C 104237	VKY034C 104238	VKY036C 104239
Sampling date / time				18-Jan-2024 14:58	23-Jan-2024 12:58	23-Jan-2024 12:14	23-Jan-2024 11:05	23-Jan-2024 12:35	
Compound	CAS Number	LOR	Unit	ES2402592-021	ES2402592-022	ES2402592-023	ES2402592-024	ES2402592-025	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Nickel	7440-02-0	0.001	mg/L	<0.001	0.015	0.006	0.008	0.013	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Zinc	7440-66-6	0.005	mg/L	<0.005	0.014	0.006	<0.005	<0.005	
Manganese	7439-96-5	0.001	mg/L	0.005	0.223	0.329	0.102	0.013	
Molybdenum	7439-98-7	0.001	mg/L	<0.001	0.002	0.007	0.007	0.001	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Strontium	7440-24-6	0.001	mg/L	0.419	3.42	0.897	0.934	2.17	
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Boron	7440-42-8	0.05	mg/L	0.11	0.10	0.07	0.09	0.09	
Iron	7439-89-6	0.05	mg/L	0.08	0.28	1.46	<0.05	0.71	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.41	0.46	0.94	0.59	1.59	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.02	<0.01	<0.01	<0.01	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.02	<0.01	<0.01	<0.01	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.10	0.01	0.29	0.44	0.02	
EN055: Ionic Balance									
ø Total Anions	----	0.01	meq/L	30.0	58.4	31.5	41.1	58.1	
ø Total Cations	----	0.01	meq/L	34.9	63.2	35.7	44.0	63.1	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY0043C 104235	VKY0042C 104236	VKY0035C 104237	VKY034C 104238	VKY036C 104239
Sampling date / time					18-Jan-2024 14:58	23-Jan-2024 12:58	23-Jan-2024 12:14	23-Jan-2024 11:05	23-Jan-2024 12:35
Compound	CAS Number	LOR	Unit	ES2402592-021	ES2402592-022	ES2402592-023	ES2402592-024	ES2402592-025	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	7.45	3.96	6.32	3.47	4.15	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				GW-7 104255	GW-11 104257	GW-9 104258	VKY GW Duplicate 1 104259	VKY GW Duplicate 2 104260
Sampling date / time				23-Jan-2024 09:12	23-Jan-2024 15:33	23-Jan-2024 14:26	18-Jan-2024 13:49	23-Jan-2024 00:00
Compound	CAS Number	LOR	Unit	ES2402592-026	ES2402592-027	ES2402592-028	ES2402592-029	ES2402592-030
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	8.84	7.05	6.20	11.2	6.90
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	4220	4400	3110	1410	4380
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	2690	3920	2610	710	3270
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	105	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	139	<1	<1	312	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	766	46	41	<1	38
Total Alkalinity as CaCO ₃	----	1	mg/L	904	46	41	417	38
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	385	1	128	24	<1
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	669	1390	945	104	1370
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	4	162	107	17	107
Magnesium	7439-95-4	1	mg/L	156	52	55	<1	53
Sodium	7440-23-5	1	mg/L	637	704	472	238	452
Potassium	7440-09-7	1	mg/L	328	12	20	28	20
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	0.58	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.006	0.102	0.050	0.040	0.050
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	0.003	<0.001	<0.001	0.021	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				GW-7 104255	GW-11 104257	GW-9 104258	VKY GW Duplicate 1 104259	VKY GW Duplicate 2 104260
Sampling date / time				23-Jan-2024 09:12	23-Jan-2024 15:33	23-Jan-2024 14:26	18-Jan-2024 13:49	23-Jan-2024 00:00
Compound	CAS Number	LOR	Unit	ES2402592-026	ES2402592-027	ES2402592-028	ES2402592-029	ES2402592-030
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	0.001	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L	0.002	<0.001	<0.001	0.005	0.001
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	0.001	0.002
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	<0.005	0.010	0.014	0.299	0.005
Manganese	7439-96-5	0.001	mg/L	0.011	1.04	3.44	0.005	3.40
Molybdenum	7439-98-7	0.001	mg/L	0.002	<0.001	<0.001	0.017	<0.001
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	0.046	2.74	3.51	0.108	3.54
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	0.001	<0.001
Boron	7440-42-8	0.05	mg/L	0.18	0.17	0.08	<0.05	0.08
Iron	7439-89-6	0.05	mg/L	<0.05	1.78	62.0	0.07	59.6
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	<0.01	1.60	3.06	15.6	1.63
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	0.36	<0.01	0.13	8.38	<0.01
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.01	0.06	<0.10	0.01
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.26	0.01	0.19	7.36	0.01
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.08	<0.01	0.01	0.79	0.03
EN055: Ionic Balance								
∅ Total Anions	----	0.01	meq/L	44.9	40.2	30.1	11.8	39.4
∅ Total Cations	----	0.01	meq/L	----	----	----	----	33.2



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW-7 104255	GW-11 104257	GW-9 104258	VKY GW Duplicate 1 104259	VKY GW Duplicate 2 104260
Sampling date / time					23-Jan-2024 09:12	23-Jan-2024 15:33	23-Jan-2024 14:26	18-Jan-2024 13:49	23-Jan-2024 00:00
Compound	CAS Number	LOR	Unit	ES2402592-026	ES2402592-027	ES2402592-028	ES2402592-029	ES2402592-030	
Result				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
ø Total Cations	----	0.01	meq/L	49.1	43.3	30.9	11.9	----	
ø Ionic Balance	----	0.01	%	----	----	----	----	8.56	
ø Ionic Balance	----	0.01	%	4.45	3.77	1.26	0.64	----	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VKY GW Lab Split Dup 1 104261	VKY GW Split Lab Dup 2 104262	VKY GW Blank 104263	VNW390 104240	VNW391 104241
Sampling date / time				18-Jan-2024 00:00	23-Jan-2024 00:00	17-Jan-2024 00:00	17-Jan-2024 11:23	17-Jan-2024 11:52
Compound	CAS Number	LOR	Unit	ES2402592-031	ES2402592-032	ES2402592-033	ES2402592-034	ES2402592-035
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	11.3	6.18	6.04	7.59	7.73
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	1440	3120	2	2300	2330
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	760	2200	<10	1400	1470
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	138	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	284	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	<1	38	1	618	627
Total Alkalinity as CaCO3	----	1	mg/L	422	38	1	618	627
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	23	129	<1	95	88
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	104	955	<1	402	434
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	17	99	<1	166	164
Magnesium	7439-95-4	1	mg/L	<1	56	<1	47	59
Sodium	7440-23-5	1	mg/L	236	477	<1	292	282
Potassium	7440-09-7	1	mg/L	28	18	<1	12	13
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	0.58	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.042	0.046	<0.001	0.126	0.168
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001

Sub-Matrix: WATER
(Matrix: WATER)

VKY GW Lab Split Dup 1 104261	VKY GW Split Lab Dup 2 104262	VKY GW Blank 104263	VNW390 104240	VNW391 104241
18-Jan-2024 00:00	23-Jan-2024 00:00	17-Jan-2024 00:00	17-Jan-2024 11:23	17-Jan-2024 11:52
ES2402592-031	ES2402592-032	ES2402592-033	ES2402592-034	ES2402592-035
Result	Result	Result	Result	Result

Copper	7440-50-8	0.001	mg/L	0.020	<0.001	0.002	0.005	0.001
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L	0.005	<0.001	<0.001	0.002	<0.001
Lead	7439-92-1	0.001	mg/L	0.001	<0.001	<0.001	<0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	0.314	<0.005	<0.005	0.026	0.006
Manganese	7439-96-5	0.001	mg/L	0.004	4.16	<0.001	0.003	0.006
Molybdenum	7439-98-7	0.001	mg/L	0.018	<0.001	<0.001	<0.001	<0.001
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	0.108	4.17	0.003	1.92	1.76
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L	<0.05	<0.05	<0.05	0.14	0.13
Iron	7439-89-6	0.05	mg/L	0.06	7.87	<0.05	<0.05	<0.05

Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
---------	-----------	--------	------	---------	---------	---------	---------	---------

Ammonia as N	7664-41-7	0.01	mg/L	15.7	3.20	<0.01	<0.01	<0.01
--------------	-----------	------	------	------	------	-------	-------	-------

Nitrite as N	14797-65-0	0.01	mg/L	7.99	0.20	<0.01	<0.01	<0.01
--------------	------------	------	------	------	------	-------	-------	-------

Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.03	<0.01	0.40	0.30
--------------	------------	------	------	-------	------	-------	------	------

Nitrite + Nitrate as N	0.01	mg/L	7.57	0.23	<0.01	0.40	0.30
------------------------	------	------	------	------	-------	------	------

Total Phosphorus as P	0.01	mg/L	0.94	0.03	<0.01	0.08	0.10
-----------------------	------	------	------	------	-------	------	------

EN055: Ionic Balance



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY GW Lab Split Dup 1 104261	VKY GW Split Lab Dup 2 104262	VKY GW Blank 104263	VNW390 104240	VNW391 104241
Sampling date / time					18-Jan-2024 00:00	23-Jan-2024 00:00	17-Jan-2024 00:00	17-Jan-2024 11:23	17-Jan-2024 11:52
Compound	CAS Number	LOR	Unit		ES2402592-031	ES2402592-032	ES2402592-033	ES2402592-034	ES2402592-035
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
ø Total Anions	----	0.01	meq/L		11.8	30.4	0.02	25.7	26.6
ø Total Cations	----	0.01	meq/L		11.8	30.8	<0.01	25.2	25.6
ø Ionic Balance	----	0.01	%		0.06	0.61	----	0.99	1.84
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VNW392 104242	VNW393 104243	VNW394 104244	VNW395 104245	GW-8 104254
Sampling date / time				17-Jan-2024 12:22	17-Jan-2024 10:51	17-Jan-2024 09:30	17-Jan-2024 11:39	24-Jan-2024 13:55
Compound	CAS Number	LOR	Unit	ES2402592-036	ES2402592-037	ES2402592-038	ES2402592-039	ES2402592-040
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.21	7.74	7.43	8.07	7.59
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	3350	2840	5340	1130	4000
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	2440	1710	3720	710	2370
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	638	252	371	306	692
Total Alkalinity as CaCO ₃	----	1	mg/L	638	252	371	306	692
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	284	185	551	61	100
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	702	724	1310	167	900
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	252	126	181	44	126
Magnesium	7439-95-4	1	mg/L	95	28	89	18	85
Sodium	7440-23-5	1	mg/L	363	479	956	200	669
Potassium	7440-09-7	1	mg/L	18	8	8	10	9
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.001	<0.001	0.007	0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.128	0.052	0.097	0.037	0.175
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	<0.001	0.002	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)


Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VNW392 104242	VNW393 104243	VNW394 104244	VNW395 104245	GW-8 104254
Sampling date / time				17-Jan-2024 12:22	17-Jan-2024 10:51	17-Jan-2024 09:30	17-Jan-2024 11:39	24-Jan-2024 13:55	
Compound	CAS Number	LOR	Unit	ES2402592-036	ES2402592-037	ES2402592-038	ES2402592-039	ES2402592-040	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L	0.003	<0.001	0.011	<0.001	<0.001	
Nickel	7440-02-0	0.001	mg/L	0.020	<0.001	0.035	0.001	0.001	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Zinc	7440-66-6	0.005	mg/L	0.008	<0.005	0.007	<0.005	0.012	
Manganese	7439-96-5	0.001	mg/L	0.333	0.092	2.12	0.032	0.092	
Molybdenum	7439-98-7	0.001	mg/L	0.002	0.003	0.003	<0.001	<0.001	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Strontium	7440-24-6	0.001	mg/L	2.75	1.72	2.91	0.391	2.63	
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Boron	7440-42-8	0.05	mg/L	0.12	0.10	0.10	0.08	0.09	
Iron	7439-89-6	0.05	mg/L	1.34	0.12	0.37	0.08	9.02	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.45	0.21	0.09	0.17	0.41	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.18	0.13	1.37	0.03	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.18	0.13	1.37	0.03	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.24	0.07	1.16	0.43	0.12	
EN055: Ionic Balance									
∅ Total Anions	----	0.01	meq/L	38.5	29.3	55.8	12.1	41.3	
∅ Total Cations	----	0.01	meq/L	36.6	29.6	58.1	12.6	42.6	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VNW392 104242	VNW393 104243	VNW394 104244	VNW395 104245	GW-8 104254
Sampling date / time					17-Jan-2024 12:22	17-Jan-2024 10:51	17-Jan-2024 09:30	17-Jan-2024 11:39	24-Jan-2024 13:55
Compound	CAS Number	LOR	Unit	ES2402592-036	ES2402592-037	ES2402592-038	ES2402592-039	ES2402592-040	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	2.42	0.55	2.02	2.17	1.57	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Appendix D Quality Trigger Level Anlaysis

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review November 2023 – January 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

4 April 2024

Table D-1: pH Trigger Level Review (Red Text Showing Exceedance of Trigger Level)

Bore	Trigger Level		Oct/Nov 2023 Sampling	Jan 2023 Sampling
	pH Upper	pH Lower	pH - Field	pH - Field
GW01	6.9	8.3	7.33	7.2
GW02	7.2	8.6	7.59	7.79
GW03	6.1	8.1	7.19	7.16
GW-11	7	9.3	7.36	6.93
GW-7	7.7	8.5	8.89	8.82
GW-8	6.7	8.4	7.11	7.03
GW-9	6.6	8.2	7.94	6.68
MD01	6.7	8.4	11.58	11.69
MD02	6.7	8.4	6.84	6.78
SB01	6.9	8.3	7.44	7.31
SB02	6.9	8.3	7.28	7.28
SB04	6.9	8.3	7.29	7.43
SB05	6.9	8.3	2.09	7.73
SB06	6.9	8.3	7.35	7.61
SB07	6.9	8.3	7.35	7.47
SB08	6.9	8.3	7.24	7.39
SB09	6.9	8.3	3.32	7.56
SB10	6.9	8.3	7.43	7.47
SB11	6.9	8.3	7.26	7.7
SB15	6.9	8.3	7.29	7.23
TR18	6.7	8.4	6.58	6.85
TR26	6.7	8.4	7.06	7.16
TR35	6.7	8.4	6.66	6.75
TR7	7.4	7.8	6.53	7.05
VKY034C	6.7	8.4	7.3	6.94
VKY035C	6.7	8.4	7.1	7.01
VKY036C	6.7	8.4	7.08	6.79
VKY042C	6.7	8.4	6.75	6.72
VKY043C	6.7	8.4	7.72	7.8
VNW223	6.9	7.4	7.25	no data
VNW390	6.7	8.4	6.92	7.13
VNW391	6.7	8.4	7.04	7.31
VNW392	6.7	8.4	6.74	6.74
VNW393	6.7	8.4	7.36	7.56
VNW394	6.9	8.3	7.13	6.92
VNW395	6.9	8.3	7.47	7.77



Table D-2: EC Trigger Level Review (Red Text Showing Exceedance of Trigger Level)


Bore	EC Trigger (µS/cm)	Oct/Nov 23	Jan-24
		EC - Field (uS/cm)	EC - Field (uS/cm)
GW01	10083	1042	1265
GW02	969	731.3	971
GW03	811	861.9	888
GW-11	4912	4360	4340
GW-7	5378	4300	4490
GW-8	12315	4290	3950
GW-9	12740	6110	3320
MD01	12315	1799	1786
MD02	12315	1195	1306
SB01	10083	1541	1716
SB02	10083	7330	7330
SB04	10083	2680	3360
SB05	10083	3740	3690
SB06	10083	3280	3460
SB07	10083	769.7	919
SB08	10083	983.3	1115
SB09	10083	948.6	1014
SB10	10083	1880	1972
SB11	10083	1080	1021
SB15	10083	1019	1070
TR18	12315	13400	13640
TR26	12315	6290	8380
TR35	12315	15300	17330
TR7	12970	14800	15390
VKY034C	12315	3590	3850
VKY035C	12315	3110	3340
VKY036C	12315	5600	5810
VKY042C	12315	5420	5430
VKY043C	12315	2990	3410
VNW223	10120	5940	no data
VNW390	12315	2300	2376
VNW391	12315	2530	2471
VNW392	12315	3690	3310
VNW393	12315	2740	2830
VNW394	10083	5520	5410
VNW395	10083	462.8	1395



Table D-3: Sulfate Trigger Level Review (Red Text Showing Exceedance of Trigger Level)

Bore	Sulfate Trigger Level (mg/L)	Oct/Nov 23	Jan-24
		Sulfate as SO4 (mg/L)	Sulfate as SO4 (mg/L)
GW01	365	96	171
GW02	365	77	74
GW03	365	52	56
GW-11	365	<1	1
GW-7	86	364	385
GW-8	86	no data	100
GW-9	86	102	128
MD01	86	22	23
MD02	86	28	29
SB01	365	182	183
SB02	365	1120	no data
SB04	365	284	394
SB05	365	735	551
SB06	365	372	362
SB07	365	74	74
SB08	365	86	87
SB09	365	71	63
SB10	365	190	188
SB11	365	85	72
SB15	365	90	79
TR18	86	702	620
TR26	86	194	230
TR35	86	660	651
TR7	365	508	714
VKY034C	86	123	185
VKY035C	86	87	77
VKY036C	86	244	294
VKY042C	86	302	309
VKY043C	86	<1	<1
VNW223	365	97	no data
VNW390	86	95	95
VNW391	86	88	88
VNW392	86	no data	284
VNW393	86	179	185
VNW394	365	no data	551





Making Sustainability Happen



Vickery Extension Project Groundwater Monitoring Report

Quarterly Review February 2024 – April 2024

Whitehaven Coal Ltd

Blue Vale Rd, Boggabri NSW 2382 Australia

Prepared by:

SLR Consulting Australia

SLR Project No.: 640.031099.00001

5 July 2024

Revision: 1.0

Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
1.0	5 July 2024	Joy Xie/Sharon Hulbert	Sharon Hulbert	Brian Rask

Basis of Report

This report has been prepared by SLR Consulting Australia (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Whitehaven Coal Ltd (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.



Table of Contents

Basis of Report	ii
Acronyms and Abbreviations	v
1.0 Introduction	1
1.1 Background	1
1.2 Trigger Action Response Plan	2
1.3 Report Objective.....	2
2.0 Monitoring Results.....	3
2.1 Climate Data	3
2.2 Groundwater Monitoring Network.....	3
2.3 Data Availability.....	5
2.4 Groundwater Levels	5
2.4.1 Groundwater Level Data Summary	5
2.4.2 TARP Trigger Level Summary.....	10
2.5 Groundwater Quality and Exceedance Summary	10
3.0 Action and Response.....	13
4.0 Recommendations	14
5.0 References.....	16

Tables in Text

Table 1: Monthly Rainfall vs Long-Term Average Rainfall.....	3
Table 2: Groundwater Levels in Alluvial Aquifer.....	5
Table 3: Groundwater Levels in Permian Aquifer.....	6
Table 4: Summary of Logger Data Available	8
Table 5: Summary of GW Interim Trigger Values Compared to Initial Results	10
Table 6: Summary and Status of Recommendations to Date.....	14

Figures in Text

Figure 1: VCM Groundwater Monitoring Network.....	4
Figure 2: Alluvial Bores Hydrograph (Manual Dips)	6
Figure 3: Permian Bores Hydrograph (Manual Dips).....	7
Figure 4: Logger Hydrograph – VKY036C	9



Appendices

Appendix A	Trigger Action Response Plan
Appendix B	Groundwater Level Results
Appendix C	Groundwater Quality Results
Appendix D	Quality Trigger Level Analysis



Acronyms and Abbreviations

CMAs	Corrective Management Actions
EC	Electronic Conductivities
EP&A Act	Environmental Planning and Assessment Act, 1979
GWMP	Groundwater Management Plan
mbgl	meter below ground level
mbtoc	meters below top of casing
pH	potential of Hydrogen
TARP	Trigger Action Response Plan
VCPL	Vickery Coal Pty Ltd
VEP	Vickery Extension Project
WMP	Water Management Plan



1.0 Introduction

1.1 Background

SLR Consulting Australia Pty Ltd (SLR) was engaged by Whitehaven Coal Pty Ltd (Whitehaven) to undertake a review of groundwater data for the Vickery Extension Project (VEP) between 1st February 2024 through 30th April 2024.

The VEP Development Consent (SSD-7480) was granted to Vickery Coal Pty Ltd. (VCPL) on 12 August 2020 by the NSW Independent Planning Commission as a delegate of the NSW Minister for Planning under Section 75J of the NSW Environmental Planning and Assessment Act 1979 (EP&A Act).

Pertinent to the groundwater monitoring and subsequent reporting, is Condition 8, that states:

8. In Addition to the Groundwater Management Plan monitoring requirements specified in condition B53 of the State Development Consent, the approval holder must:

- a. Establish and maintain a network of groundwater monitoring bores designed to detect changes in groundwater levels and include bores that are co-located or paired with surface water monitoring sites to allow monitoring and analysis of groundwater – surface water interactions. These monitoring bores must be installed prior to the commencement of mining operations.*
- b. Monitor groundwater levels in each bore (required under condition 8.a) at least once every 3 months, starting within one week of the commencement of mining operations for the life of this approval.*
- c. Publish on the website all groundwater monitoring data from the bore network, updated at least once every three months to include the most recent readings available and to maintain the data on the website for the life of this approval. The monitoring data must include hydrographs for the bore network and explain what the data means in relation to the groundwater performance measures specified in the State Development Consent.*

This quarterly report has been compiled for Vickery Coal Mine (VCM) to comply with Condition 8(c) of EPBC 2016/7649. Groundwater monitoring commenced in October 2023 aligning with the commencement of mining in October 2023 and in accordance with Condition 8(b). Reporting to date includes:

1. Initial Quarterly Report (August 2023 through October 2023), published January 2024.
2. 2023 Annual Review (1st January 2023 through 31st December 2023), to be published on the website following approval from NSW Department of Planning, Housing and Infrastructure (DPHI).
3. Second Quarterly Report (November 2023 through January 2024), published April 2024.

Mining operations have commenced on site, with coal extraction occurring. To date, no indication of groundwater incursion is present. Minor water has been removed from the pit, attributable to collection of rainfall and surface runoff.



1.2 Trigger Action Response Plan

A Trigger Action Response Plan (TARP) was established in the Groundwater Management Plan (GWMP), as a means of providing specific suitable action where exceedances of the groundwater performance criteria are observed. The aim of the TARPs is to evaluate potential adverse changes to existing groundwater sources, confirm if they are due to the development, and provide a means to repair, mitigate and/or offset any adverse groundwater impacts (Whitehaven 2023). The groundwater level and quality TARP for the open cut activities at VEP is shown in **Appendix A**.

The GWMP states the procedure for the review, as follows. The confirmed exceedances will prompt an investigation, carried out by suitably qualified personnel, to assess the reasons for trigger exceedance, which could include but not be limited to climatic conditions, agriculture abstraction, and or mining activities. In the case exceedances are attributed to mining activities, the changes in groundwater conditions, such as a decrease in water level or changes in groundwater quality, will be compared to performance measures (discussed in Section 8.1 of GWMP) to evaluate the significance of any impacts manifested on the groundwater systems.

The results of the trigger investigations will be reported in each annual review. WHC will use the annual review following each reporting period to analyse the data and revise the trigger thresholds in response to additional baseline data as it becomes available. When this occurs the GWMP will be updated.

1.3 Report Objective

This report assesses the VEP groundwater monitoring data against the trigger levels for all required parameters (as per the TARP in the site GWMP) for the reporting period from 1st February 2024 through 30th April 2024.

This report includes:

- A summary of TARP exceedances, if any, during the reporting period;
- A summary of trigger exceedances, if any, over time including the identification of breaches of triggers that remain within normal condition in this reporting period;
- A high-level outline of potential influence factors for exceedances (a detailed analysis of exceedances is not discussed in this report) during the reporting period; and
- Recommendation of relevant actions and responses to be undertaken, in alignment with the TARPs.

The information in this monitoring report will be included in the ongoing quarterly monitoring reports for VEP and summarised in the 2024 Annual Review.



2.0 Monitoring Results

This section summarises the climate information, groundwater monitoring network, and monitoring results available to the conclusion of the reporting period.

2.1 Climate Data

Local climate data was obtained from the Canyon MET station, approximately 7km from VEP. Collection of meteorological data at VEP commenced in September 2023 and will be utilised as more data becomes available. In order to understand long-term rainfall trends, the SILO climate record for the location 0.05° x 0.05° tile centred on a location within proximity of VEP (latitude: -30.75, longitude: 150.15) has been utilised (Queensland Government 2024). Comparison of the data sets show analogous trends, indicating the SILO data is a suitable representation of long-term trends.

Rainfall over the past 12 months, in comparison to the long-term average (i.e., January 1900 – present) is shown in **Table 1**. The quarterly reporting period showed notably lower rainfall than long-term averages in February and March. April 2024 rainfall was above long-term average.

Table 1: Monthly Rainfall vs Long-Term Average Rainfall

	2023								2024			
	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
SILO 2023-2024 monthly rainfall (mm)	7.6	30.5	11.5	8.2	5	20.3	93.3	71.7	52.7	20.7	17.5	68.7
SILO Long-term average rainfall (mm)	39.0	40.3	38.5	35.0	37.3	49.1	58.0	60.9	69.6	57.8	46.0	33.2
On-site Rainfall (mm)	0	31.6	9.6	10.6	4.2	27.6	123.8	87.4	29.4	40.8	25.8	101.8

2.2 Groundwater Monitoring Network

Based on the GWMP, the existing groundwater monitoring network consists of 51 monitoring sites, including

- 24 monitoring locations in Alluvial aquifer; and
- 25 monitoring locations in Permian aquifer.
- Two sites (WR1 and WR2) positioned to monitor the potential for seepage from the spoil dump (installed January 2024).


VEP will incorporate an additional nine monitoring locations in the next reporting period, including:

- Two locations screening the alluvium to the southeast of the mine, situated outside the 1 metre predicted drawdown impact zone of the mine;
- Five locations screening the alluvium to the north of the mine in proximity of the proposed VEP bore field; and
- Two locations screening the Permian aquifer to the north of the mine.

The groundwater network is presented on **Figure 1**, and full details provided in the GWMP.



Figure 1: VCM Groundwater Monitoring Network



WHITEHAVEN COAL PTY LTD
Name of Map: Vickery Coal Mine

Paper size A4
Scale: 1:75,000
500 0 500 1000 1500 2000 2500 3000
Metres

Spatial Reference
Name: GDA 1994 MGA Zone 56
Datum: GDA 1994
Projection: Transverse Mercator
Date Exported: 17/05/2023 1:25 PM

Legend

- ▲ Government monitoring wells
- Vickery northern borefield (proposed)
- Approved southern bore
- Vickery proposed monitoring locations
- Seepage monitoring
- VEP Monitoring locations
- ▲ Alluvial with data logger
- ▲ Permian with data logger
- Mining Pit
- Yr 2 overburden emplacement
- Yr 5 overburden emplacement
- Mine Lease
- Geology
- Qx - Alluvial



2.3 Data Availability

In line with the VCM GWMP, the full suite of bores was monitored during the reporting period, excluding the following monitoring sites:

- GW030051 – No access – NSW Water locked bore,
- GW030052 – No access – NSW Water locked bore,
- GW036459 – No access – NSW Water locked bore.
- VNW223 – was reported blocked at 1.3 m below top of casing (btoc) and was unable to be sampled.

The small number of unavailable bores is not believed to impact the overall ability of the network to monitor for adverse impacts to the groundwater system via on-site operations at this stage. There are bores monitoring the same strata at locations suitable to capture potential impacts (i.e. closer to the extraction site), captured in the monitored data.

2.4 Groundwater Levels

Groundwater levels are measured via both manual dip and continuous loggers. The data available in the 2023 year is presented in this section, and shown in **Appendix B**.

2.4.1 Groundwater Level Data Summary

A summary of the groundwater level data available to date is presented below.

2.4.1.1 Alluvial Groundwater Bores

The groundwater levels in the alluvial monitoring bores are summarised in **Table 2**, and presented in **Figure 2**.

Table 2: Groundwater Levels in Alluvial Aquifer


Sample Location	Depth to Water (mbgl*)					
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24
GW01	9.12	8.2	8.40	8.53	9.19	9.45
GW02	-	7.45	8.34	8.48	8.78	8.96
GW-11	-	-	-	16.70	16.64	16.64
GW-2	-	-	-	-	-	19.59
GW-9	-	-	-	17.76	18.4	17.8
SB01	7.34	6.37	7.23	7.19	7.38	7.86
SB02	10.3	9.84	9.68	9.46	9.74	9.99
SB04	7.5	6.34	7.59	7.33	7.64	8.18
SB05	8.32	7.1	7.90	7.73	8.11	8.59
SB06	9.82	8.43	8.77	8.87	8.98	9.36
SB07	-	8.01	8.89	8.79	8.83	9.53
SB08	7.77	6.73	7.60	7.70	7.63	8.12
SB09	7.85	6.36	7.33	7.22	7.49	7.95
SB10	8.14	7.45	8.00	8.15	8.21	8.6



Sample Location	Depth to Water (mbgl*)					
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24
SB11	9.78	8.1	8.72	8.6	9.19	9.51
SB15	9.3	8.18	8.77	9.12	9.57	9.82
VNW223	-	-	-	22.01	21.9	22.05
VNW394	-	6.73	6.83	6.49	6.53	6.52
VNW395	-	7.43	7.25	7.26	7.3	7.48
WR1	-	-	-	-	-	14.55
WR2	-	-	-	-	-	12.13

* mbgl = metres below ground level

Figure 2: Alluvial Bores Hydrograph (Manual Dips)



2.4.1.2 Permian Groundwater Bores

The groundwater levels in the Permian monitoring bores are summarised in **Table 3**, and presented in **Figure 3**.

Table 3: Groundwater Levels in Permian Aquifer


Sample Location	Depth to Water (mbgl*)					
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24
GW03	-	6.12	6.85	7.23	7.27	7.13
GW-7	-	-	-	27.86	27.80	27.92
GW-8	-	-	-	21.74	21.69	21.63
MD01	-	28.02	27.63	27.68	27.57	27.96



Sample Location	Depth to Water (mbgl*)					
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24
MD02	-	40.98	40.57	40.30	40.03	39.88
TR18	-	13.04	13.38	12.92	13.17	13.26
TR26	-	12.44	12.39	12.24	12.21	12.31
TR35	-	18.16	18.17	18.04	11.23	18.43
TR7	-	9.85	9.93	9.75	9.69	9.84
VKY034C	-	39.79	39.97	39.61	40.27	39.37
VKY035C	-	42.37	42.03	42.01	42.04	41.89
VKY036C	-	49.23	47.24	49.17	49.88	49.53
VKY042C	-	42.68	42.40	42.56	42.80	42.53
VKY043C	-	16.41	15.56	15.70	15.82	15.15
VNW390	-	9.38	9.33	9.36	9.37	9.46
VNW391	-	7.80	7.75	7.76	7.79	7.94
VNW392	-	6.25	6.14	6.21	6.24	6.4
VNW393	-	10.64	10.50	10.48	10.57	10.6

* Metres below ground level

Figure 3: Permian Bores Hydrograph (Manual Dips)



2.4.1.3 Data Loggers

A summary of the available logger data is presented in **Table 4**. An example of a logger plot is provided in **Figure 4**, with all plots provided in **Appendix B**.




Table 4: Summary of Logger Data Available

Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
GW01	VWP	10/10/2023 – 29/04/2024	1278	Sensor depth required to calculate the water depth. Significant drifting in the logger readings has been observed
GW02	VWP	15/11/2023 – 14/04/2024	99	Sensor depth and surface elevation required to calculate the water depth. VWP sensor depth to be confirmed
GW03	VWP (01-10-6743)	17/01/2024 – 15/04/2024	5840	Unreasonable logger readings have been removed from the hydrograph. Logger data indicate a drawdown of approximately 1.7 meters from July 2023 to February 2024. However, manual measurements suggest that the water level has remained stable.
GW-9	Logger (Rugged TROLL 100)	24/04/2020 – 15/04/2024	412	-
VNW395	Logger (Rugged TROLL 100)	17/01/2024 – 17/04/2024	363	-
TR7	Logger (Rugged TROLL 100)	17/03/2012 – 19/03/2014; and 03/06/2020 – 17/04/2024	1,688	Significant drifting in the logger readings has been observed
TR18	Logger (Rugged TROLL 100)	16/04/2020 – 16/04/2024	1,462	-
VKY034C	Logger (Rugged TROLL 100)	07/01/2020 – 24/04/2024	6,294	-
VKY035C	Logger (Rugged TROLL 100)	04/11/2020 – 29/04/2024	4,930	-
VKY036C	Logger (Rugged TROLL 100)	07/01/2020 – 29/04/2024	6,185	-
VKY041C (38, 51, 70, 95, 115 m)	VWP (DT2055-02023)	11/03/2015 – 17/04/2024	~3,325/sensor	Sensor depths to be confirmed.
VKY041C (140, 170, 199 m)	VWP (DT2055-02027)	11/03/2015 – 17/04/2024	~3,325/sensor	Sensor depths to be confirmed.
VKY042C	Logger (Rugged TROLL 100)	04/11/2020 – 29/04/2024	5,061	-
VKY043C	Logger (Rugged TROLL 100)	07/01/2020 – 13/07/2023	5,135	Logger stopped reading in July 23. Based on the GWMP, the water level monitoring for this bore is required quarterly; therefore, a logger is not essentially required.
VKY3053C	VWP	04/03/2020 – 17/01/2024		No data in April 2023. Sensor depths to be confirmed.
VKY33C (38, 51, 70, 95, 115m)	VWP (DT2055-02029)	11/03/2015 – 22/01/2024	3,240/sensor	Sensor depths to be confirmed.



Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
VKY33C (140, 170, 190m)	VWP (DT2055-02087)	11/03/2015 – 22/01/2024	3,241/sensor	Sensor depths to be confirmed.
VS048 (30m)	VWP	17/06/2011 – 15/06/2012; and 04/03/2020 – 17/04/2024	7075	Sensor depths to be confirmed. The water level has been decreasing since December 2022, accumulating an approximate total decline of 0.8 metres by April 2024.
VS054	VWP (SN11-1769)	17/06/2012 – 15/06/2012; and 16/11/2023 – 17/04/2024	~7648/sensor	Sensor depths to be confirmed.
VS056-25m	VWP (SN11-1765)	04/03/2020 – 17/04/2024	1,252	Sensor depths to be confirmed.
VS056-100m	VWP (SN11-1771)	04/03/2020 – 17/04/2024	1,253	Sensor depths to be confirmed.
VS058 (30, 100, 170m)	VWP (SN11-1768)	16/04/2020 – 15/04/2024	~5,839 / sensor	
VS062	VWP	12/02/2021 – 14/04/2024	10,141	Sensor depths to be confirmed. In early March 2024, the water level was observed to have a decline of approximately 1.4 metres and since stabilised. Ongoing review to confirm accuracy of data and causation.
VS059 (30, 65, 113m)	VWP	16/04/2020 – 15/04/2024	~5840/sensor	Sensor depths to be confirmed.

Figure 4: Logger Hydrograph – VKY036C



2.4.2 TARP Trigger Level Summary

Groundwater levels in the Permian and Alluvial bores have remained steady with no significant changes or trends occurring in levels over the monitoring period.

Given no visual observation of groundwater seepage, occurring during the reporting period, this is as expected. There is insufficient data (less than 2 years) to provide commentary on seasonal fluctuations or changes in responds to climate conditions (residual rainfall mass). Analyses on these patterns will be included when more than 2 years of data has been collected.

Given the current status of mining, and lack of notable change in groundwater levels, the Groundwater Level TARP is not enacted during the monitoring period. The groundwater levels are considered to be reflective of natural conditions and not impacted by extraction activities.

2.5 Groundwater Quality and Exceedance Summary

Routine groundwater monitoring commenced in October 2023 and continues quarterly. The full April 2024 field and laboratory suite results are summarised in **Appendix C**.

Table 5 summarises the bores that have exceedances of the interim trigger values as set out in Table 8-3 of the GWMP. **Appendix D** provides a summary of all monitoring rounds to date compared to the interim trigger values or ANZECC default guideline values for slightly to moderately disturbed ecosystems.

Table 5: Summary of GW Interim Trigger Values Compared to Initial Results

Groundwater Bore ID	Parameters	Unit	Trigger Value	Monitoring Results
GW02	pH	pH unit	7.2 – 8.6	7.14
GW03	EC	µS/cm	811	862
GW-11	pH	pH unit	7.0 – 9.3	6.55
GW-7	pH	pH unit	7.7 – 8.5	8.79
	SO ₄ ²⁻	mg/L	86	399
GW-8	SO ₄ ²⁻	mg/L	86	100
GW-9	SO ₄ ²⁻	mg/L	86	128
MD01	pH	pH unit	6.7 – 8.4	10.73 [#]
MD02	pH	pH unit	6.7 – 8.4	6.59
SB02	SO ₄ ²⁻	mg/L	365	1,106
SB05	SO ₄ ²⁻	mg/L	365	520
TR18	pH	pH unit	6.7 – 8.4	6.69
	EC	µS/cm	12,315	12,730
	SO ₄ ²⁻	mg/L	86	592
TR26	SO ₄ ²⁻	mg/L	86	180
TR35	EC	µS/cm	12,315	16,740
	SO ₄ ²⁻	mg/L	86	622
TR7	pH	pH unit	7.4 – 7.8	6.71
	EC	µS/cm	12,970	14,410
	SO ₄ ²⁻	mg/L	365	501



Groundwater Bore ID	Parameters	Unit	Trigger Value	Monitoring Results
VKY034C	SO ₄ ²⁻	mg/L	86	116
VKY035C	SO ₄ ²⁻	mg/L	86	88
VKY036C	SO ₄ ²⁻	mg/L	86	281
VKY042C	pH	pH unit	6.7 – 8.4	6.61
	SO ₄ ²⁻	mg/L	86	312
VNW390	pH	pH unit	6.7 – 8.4	6.59
	SO ₄ ²⁻	mg/L	86	106
VNW391	SO ₄ ²⁻	mg/L	86	96
VNW392	pH	pH unit	6.7 – 8.4	6.66
	SO ₄ ²⁻	mg/L	86	296
VNW393	SO ₄ ²⁻	mg/L	86	200
VNW394	SO ₄ ²⁻	mg/L	365	560
GW-2	pH	pH unit	6.9 – 8.3	6.85
WR-1	pH	pH unit	6.9 – 8.3	6.70
	EC	µS/cm	10,083	26,500
	SO ₄ ²⁻	mg/L	365	1,320
WR-2	pH	pH unit	6.9 – 8.3	6.57
	EC	µS/cm	10,083	25,340
	SO ₄ ²⁻	mg/L	365	1,540

- value considered not representative of aquifer. Bore investigation and purge undertaken in Feb 2024, found bore potentially failed and high pH due to grout contamination.



The trigger level exceedances summarised in **Table 5** are unlikely to be a result of mining and highly likely to be due to natural variation in water quality as mining has not yet impacted the water table. The interim trigger levels were defined utilising standard guideline value and consequently are not reflective of the local natural conditions. As per the GWMP, these trigger values will be updated when reasonable baseline data is collected.

Given no indication of groundwater incursion is present and the early position in the project life cycle, it is highly unlikely these exceedances of interim trigger values reflect response to mining. Consequently, the groundwater quality results indicate a 'normal condition' TARP response.



3.0 Action and Response

Based on the results summary presented in **Section 2.0**, the fact that both Groundwater Level and Groundwater Quality are considered “Normal Conditions”, there are no specific action and responses required.



4.0 Recommendations

Table 6 provides a summary of the historical recommendations, from Annual and prior quarterly reporting, with a comment on their current status.

Table 6: Summary and Status of Recommendations to Date

Recommendation	Cited	Status
Several monitoring wells were unlocated (GW-2) or inaccessible (GW030051, GW030052, and GW036459) during the reporting period. It is recommended to locate these wells for future monitoring or provide justifications for updating the GWMP.	2023 Annual Review/Quarterly Report	ONGOING: GW-2 has been located in April 2024 monitoring event, and therefore continue monitoring GW-2 in the ongoing events. GW030051, GW030052, and GW036459 were not accessible for the January monitoring. Review their suitability for the ongoing monitoring. Monitoring network review underway.
Continue the monitoring program and the quarterly reporting on groundwater levels and quality as outlined in the GWMP.	2023 Annual Review	COMPLETE/ONGOING: ongoing monitoring and reporting established.
Survey two new bores WR1 and WR2 for location and incorporate into the next monitoring round.	January Quarterly	COMPLETE: Based on the fieldnote, the location have been surveyed for WR1 (227743, 6596215) and WR2 (227762, 6595746)
Review necessity of MD01 to network, as investigation indicate the bore is damaged. Confirm whether requires replacement or removal from the monitoring regime.	January Quarterly	ONGOING: Bore replacement planned within upcoming quarterly reporting period.
Logger to be replaced in bore VKY043C.	January Quarterly	COMPLETE: The faulty logger in VKY043C was removed in April 2024, and no replacement has been installed as continuous monitoring of this bore is not required according to the GWMP; thus, a logger is considered unnecessary.
GW-7: field sampling contractors noted this site was overgrown and dangerous. It is recommended to perform site maintenance prior to next monitoring event.	January Quarterly	COMPLETE: GW-7 has been sampled in April 2024.
VNW223 is blocked at ~1.3 mbtoc and was unable to be sampled since January. Recommend investigate blockage and action accordingly.	January Quarterly	ONGOING: VNW223 remained blocked in April 2024. Review planned.

Recommendations based on the review and analysis completed herein, are as follows:

- Review logger data from TR7 and GW01, as appears erroneous, and replace as necessary.
- Review depth of GW-2, cited as >150 mbgl, which is inconsistent with historical records indicating a shallow bore screening the alluvium.
- VNW223 is blocked at 1.3 mbtoc and was unable to be sampled since January. Recommend investigate blockage and action accordingly.




- Elevation survey of all bores to assist with groundwater level trigger development and plotting of bores as reduced water levels (i.e. as metres below Australian height datum – mAHD).
- Verify sensor depths for all VWPs in the network to assist with groundwater level calculation (calibration certificates in hand for review and update of database). Revise trigger levels based on updated sensor depth and calibration data.
- When adequate baseline data becomes available, review and update the trigger values.



5.0 References

- Hydrosimulations. 2018. "Vickery Extension Project: Groundwater Assessment. Report ."
- Queensland Government. 2024. *SILLO Long Paddock*. <https://www.longpaddock.qld.gov.au/>.
- Whitehaven. 2023. "Vickery Coal Mine Water Management Plan Appendic C Groundwater Management Plan."





Appendix A Trigger Action Response Plan

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review February 2024 – April 2024


Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

5 July 2024

Performance Measure and Indicator, TARP Objective and Assessment Criteria	Monitoring Program	Management		
		Trigger	Action	Response
<u>Performance Measure Feature</u> Negligible groundwater level impact on the Namoi Alluvium aquifer and associated surface watercourses, groundwater dependent ecosystems, and private landowner bores. Negligible groundwater level impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater impacts (Hydrosimulations, 2018). <u>TARP Objective</u> This TARP defines levels of deviation in groundwater level from 'normal' conditions and the actions to be implemented in response to each level deviation as a result of open cut mining. <u>Assessment Criteria</u> Bore specific trigger values are based on the water levels across the entire history of monitoring in each individual bore and the predicted impacts from the Hydrosimulations (2018) numerical groundwater model.	<u>Locations</u> Open standpipes and VWPs All monitoring locations as set out in Table 4-1 of the Groundwater Management Plan (GWMP). All monitoring locations are shown in Figure 4-1 of the GWMP. <u>Monitoring Frequency</u> During mining Quarterly manual measurements of water level. Continuous monitoring in bores installed with Vibrating Wire Piezometers (VWPs) and data loggers. Post-mining TBC	Normal Condition		
		Groundwater level remains above the respective trigger limits (defined as the 95th percentile over the baseline period and detailed in Table 8-2 of the GWMP) for each individual groundwater bore.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		One quarterly monitoring result shows an exceedance of the trigger limit as detailed in Table 8-2 of the GWMP.	<i>Actions as required for Normal Condition.</i> - Re-sample of groundwater level within seven days.	Report declines and climate investigation outcomes in Annual Review.
		Level 2		
		- Groundwater level in a groundwater bore exceeds the respective trigger limit during three consecutive quarterly monitoring rounds. OR - Complaint received by landowners of private bores regarding groundwater level declines.	<i>Actions as stated in Level 1.</i> For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to check and validate the data and assess cause of trigger exceedances to determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater levels to be carried out by qualified personnel. - Increase monitoring and review of data frequency for sites where Level 2 has been reached, subject to land access. For Private Bores: - Undertake investigation to demonstrate if the decline will impact the long-term viability of the affected water supply works. - Commence level monitoring of said private bore in quarterly monitoring rounds, subject to negotiation and land access restrictions. The investigation will be commenced/ completed as efficiently as practicable.	<i>Responses as stated in Level 1.</i> - Include outcomes from the preliminary investigation report in Annual Review.
		Level 3		
		- The reduction in water level is determined in the Level 2 preliminary investigation not to be controlled by climatic or external anthropogenic factors. OR - Groundwater level in a groundwater bore continues to exceed the respective trigger limit during six consecutive monitoring rounds.	<i>Actions as stated in Level 2.</i> For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review groundwater model. For Private Bores: - Review corrective management actions (CMAs) as specified in Section 8.3 of the GWMP considering findings from further investigations and consider additional reasonable and feasible options.	<i>Responses as stated in Level 2.</i> - Report trigger exceedance to DPE and key stakeholders. Provide the detailed investigation report to relevant agencies within a reasonable timeframe of identifying the non-compliance. - Report trigger exceedance and investigation outcomes in Annual Review. - Develop/design contingency and remedial measures based on the results of the above investigations. Contingency and remedial measures considered practical for implementation may include: - Undertake landholder and government consultation; - Offset groundwater leakage from the Namoi Alluvium aquifer; - Review and refine the GWMP including undertaking additional specific monitoring of private landholder bores; - Review Site Water Balance and predictive groundwater model; and - Review mine plan impacts on alluvial groundwater source. For Private Bores: - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 8.3 of the GWMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed "make-good" arrangements). - Monitor and report on success of CMAs in Annual Review.

Performance Measure and Indicator, TARP Objective and Assessment Criteria	Monitoring Program	Management		
		Trigger	Action	Response
<u>Performance Measure Feature</u> Negligible quality impact on the Namoi Alluvium aquifer and associated surface watercourses and private landholder bores. Negligible quality impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater impacts (Hydrosimulations, 2018). <u>TARP Objective</u> This TARP defines levels of deviation in groundwater quality from baseline conditions and the actions to be implemented in response to each level deviation. <u>Assessment Criteria</u> Quality in each monitoring bore remains within the 5th and 95th percentile of the baseline conditions set out in Table 8-4 of the GWMP for the following parameters: - Electrical Conductivity; - pH; and - Sulfate. Other major and metal ions will be assessed against the relevant ANZECC guidelines.	<u>Locations</u> Open standpipes All open standpipe monitoring locations as set out in Table 4-2 of the GWMP. <u>Monitoring Frequency</u> During mining pH and EC will be measured in the field on a quarterly basis in the alluvial and waste rock deposits (after waste rock bores installed) and on a biannual basis in the Permian geology . Other parameters (detailed in Table 4-2 of the GWMP) to be measured on an annual basis. Post-mining TBC	Normal Condition		
		- Groundwater pH remains within the baseline 5th and 95th percentile range, as specified in the GWMP. - Other groundwater quality parameters remain below the baseline 95th percentile, as specified in the GWMP.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		Two six-monthly exceedances or one annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters).	<i>Actions as required for Normal Condition.</i> - Re-sample of groundwater quality within seven days.	Report exceedances in Annual Review.
		Level 2		
		- Three consecutive six-monthly exceedances or two annual quality exceedances (including re-samples from Level 1) outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters). OR - Complaint received by landowners of private bores regarding groundwater quality declines.	<i>Actions as stated in Level 1.</i> For Open Standpipe Monitoring Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to assess cause of quality exceedances and determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater quality to be carried out by qualified personnel. For Private Bores: - Collect quality sample from said private bore for comparison with wider aquifer data, subject to negotiation and land access restrictions. - Undertake investigation to demonstrate if quality will impact the long-term viability of the affected water supply works. The investigation will be commenced/ completed as efficiently as practicable.	<i>Responses as stated in Level 1.</i> - Include outcomes from the preliminary investigation report in Annual Review.
		Level 3		
		- The water quality changes are determined from Level 2 preliminary investigation to not be controlled by climatic, local land uses, or other external anthropogenic factors. OR - Groundwater quality continues to decline with six consecutive six-monthly exceedances or three annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters).	<i>Actions as stated in Level 2.</i> For Private Bores and Open Standpipe Monitoring Bores - Increase monitoring to at least quarterly measurements for sites where Level 3 has been reached, subject to land access. - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review corrective management actions (CMAs) as specified in Section 8.3 of the WMP considering findings from further investigations and consider additional reasonable and feasible options.	<i>Responses as stated in Level 2.</i> For Private Bores and Open Standpipe Monitoring Bores: - Report trigger exceedance to DPE and key stakeholders. - Report trigger exceedance and investigation outcomes in Annual Review. For Private Bores, if the changes have been confirmed to be related to mining effects: - Initiate negotiations with impacts landowners as soon as practicable. Consider all reasonable and feasible options for remediation as relevant (e.g., isolation, remediation, etc.). - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 10.2.2 of the WMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed “make-good” arrangements). - Monitor and report on success of CMAs in Annual Review.



Appendix B Groundwater Level Results







Vickery Extension Project Groundwater Monitoring Report







Quarterly Review February 2024 – April 2024







Whitehaven Coal Ltd







SLR Project No.: 640.031099.00001







5 July 2024


































Appendix C Groundwater Quality Results

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review February 2024 – April 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

5 July 2024

Table C-1: Field GW Monitoring Data

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
SB02	24-10-2023 10:40	7.21	7250	24.1	44	Nil	Slightly turbid	Orange	Quarterly sampling
GW01	24-10-2023 9:36	7.33	1042	22.4	79	Nil	Clear	Colourless	Quarterly sampling
SB15	24-10-2023 10:10	7.29	1019	22.6	59	Nil	Clear	Colourless	Quarterly sampling
SB06	24-10-2023 7:35	7.35	3280	20.6	41	Nil	Clear	Colourless	Quarterly sampling
SB11	24-10-2023 8:25	7.26	1080	22.6	46	Nil	Clear	Colourless	Quarterly sampling
SB10	23-10-2023 15:55	7.43	1880	24.3	34	Nil	Clear	Colourless	Quarterly sampling; small amount of sediment in water
SB05	23-10-2023 16:20	2.09	3740	25	43	Nil	Clear	Colourless	Quarterly sampling
SB09	23-10-2023 15:20	3.32	949	27.3	28	Nil	Slightly turbid	Orange/brown	Quarterly sampling; a lot of sediment in water, possible rust particles
SB01	23-10-2023 15:00	7.44	1541	26.5	36	Nil	Clear	Colourless	Quarterly sampling
SB04	23-10-2023 13:19	7.29	2680	28.2	47	Slight	Slightly turbid	Grey	Quarterly sampling; bailed due to depth; Standpipe extremely unstable; too shallow to hydrasleeve so bailed to test.
SB08	23-10-2023 13:35	7.24	983	26.3	41	Nil	Clear	Colourless	Quarterly sampling
SB07	23-10-2023 11:47	7.35	770	23.2	46	Nil	Clear	Colourless	Quarterly sampling
GW02	23-10-2023 10:51	7.59	731	25.2	25	Nil	Clear	Colourless	Quarterly sampling
MD01	25-10-2023 9:50	11.58	1799	25.6	-91	Slight	Clear	Colourless	Quarterly sampling; Slight unknown odour. No cap on bore;
MD02	25-10-2023 11:10	6.84	1195	27.4	-69	Nil	Clear	Colourless	Quarterly sampling
GW03	23-10-2023 14:14	7.19	862	25.9	21	Nil	Clear	Colourless	Quarterly sampling; fence panels down and logger missing (assume down the bore).
TR26	25-10-2023 12:00	7.06	6290	26.3	52	Nil	Clear	Colourless	Quarterly sampling
TR7	25-10-2023 12:25	6.53	####	26.4	61	Nil	Clear	Colourless	Quarterly sampling
TR18	25-10-2023 13:30	6.58	####	27.8	99	Nil	Clear	Colourless	Quarterly sampling
TR35	25-10-2023 14:10	6.66	####	25.5	-55	Slight	Clear	Colourless	Quarterly sampling
VKY043C	26-10-2023 8:25	7.72	2990	20	-32	Nil	Clear	Colourless	Quarterly sampling
VKY042C	26-10-2023 11:45	6.75	5420	28.1	-28	Nil	Clear	Colourless	Quarterly sampling; Unable to determine total bore depth as it was greater than 150m (length of the dip tape)
VKY035C	26-10-2023 10:40	7.1	3110	25.5	-26	Nil	Clear	Colourless	Quarterly sampling
VKY034C	26-10-2023 9:15	7.3	3590	23.4	70	Nil	Clear	Colourless	Quarterly sampling
VKY036C	26-10-2023 12:40	7.08	5600	25.1	-39	Nil	Clear	Colourless	Quarterly sampling
VNW390	24-10-2023 12:35	6.92	2300	22.6	-96	Moderate	Clear	Colourless	Quarterly sampling; Sulphur odour
VNW391	24-10-2023 14:20	7.04	2530	23.9	-60	Nil	Clear	Colourless	Quarterly sampling
VNW392	22-11-2023 13:58	6.74	3690	20.8	-96	Slight	Clear	Colourless	Quarterly sampling; No access - locked out on 24/10/2023; Sampled 22/11/2023; Slight H2S odour
VNW393	24-10-2023 13:05	7.36	2740	22.1	26	Slight	Clear	Colourless	Quarterly sampling; Slight sulphur odour
VNW394	22-11-2023 13:12	7.13	5520	12.8	-70	Nil	Slight	Grey	Quarterly sampling;
VNW395	24-10-2023 13:41	7.47	463	20.9	57	Slight	Clear	Colourless	Quarterly sampling; no logger
GW-8	22-11-2023 15:47	7.11	4290	22.5	-176	Nil	Slight	Brown	Quarterly sampling; Unable to locate on 27/10/2023; Sampled 22/11/2023
GW-7	27-10-2023 11:50	8.89	4300	22.7	60	Nil	Clear	Colourless	Quarterly sampling; Suspended matter in water
VNW223	27-10-2023 10:10	7.25	5940	19.9	49	Nil	Clear	Colourless	
GW-11	27-10-2023 9:40	7.36	4360	21.5	-111	Nil	Clear	Colourless	Quarterly sampling; old windmill overhead
GW-9	27-10-2023 12:55	7.94	6110	22.6	-87	Nil	Clear	Brown	Quarterly sampling; old windmill overhead
VKY GW Duplicate 1	24-10-2023 8:25	7.26	1081	22.6	46	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from SB11
VKY GW Duplicate 2	26-10-2023 8:25	7.71	2990	20.1	-32	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from VKY0043C
VKY GW Lab Split Dup 1	24-10-2023 8:25	7.27	1080	22.7	47	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from SB11

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY GW Lab Split Dup 2	26-10-2023 8:25	7.71	2990	20	-33	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from VKY0043C
VKY GW Blank	24-10-2023 7:35	8.77	13	15.4	70	Nil	Clear	Colourless	Quarterly sampling; blank
SB02	25-10-2023 12:25	7.28	7330	22.5	Clear	Nil	Slightly turbid	Orange	
GW01	23-01-2024 7:39	7.2	1265	19.6	-15.7	Nil	Clear	Colourless	
SB15	23-01-2024 8:05	7.23	1070	21.1	-88	Nil	Clear	Colourless	
SB06	17-01-2024 12:55	7.61	3460	26.5	-84	Nil	Turbid	Brown	
SB11	17-01-2024 13:26	7.7	1021	26.4	-62	Nil	Clear	Colourless	
SB10	17-01-2024 13:49	7.47	1972	29.7	-69	Nil	Clear	Colourless	
SB05	17-01-2024 14:31	7.73	3690	28	-131	Nil	Clear	Colourless	
SB09	17-01-2024 15:18	7.56	1014	26.1	-70	Nil	Slightly turbid	Black	
SB01	17-01-2024 14:58	7.31	1716	28.3	-70	Nil	Clear	Colourless	
SB04	17-01-2024 15:51	7.43	3360	24.6	-188	Slightly	Clear	Colourless	Slight H2S odour
SB08	18-01-2024 16:09	7.39	1115	23.4	-119	Nil	Clear	Colourless	
SB07	17-01-2024 16:32	7.47	919	24.5	-87	Nil	Clear	Colourless	
GW02	18-01-2024 10:54	7.79	971	23.9	-74	Nil	Clear	Colourless	
MD01	18-01-2024 9:10	11.69	1786	22.9	-135	Nil	Slightly turbid	Brown	
MD02	23-01-2024 10:29	6.78	1306	24.3	-140	Nil	Clear	Colourless	
GW03	23-01-2024 6:59	7.16	888	19.6	66	Nil	Clear	Colourless	
TR26	18-01-2024 13:35	7.16	8380	24.8	-62	Nil	Slightly turbid	Brown	
TR7	18-01-2024 13:55	7.05	1539	25.2	-30	Nil	Slightly turbid	Brown	
TR18	18-01-2024 14:28	6.85	1364	24.5	-21	Nil	Slightly turbid	Brown	
TR35	18-01-2024 15:25	6.75	1733	24	-63	Nil	Clear	Colourless	
VKY043C	18-01-2024 14:58	7.8	3410	24.1	-74	Nil	Clear	Colourless	
VKY042C	23-01-2024 12:58	6.72	5430	31	-119	Nil	Clear	Colourless	
VKY035C	23-01-2024 12:14	7.01	3340	27.2	-170	Nil	Clear	Colourless	
VKY034C	23-01-2024 11:05	6.94	3850	29.4	-149	Nil	Slightly turbid	Brown	
VKY036C	23-01-2024 11:35	6.79	5810	28.7	-139	Nil	Clear	Colourless	
VNW390	17-01-2024 11:23	7.13	2376	24.3	-69	Nil	Clear	Colourless	
VNW391	17-01-2024 11:52	7.31	2471	23.1	-109	Nil	Clear	Colourless	
VNW392	17-01-2024 12:22	6.74	3310	26.1	-149	Nil	Clear	Grey	
VNW393	17-01-2024 10:51	7.56	2830	29.5	-90	Slightly	Clear	Colourless	Very slight H2S odour
VNW394	17-01-2024 9:30	6.92	5410	23.9	-104	Nil	Slightly turbid	Grey	
VNW395	17-01-2024 11:39	7.77	1395	27	-168	Nil	Clear	Grey	
GW-8	24-01-2024 13:55	7.03	3950	26.5	-208	Nil	Clear	Black	
GW-7	23-01-2024 9:12	8.82	4490	23	-64	Nil	Clear	Colourless	Site overgrown and dangerous - Need cleaning up
VNW223	24-01-2024	-	-	-	-	-	-	-	Blocked at 1.3 mbtoc
GW-11	23-01-2024 14:26	6.93	4340	30.6	-192	Nil	Slightly turbid	Orange	
GW-9	23-01-2024 13:49	6.68	3320	24.2	-196	Nil	Slightly turbid	Brown	No logger
GW030051	-	-	-	-	-	-	-	-	No access - NSWWater locked bore
GW030052	-	-	-	-	-	-	-	-	No access - NSWWater locked bore

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
GW-2	-	-	-	-	-	-	-	-	Unable to locate
VKY GW Duplicate 1 - MD01	18-01-2024 9:38	11.54	1848	22.9	-147	Nil	Slightly turbid	Brown	
VKY GW Duplicate 2 - GW-11	23-01-2024 14:26	-	-	-	-	-	-	-	
VKY GW Lab Split Dup 1 - MD01	18-01-2024 9:42	11.73	1872	22.9	-149	Nil	Slightly turbid	Brown	
VKY GW Lab Split Dup 2 -	23-01-2024 13:53	6.65	3490	24.8	-193	Nil	Slightly turbid	Brown	
VKY GW Blank	17-01-2024 9:35	8.94	3.1	22.8	100	Nil	Clear	Colourless	
VS058	15-04-2024 13:49								Li Battery 3.67V
SB02	15-04-2024 13:36	7.14	7210	24.7	-128	Nil	Slightly Turbid	Orange	
GW01	15-04-2024 13:12	7.14	1384	26.5	-127	Nil	Slightly Turbid	Black	Suspended solids minor
SB15	15-04-2024 12:56	7.17	972	27	43	Nil	Clear	Clear	Suspended solids minor
SB06	15-04-2024 12:21	7.42	3410	26.1	-70	Nil	Turbid	Black	
SB11	15-04-2024 12:37	7.45	1048	24.3	69	Nil	Clear	Clear	
SB10	15-04-2024 11:11	7.28	1859	24	-5	Nil	Slightly Turbid	Black	Suspended solids minor
SB05	15-04-2024 11:31	7.63	3680	22.9	-113	Nil	Slightly Turbid	Black	Suspended solids moderate
SB09	15-04-2024 10:52	7.27	973	21.7	-61	Nil	Turbid	Black	Suspended solids minor
SB01	15-04-2024 10:34	7.2	1698	24.1	-91	Nil	Clear	Grey	Suspended solids minor
SB04	15-04-2024 9:21	7.27	1868	24.1	-214	Yes	Turbid	Black	Sufer odour, suspended solids
SB08	15-04-2024 9:31	7.17	1039	21.2	-55	Nil	Clear	Clear	
SB07	15-04-2024 8:48	7.28	934	21	57	Nil	Clear	Clear	Suspended solids minor
GW02	15-04-2024 8:16	7.14	926	24.3	8	Nil	Clear	Clear	Suspended solids moderate
VS062	15-04-2024 9:04								Li Battery 3.64V
VS059	15-04-2024 12:05								Li Battery 3.64V
VS056	17-04-2024 11:23								
	17-04-2024 11:26								
MD01	18-04-2024 10:23	10.73	1283	24.2	-286	Strong	Slightly Turbid	Grey	Strong fecal odour
VS048	17-04-2024 10:59								
VS054	17-04-2024 11:50								Li Battery 3.65V
MD02	17-04-2024 11:38	6.59	1210	31.1	-114	Slight	Clear	Clear	Suspended solids moderate
GW03	15-04-2024 9:56	7.05	862	24	-26	Nil	Clear	Grey	Suspended solids minor
TR26	17-04-2024 12:31	7.11	5180	29.4	60	Nil	Clear	Clear	
TR7	17-04-2024 12:49	6.71	####	27.4	157	Nil	Clear	Orange	Logger length recorded
TR18	17-04-2024 13:26	6.69	####	27.8	57	Nil	Slightly Turbid	Orange	Logger length recorded
TR35	17-04-2024 14:20	6.72	####	22.8	48	Nil	Clear	Clear	
VKY43C	17-04-2024 14:06	7.65	3410	23.6	-47	Nil	Slightly Turbid	Orange	Logger was not working, removed at client request, not being replaced
VKY041C	17-04-2024 12:14								51.7% (should be battery)
	17-04-2024 12:17								35.2% (battery?)
VKY042C	29-04-2024 10:32	6.61	5480	24.3	-36	Nil	Clear	Clear	last 8m of logger cable rusty
VKY33C	18-04-2024 11:03	-	-	-	-	-	-	-	-
	18-04-2024 11:04	-	-	-	-	-	-	-	-
VKY035C	29-04-2024 14:41	6.88	3230	25	-120	Nil	Clear	Clear	
VKY034C	29-04-2024 9:58	7.05	4030	23.4	-80	Nil	Clear	Grey	

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY036C	29-04-2024 14:10	6.8	5780	24.6	-93	Nil	Clear	Clear	
VKY3053C	29-04-2024 8:41	-	-	-	-	-	-	-	In forest? Incline to east VKY034C; Battery = 34.9%
VNW390	17-04-2024 8:30	6.59	2291	23.9	-98	Yes	Clear	Clear	Very slight sulfur odour
VNW391	17-04-2024 10:11	7.06	2352	24.3	-107	Nil	Clear	Clear	
VNW392	17-04-2024 10:25	6.66	3480	21.9	-90	Nil	Clear	Grey	Suspended solids minor
VNW393	15-04-2024 14:40	7.2	2840	26.9	-103	Nil	Clear	Grey	
VNW394	15-04-2024 14:16	6.94	5400	25.7	-104	Nil	Turbid	Black	
VNW395	17-04-2024 9:28	7.77	1681	27.1	41	Nil	Clear	Clear	Logger length recorded
GW036459		-	-	-	-	-	-	-	-
GW-8	29-04-2024 8:28	6.95	4000	19.7	-151	Nil	Clear	Grey	
GW-7	30-04-2024 11:31	8.79	4560	21.9	97	Nil	Clear	Clear	
VWN223	29-04-2024 13:42	-	-	-	-	-	-	-	Blocked at 1.3m
GW-11	29-04-2024 12:59	6.59	4550	25.1	-123	Nil	Clear	Orange	
GW-9	29-04-2024 12:10	6.81	5630	22.2	-125	Nil	Slightly Turbid	Orange	
GW030051		-	-	-	-	-	-	-	No access, NSW Water locked bore
GW030052		-	-	-	-	-	-	-	No access, NSW Water locked bore
GW-2	29-04-2024 11:30	6.85	1218	25.3	70	Nil	Clear	Clear	Located, NotE?
WR-1	30-04-2024 10:15	6.7	####	22.7	217	Nil	Clear	Grey	Logger + HS installed
WR-2	30-04-2024 11:50	6.57	####	22.5	155	Nil	Slightly Turbid	Orange	Logger + HS installed
VKY GW Duplicate 1 - VWN390	17-04-2024 9:07	6.72	2320	22.4	-96	Nil	Clear	Clear	
VKY GW Duplicate 2 - GW-9	29-04-2024 12:33	6.72	5650	22.4	-155	Nil	Clear	Orange	
VKY GW Blank	17-04-2024 8:25	7.56	3.7	18.1	141	Nil	Clear	Clear	
VKY GW Lab Split Dup 1 - TR18	17-04-2024 13:52	6.77	####	25.2	139	Nil	Slightly Turbid	Orange	
VKY GW Lab Split Dup 2 - GW-11	29-04-2024 13:20	6.55	4520	25.1	-121	Nil	Clear	Orange	

Table C-2: Laboratory GW Monitoring Data (as COA provided by ALS)



CERTIFICATE OF ANALYSIS

Work Order : **ES2413421**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : All Deliverables
Address : Unit 3 2 Enterprise Cres
Singleton NSW 2330
Telephone : +61 02 6571 3334
Project : Vickery Qtrly GW
Order number : ----
C-O-C number : ----
Sampler : Greg Quayle, Lee Jordan
Site :
Quote number : SYBQ/403/21v3 and PLANNED EVENTS
No. of samples received : 30
No. of samples analysed : 30

Page : 1 of 20
Laboratory : Environmental Division Sydney
Contact : Jessica Chen
Address : 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone : +61-2-8784 8555
Date Samples Received : 24-Apr-2024 16:32
Date Analysis Commenced : 24-Apr-2024
Issue Date : 02-May-2024 14:11



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- As per QWI – EN55-3 Data Interpreting Procedures, Ionic balances are typically calculated using Major Anions - Chloride, Alkalinity and Sulfate; and Major Cations - Calcium, Magnesium, Potassium and Sodium. Where applicable and dependent upon sample matrix, the Ionic Balance may also include the additional contribution of Ammonia, Dissolved Metals by ICPMS and H⁺ to the Cations and Nitrate, SiO₂ and Fluoride to the Anions.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.
- ED045G: The presence of Thiocyanate, Thiosulfate and Sulfite can positively contribute to the chloride result, thereby may bias results higher than expected. Results should be scrutinised accordingly.



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB02	GW01	SB15	SB06	SB11
Sampling date / time				15-Apr-2024 13:36	15-Apr-2024 13:12	15-Apr-2024 12:56	15-Apr-2024 12:21	15-Apr-2024 12:37
Compound	CAS Number	LOR	Unit	ES2413421-001	ES2413421-002	ES2413421-003	ES2413421-004	ES2413421-005
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.81	7.89	7.92	8.02	8.11
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	7480	1220	1020	3520	1080
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	4800	748	642	2350	681
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	872	475	452	602	474
Total Alkalinity as CaCO3	----	1	mg/L	872	475	452	602	474
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	1160	132	95	362	93
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	1280	67	37	620	37
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	83	70	74	41	32
Magnesium	7439-95-4	1	mg/L	70	44	42	41	24
Sodium	7440-23-5	1	mg/L	1520	161	110	697	190
Potassium	7440-09-7	1	mg/L	2	1	1	1	1
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.002	<0.001	<0.001	0.003	<0.001
Barium	7440-39-3	0.001	mg/L	0.030	0.073	0.066	0.097	0.050
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	0.021



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB02	GW01	SB15	SB06	SB11
Sampling date / time				15-Apr-2024 13:36	15-Apr-2024 13:12	15-Apr-2024 12:56	15-Apr-2024 12:21	15-Apr-2024 12:37
Compound	CAS Number	LOR	Unit	ES2413421-001	ES2413421-002	ES2413421-003	ES2413421-004	ES2413421-005
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	0.002	<0.001	<0.001	0.002	<0.001
Nickel	7440-02-0	0.001	mg/L	0.003	<0.001	<0.001	0.002	0.002
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.018	<0.005	<0.005
Manganese	7439-96-5	0.001	mg/L	0.697	0.063	0.004	1.19	0.006
Molybdenum	7439-98-7	0.001	mg/L	0.004	<0.001	<0.001	0.003	<0.001
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	2.28	1.43	1.42	1.24	0.729
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L	0.13	0.06	0.05	0.12	0.05
Iron	7439-89-6	0.05	mg/L	2.17	0.06	<0.05	<0.05	<0.05
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	0.18	0.05	0.05	0.06	<0.01
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.02	0.32	0.49	0.02	0.25
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.02	0.32	0.49	0.02	0.25
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	2.72	0.14	0.09	1.86	0.04
EN055: Ionic Balance								
∅ Total Anions	----	0.01	meq/L	77.7	14.1	12.0	37.0	12.4
∅ Total Cations	----	0.01	meq/L	76.1	14.1	12.0	35.8	11.9



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB02	GW01	SB15	SB06	SB11
Sampling date / time					15-Apr-2024 13:36	15-Apr-2024 13:12	15-Apr-2024 12:56	15-Apr-2024 12:21	15-Apr-2024 12:37
Compound	CAS Number	LOR	Unit		ES2413421-001	ES2413421-002	ES2413421-003	ES2413421-004	ES2413421-005
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
Ø Ionic Balance	-----	0.01	%		1.05	0.05	0.39	1.77	2.42
EP020: Oil and Grease (O&G)									
Oil & Grease	-----	5	mg/L		<5	<5	<5	5	<5



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB10	SB05	SB09	SB01	SB04
Sampling date / time					15-Apr-2024 11:11	15-Apr-2024 11:31	15-Apr-2024 10:52	15-Apr-2024 10:34	15-Apr-2024 09:21
Compound	CAS Number	LOR	Unit		ES2413421-006	ES2413421-007	ES2413421-008	ES2413421-009	ES2413421-010
					Result	Result	Result	Result	Result
EA005P: pH by PC Titrator									
pH Value	----	0.01	pH Unit		8.00	8.17	7.92	7.81	7.84
EA010P: Conductivity by PC Titrator									
Electrical Conductivity @ 25°C	----	1	µS/cm		1860	3780	940	1670	2000
EA015: Total Dissolved Solids dried at 180 ± 5 °C									
Total Dissolved Solids @180°C	----	10	mg/L		1200	2380	574	991	1260
ED037P: Alkalinity by PC Titrator									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L		<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L		<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L		635	749	415	566	583
Total Alkalinity as CaCO3	----	1	mg/L		635	749	415	566	583
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L		196	520	70	190	220
ED045G: Chloride by Discrete Analyser									
Chloride	16887-00-6	1	mg/L		152	482	44	150	228
ED093F: Dissolved Major Cations									
Calcium	7440-70-2	1	mg/L		46	30	56	99	74
Magnesium	7439-95-4	1	mg/L		38	24	32	64	55
Sodium	7440-23-5	1	mg/L		348	782	125	207	346
Potassium	7440-09-7	1	mg/L		<1	<1	<1	1	<1
EG020F: Dissolved Metals by ICP-MS									
Aluminium	7429-90-5	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L		0.001	0.004	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L		0.060	0.060	0.059	0.112	0.077
Cadmium	7440-43-9	0.0001	mg/L		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB10	SB05	SB09	SB01	SB04
Sampling date / time				15-Apr-2024 11:11	15-Apr-2024 11:31	15-Apr-2024 10:52	15-Apr-2024 10:34	15-Apr-2024 09:21
Compound	CAS Number	LOR	Unit	ES2413421-006	ES2413421-007	ES2413421-008	ES2413421-009	ES2413421-010
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	0.005	<0.001
Nickel	7440-02-0	0.001	mg/L	<0.001	0.002	<0.001	0.027	<0.001
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.013	<0.005	<0.005
Manganese	7439-96-5	0.001	mg/L	0.146	0.405	0.306	0.730	0.094
Molybdenum	7439-98-7	0.001	mg/L	0.002	0.005	<0.001	0.005	<0.001
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	1.07	0.711	0.962	1.98	1.50
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L	0.08	0.13	<0.05	0.05	0.08
Iron	7439-89-6	0.05	mg/L	<0.05	0.06	<0.05	0.09	<0.05
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	0.03	0.15	0.04	0.04	0.14
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.19	0.45	0.12	0.01	0.05
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.19	0.45	0.12	0.01	0.05
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.10	2.04	0.22	0.25	0.53
EN055: Ionic Balance								
∅ Total Anions	----	0.01	meq/L	21.0	39.4	11.0	19.5	22.7
∅ Total Cations	----	0.01	meq/L	20.6	37.5	10.9	19.2	23.3



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB10	SB05	SB09	SB01	SB04
Sampling date / time					15-Apr-2024 11:11	15-Apr-2024 11:31	15-Apr-2024 10:52	15-Apr-2024 10:34	15-Apr-2024 09:21
Compound	CAS Number	LOR	Unit		ES2413421-006	ES2413421-007	ES2413421-008	ES2413421-009	ES2413421-010
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%		1.19	2.47	0.57	0.67	1.32
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB08	SB07	GW02	MD01	MD02
Sampling date / time				15-Apr-2024 09:31	15-Apr-2024 08:48	15-Apr-2024 08:16	18-Apr-2024 10:23	17-Apr-2024 11:38
Compound	CAS Number	LOR	Unit	ES2413421-011	ES2413421-012	ES2413421-013	ES2413421-014	ES2413421-015
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.82	7.90	7.91	10.6	7.46
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	1020	912	930	1160	1230
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	645	592	584	638	702
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	23	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	342	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	406	391	390	<1	551
Total Alkalinity as CaCO3	----	1	mg/L	406	391	390	365	551
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	88	78	81	26	28
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	66	41	44	128	87
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	69	54	50	7	81
Magnesium	7439-95-4	1	mg/L	40	29	26	<1	52
Sodium	7440-23-5	1	mg/L	116	135	140	229	131
Potassium	7440-09-7	1	mg/L	<1	<1	1	23	9
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	0.28	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	0.002	0.003
Barium	7440-39-3	0.001	mg/L	0.052	0.046	0.047	0.017	0.249
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	0.011	0.001	0.007	0.006	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB08	SB07	GW02	MD01	MD02
Sampling date / time				15-Apr-2024 09:31	15-Apr-2024 08:48	15-Apr-2024 08:16	18-Apr-2024 10:23	17-Apr-2024 11:38
Compound	CAS Number	LOR	Unit	ES2413421-011	ES2413421-012	ES2413421-013	ES2413421-014	ES2413421-015
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L	<0.001	<0.001	<0.001	0.006	0.019
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	<0.005	0.213	<0.005
Manganese	7439-96-5	0.001	mg/L	0.001	<0.001	0.026	<0.001	0.051
Molybdenum	7439-98-7	0.001	mg/L	<0.001	<0.001	<0.001	0.019	0.003
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	1.04	0.662	0.602	0.113	1.16
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L	0.05	<0.05	<0.05	<0.05	<0.05
Iron	7439-89-6	0.05	mg/L	<0.05	<0.05	<0.05	<0.05	3.66
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.01	0.05	19.8	0.29
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.15	0.30	0.39	0.03	0.25
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.15	0.30	0.39	0.03	0.25
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.05	0.06	0.17	0.49	0.47
EN055: Ionic Balance								
∅ Total Anions	----	0.01	meq/L	11.8	10.6	10.7	11.4	14.0
∅ Total Cations	----	0.01	meq/L	11.8	11.0	10.8	10.9	14.2



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB08	SB07	GW02	MD01	MD02
Sampling date / time					15-Apr-2024 09:31	15-Apr-2024 08:48	15-Apr-2024 08:16	18-Apr-2024 10:23	17-Apr-2024 11:38
Compound	CAS Number	LOR	Unit		ES2413421-011	ES2413421-012	ES2413421-013	ES2413421-014	ES2413421-015
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
Ø Ionic Balance	-----	0.01	%		0.10	1.67	0.14	2.44	0.72
EP020: Oil and Grease (O&G)									
Oil & Grease	-----	5	mg/L		<5	<5	<5	18	<5



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW03	TR26	TR7	TR18	TR35
Sampling date / time					15-Apr-2024 09:56	17-Apr-2024 12:31	17-Apr-2024 12:49	17-Apr-2024 13:26	17-Apr-2024 14:20
Compound	CAS Number	LOR	Unit		ES2413421-016	ES2413421-017	ES2413421-018	ES2413421-019	ES2413421-020
					Result	Result	Result	Result	Result
EA005P: pH by PC Titrator									
pH Value	----	0.01	pH Unit		7.76	7.88	7.43	7.42	7.50
EA010P: Conductivity by PC Titrator									
Electrical Conductivity @ 25°C	----	1	µS/cm		859	6010	15800	13900	17600
EA015: Total Dissolved Solids dried at 180 ± 5 °C									
Total Dissolved Solids @180°C	----	10	mg/L		552	3480	10000	8830	12000
ED037P: Alkalinity by PC Titrator									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L		<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L		<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L		421	1110	761	724	742
Total Alkalinity as CaCO3	----	1	mg/L		421	1110	761	724	742
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L		58	180	501	592	622
ED045G: Chloride by Discrete Analyser									
Chloride	16887-00-6	1	mg/L		22	1330	4600	3900	5130
ED093F: Dissolved Major Cations									
Calcium	7440-70-2	1	mg/L		81	136	324	266	341
Magnesium	7439-95-4	1	mg/L		36	141	360	318	515
Sodium	7440-23-5	1	mg/L		78	1060	2780	2370	2870
Potassium	7440-09-7	1	mg/L		2	10	16	12	21
EG020F: Dissolved Metals by ICP-MS									
Aluminium	7429-90-5	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L		0.078	0.101	0.100	0.064	0.117
Cadmium	7440-43-9	0.0001	mg/L		<0.0001	<0.0001	<0.0001	<0.0001	0.0004
Chromium	7440-47-3	0.001	mg/L		<0.001	0.002	<0.001	<0.001	0.002
Copper	7440-50-8	0.001	mg/L		<0.001	<0.001	0.346	0.036	1.73



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				GW03	TR26	TR7	TR18	TR35
Sampling date / time				15-Apr-2024 09:56	17-Apr-2024 12:31	17-Apr-2024 12:49	17-Apr-2024 13:26	17-Apr-2024 14:20
Compound	CAS Number	LOR	Unit	ES2413421-016	ES2413421-017	ES2413421-018	ES2413421-019	ES2413421-020
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	0.004	<0.001	0.010
Nickel	7440-02-0	0.001	mg/L	<0.001	0.017	0.118	0.020	0.558
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	<0.005	0.012	0.006	0.011	0.030
Manganese	7439-96-5	0.001	mg/L	0.010	0.033	0.262	0.040	1.76
Molybdenum	7439-98-7	0.001	mg/L	<0.001	0.005	0.002	0.002	0.017
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	0.877	3.01	9.08	6.69	8.00
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L	<0.05	0.07	<0.05	0.05	0.06
Iron	7439-89-6	0.05	mg/L	<0.05	<0.05	<0.05	0.17	0.55
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.02	0.01	0.03	0.07
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.40	1.34	0.02	0.06	<0.01
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.40	1.34	0.02	0.06	<0.01
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.39	0.08	0.38	0.51	0.04
EN055: Ionic Balance								
∅ Total Anions	----	0.01	meq/L	10.2	63.4	155	137	172
∅ Total Cations	----	0.01	meq/L	10.4	64.8	167	143	185



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW03	TR26	TR7	TR18	TR35
Sampling date / time					15-Apr-2024 09:56	17-Apr-2024 12:31	17-Apr-2024 12:49	17-Apr-2024 13:26	17-Apr-2024 14:20
Compound	CAS Number	LOR	Unit		ES2413421-016	ES2413421-017	ES2413421-018	ES2413421-019	ES2413421-020
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
Ø Ionic Balance	-----	0.01	%		1.01	1.02	3.64	2.16	3.44
EP020: Oil and Grease (O&G)									
Oil & Grease	-----	5	mg/L		<5	<5	<5	<5	<5



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VKY043C	VNW390	VNW391	VNW392	VNW393
Sampling date / time				17-Apr-2024 14:06	17-Apr-2024 08:30	17-Apr-2024 10:11	17-Apr-2024 10:25	15-Apr-2024 14:40
Compound	CAS Number	LOR	Unit	ES2413421-021	ES2413421-022	ES2413421-023	ES2413421-024	ES2413421-025
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	8.27	7.44	7.68	7.29	7.80
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	3060	2370	2420	3500	3060
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	1900	1400	1430	2300	1810
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	1160	616	623	646	334
Total Alkalinity as CaCO3	----	1	mg/L	1160	616	623	646	334
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	<1	106	96	296	200
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	364	375	392	659	701
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	13	188	181	287	152
Magnesium	7439-95-4	1	mg/L	8	45	58	92	33
Sodium	7440-23-5	1	mg/L	762	279	278	356	457
Potassium	7440-09-7	1	mg/L	6	12	13	18	7
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	0.002	<0.001	0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.284	0.126	0.164	0.121	0.052
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.001	<0.001	<0.001



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY043C	VNW390	VNW391	VNW392	VNW393
Sampling date / time					17-Apr-2024 14:06	17-Apr-2024 08:30	17-Apr-2024 10:11	17-Apr-2024 10:25	15-Apr-2024 14:40
Compound	CAS Number	LOR	Unit		ES2413421-021	ES2413421-022	ES2413421-023	ES2413421-024	ES2413421-025
					Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L		<0.001	0.002	<0.001	0.003	<0.001
Nickel	7440-02-0	0.001	mg/L		0.002	0.002	0.007	0.014	0.005
Lead	7439-92-1	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Selenium	7782-49-2	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L		0.006	0.007	0.013	<0.005	<0.005
Manganese	7439-96-5	0.001	mg/L		0.004	0.239	0.225	0.315	0.150
Molybdenum	7439-98-7	0.001	mg/L		<0.001	<0.001	0.001	0.002	0.005
Silver	7440-22-4	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L		0.452	1.87	1.72	2.72	1.92
Tin	7440-31-5	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L		0.06	0.09	0.08	0.07	0.05
Iron	7439-89-6	0.05	mg/L		0.09	0.71	0.74	2.18	0.49
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L		0.34	0.35	0.21	0.46	0.31
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L		0.03	0.06	0.20	0.01	0.19
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L		0.03	0.06	0.20	0.01	0.19
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L		0.11	0.08	0.04	0.13	0.06
EN055: Ionic Balance									
∅ Total Anions	----	0.01	meq/L		33.4	25.1	25.5	37.6	30.6
∅ Total Cations	----	0.01	meq/L		34.6	25.5	26.2	37.8	30.4



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY043C	VNW390	VNW391	VNW392	VNW393
Sampling date / time					17-Apr-2024 14:06	17-Apr-2024 08:30	17-Apr-2024 10:11	17-Apr-2024 10:25	15-Apr-2024 14:40
Compound	CAS Number	LOR	Unit	ES2413421-021	ES2413421-022	ES2413421-023	ES2413421-024	ES2413421-025	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	1.70	0.86	1.40	0.24	0.42	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VNW394	VNW395	VKY GW Duplicate 1	VKY GW Lab Split Dup 1 ALS	VKY GW Blank
Sampling date / time				15-Apr-2024 14:16	17-Apr-2024 09:28	17-Apr-2024 09:07	17-Apr-2024 13:52	17-Apr-2024 08:25
Compound	CAS Number	LOR	Unit	ES2413421-026	ES2413421-027	ES2413421-028	ES2413421-029	ES2413421-030
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.57	8.20	7.62	7.60	6.07
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	5610	1760	2370	13800	<1
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	3650	1050	1390	9060	<10
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	383	433	621	725	<1
Total Alkalinity as CaCO ₃	----	1	mg/L	383	433	621	725	<1
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	560	143	110	599	<1
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	1310	254	365	3840	<1
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	206	50	189	268	<1
Magnesium	7439-95-4	1	mg/L	85	27	46	323	<1
Sodium	7440-23-5	1	mg/L	915	328	279	2420	<1
Potassium	7440-09-7	1	mg/L	7	8	12	12	<1
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.006	<0.001	0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.094	0.042	0.124	0.066	<0.001
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	0.012	<0.001	0.028	<0.001



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VNW394	VNW395	VKY GW Duplicate 1	VKY GW Lab Split Dup 1 ALS	VKY GW Blank
Sampling date / time				15-Apr-2024 14:16	17-Apr-2024 09:28	17-Apr-2024 09:07	17-Apr-2024 13:52	17-Apr-2024 08:25	
Compound	CAS Number	LOR	Unit	ES2413421-026	ES2413421-027	ES2413421-028	ES2413421-029	ES2413421-030	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L	0.002	<0.001	0.002	<0.001	<0.001	
Nickel	7440-02-0	0.001	mg/L	0.006	0.455	0.002	0.020	<0.001	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Zinc	7440-66-6	0.005	mg/L	<0.005	0.008	0.006	0.007	<0.005	
Manganese	7439-96-5	0.001	mg/L	1.27	0.004	0.246	0.006	<0.001	
Molybdenum	7439-98-7	0.001	mg/L	0.003	0.011	<0.001	0.002	<0.001	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Strontium	7440-24-6	0.001	mg/L	2.86	0.486	1.83	6.74	<0.001	
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Boron	7440-42-8	0.05	mg/L	<0.05	<0.05	0.09	0.05	<0.05	
Iron	7439-89-6	0.05	mg/L	1.70	<0.05	0.70	<0.05	<0.05	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.11	0.02	0.37	0.01	<0.01	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	0.02	0.36	0.09	0.07	<0.01	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	0.02	0.36	0.09	0.07	<0.01	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.83	0.20	0.09	1.15	<0.01	
EN055: Ionic Balance									
∅ Total Anions	----	0.01	meq/L	56.3	18.8	25.0	135	<0.01	
∅ Total Cations	----	0.01	meq/L	57.2	19.2	25.6	146	<0.01	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VNW394	VNW395	VKY GW Duplicate 1	VKY GW Lab Split Dup 1 ALS	VKY GW Blank
Sampling date / time					15-Apr-2024 14:16	17-Apr-2024 09:28	17-Apr-2024 09:07	17-Apr-2024 13:52	17-Apr-2024 08:25
Compound	CAS Number	LOR	Unit	ES2413421-026	ES2413421-027	ES2413421-028	ES2413421-029	ES2413421-030	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	0.87	1.04	1.31	3.65	----	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



CERTIFICATE OF ANALYSIS

Work Order : **ES2414546**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : All Deliverables
Address : Unit 3 2 Enterprise Cres
Singleton NSW 2330
Telephone : +61 02 6571 3334
Project : Vickery Qtrly GW
Order number : ----
C-O-C number : ----
Sampler : Greg Quayle/Lee Jordan
Site :
Quote number : SYBQ/403/21v3 and PLANNED EVENTS
No. of samples received : 13
No. of samples analysed : 13

Page : 1 of 11
Laboratory : Environmental Division Sydney
Contact : Jessica Chen
Address : 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone : +61-2-8784 8555
Date Samples Received : 02-May-2024 16:00
Date Analysis Commenced : 06-May-2024
Issue Date : 16-May-2024 18:09



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- As per QWI – EN55-3 Data Interpreting Procedures, Ionic balances are typically calculated using Major Anions - Chloride, Alkalinity and Sulfate; and Major Cations - Calcium, Magnesium, Potassium and Sodium. Where applicable and dependent upon sample matrix, the Ionic Balance may also include the additional contribution of Ammonia, Dissolved Metals by ICPMS and H⁺ to the Cations and Nitrate, SiO₂ and Fluoride to the Anions.
- EG035: Positive Mercury result ES2414546 #10 has been confirmed by reanalysis.
- TDS by method EA-015 may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.
- ED045G: The presence of Thiocyanate, Thiosulfate and Sulfite can positively contribute to the chloride result, thereby may bias results higher than expected. Results should be scrutinised accordingly.



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY042C	VKY035C	VKY034C	VKY036C	GW-8
Sampling date / time					29-Apr-2024 10:32	29-Apr-2024 14:41	29-Apr-2024 09:58	29-Apr-2024 14:10	29-Apr-2024 08:28
Compound	CAS Number	LOR	Unit		ES2414546-001	ES2414546-002	ES2414546-003	ES2414546-004	ES2414546-005
					Result	Result	Result	Result	Result
EA005P: pH by PC Titrator									
pH Value	----	0.01	pH Unit		7.28	7.55	7.66	7.41	7.49
EA010P: Conductivity by PC Titrator									
Electrical Conductivity @ 25°C	----	1	µS/cm		5920	3310	4000	6030	4060
EA015: Total Dissolved Solids dried at 180 ± 5 °C									
Total Dissolved Solids @180°C	----	10	mg/L		3840	1860	2530	3400	2340
ED037P: Alkalinity by PC Titrator									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L		<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L		<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L		812	927	1370	825	752
Total Alkalinity as CaCO3	----	1	mg/L		812	927	1370	825	752
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L		312	88	116	281	109
ED045G: Chloride by Discrete Analyser									
Chloride	16887-00-6	1	mg/L		1320	564	578	1430	958
ED093F: Dissolved Major Cations									
Calcium	7440-70-2	1	mg/L		210	50	26	136	133
Magnesium	7439-95-4	1	mg/L		233	46	32	111	87
Sodium	7440-23-5	1	mg/L		743	655	903	1030	653
Potassium	7440-09-7	1	mg/L		22	7	7	11	9
EG020F: Dissolved Metals by ICP-MS									
Aluminium	7429-90-5	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L		<0.001	0.002	<0.001	0.001	0.001
Barium	7440-39-3	0.001	mg/L		0.138	0.076	0.230	0.091	0.180
Cadmium	7440-43-9	0.0001	mg/L		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L		<0.001	0.003	0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L		0.001	<0.001	0.003	<0.001	<0.001



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY042C	VKY035C	VKY034C	VKY036C	GW-8
Sampling date / time					29-Apr-2024 10:32	29-Apr-2024 14:41	29-Apr-2024 09:58	29-Apr-2024 14:10	29-Apr-2024 08:28
Compound	CAS Number	LOR	Unit		ES2414546-001	ES2414546-002	ES2414546-003	ES2414546-004	ES2414546-005
					Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued									
Cobalt	7440-48-4	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L		0.004	0.005	0.004	0.005	0.002
Lead	7439-92-1	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Selenium	7782-49-2	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L		0.012	<0.005	0.008	<0.005	0.007
Manganese	7439-96-5	0.001	mg/L		0.224	0.334	0.062	0.038	0.092
Molybdenum	7439-98-7	0.001	mg/L		<0.001	0.010	0.002	0.002	<0.001
Silver	7440-22-4	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L		4.01	0.905	0.617	2.29	3.16
Tin	7440-31-5	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L		0.08	0.07	0.10	0.08	0.09
Iron	7439-89-6	0.05	mg/L		1.07	1.23	0.17	0.68	9.84
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L		0.68	0.89	0.80	1.49	0.38
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L		0.01	0.02	<0.01	0.01	0.01
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L		0.01	0.02	<0.01	0.01	0.01
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L		0.04	0.20	0.17	0.08	0.08
EN055: Ionic Balance									
∅ Total Anions	----	0.01	meq/L		60.0	36.3	46.1	62.7	44.3
∅ Total Cations	----	0.01	meq/L		62.5	35.0	43.4	61.0	42.4



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY042C	VKY035C	VKY034C	VKY036C	GW-8
Sampling date / time					29-Apr-2024 10:32	29-Apr-2024 14:41	29-Apr-2024 09:58	29-Apr-2024 14:10	29-Apr-2024 08:28
Compound	CAS Number	LOR	Unit	ES2414546-001	ES2414546-002	ES2414546-003	ES2414546-004	ES2414546-005	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%	2.11	1.84	3.02	1.35	2.18	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW-7	GW-11	GW-9	GW-2	WR-1
Sampling date / time					29-Apr-2024 11:31	29-Apr-2024 12:59	29-Apr-2024 12:10	29-Apr-2024 11:30	30-Apr-2024 10:15
Compound	CAS Number	LOR	Unit		ES2414546-006	ES2414546-007	ES2414546-008	ES2414546-009	ES2414546-010
					Result	Result	Result	Result	Result
EA005P: pH by PC Titrator									
pH Value	----	0.01	pH Unit		8.68	6.57	6.72	7.44	7.20
EA010P: Conductivity by PC Titrator									
Electrical Conductivity @ 25°C	----	1	µS/cm		4480	4690	5750	1200	27700
EA015: Total Dissolved Solids dried at 180 ± 5 °C									
Total Dissolved Solids @180°C	----	10	mg/L		2210	3260	3770	773	20200
ED037P: Alkalinity by PC Titrator									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L		<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L		108	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L		910	31	81	511	597
Total Alkalinity as CaCO3	----	1	mg/L		1020	31	81	511	597
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L		399	1	51	23	1320
ED045G: Chloride by Discrete Analyser									
Chloride	16887-00-6	1	mg/L		733	1400	1690	101	8680
ED093F: Dissolved Major Cations									
Calcium	7440-70-2	1	mg/L		5	213	101	91	1140
Magnesium	7439-95-4	1	mg/L		154	54	85	30	810
Sodium	7440-23-5	1	mg/L		608	649	923	153	4010
Potassium	7440-09-7	1	mg/L		313	11	17	2	11
EG020F: Dissolved Metals by ICP-MS									
Aluminium	7429-90-5	0.01	mg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L		<0.001	<0.001	<0.001	0.002	<0.001
Barium	7440-39-3	0.001	mg/L		0.006	0.103	0.084	0.200	0.252
Cadmium	7440-43-9	0.0001	mg/L		<0.0001	<0.0001	<0.0001	<0.0001	0.0002
Chromium	7440-47-3	0.001	mg/L		<0.001	<0.001	<0.001	0.003	<0.001
Copper	7440-50-8	0.001	mg/L		<0.001	<0.001	<0.001	<0.001	0.002



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				GW-7	GW-11	GW-9	GW-2	WR-1
Sampling date / time				29-Apr-2024 11:31	29-Apr-2024 12:59	29-Apr-2024 12:10	29-Apr-2024 11:30	30-Apr-2024 10:15
Compound	CAS Number	LOR	Unit	ES2414546-006	ES2414546-007	ES2414546-008	ES2414546-009	ES2414546-010
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L	0.002	<0.001	0.002	<0.001	0.017
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc	7440-66-6	0.005	mg/L	<0.005	0.056	<0.005	<0.005	0.006
Manganese	7439-96-5	0.001	mg/L	0.019	1.15	3.01	<0.001	0.061
Molybdenum	7439-98-7	0.001	mg/L	0.001	<0.001	<0.001	<0.001	0.001
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	0.002
Strontium	7440-24-6	0.001	mg/L	0.094	3.32	4.20	0.952	25.7
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Boron	7440-42-8	0.05	mg/L	0.18	0.13	<0.05	0.06	0.17
Iron	7439-89-6	0.05	mg/L	<0.05	13.3	32.0	<0.05	<0.05
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0054
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	0.46	1.27	4.46	0.01	0.18
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.01	0.01	0.02	0.29	0.06
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.01	0.01	0.02	0.29	0.06
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.03	0.01	0.05	0.03	0.14
EN055: Ionic Balance								
∅ Total Anions	----	0.01	meq/L	49.4	40.1	50.4	13.5	284
∅ Total Cations	----	0.01	meq/L	47.4	43.6	52.6	13.7	298



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW-7	GW-11	GW-9	GW-2	WR-1
Sampling date / time					29-Apr-2024 11:31	29-Apr-2024 12:59	29-Apr-2024 12:10	29-Apr-2024 11:30	30-Apr-2024 10:15
Compound	CAS Number	LOR	Unit		ES2414546-006	ES2414546-007	ES2414546-008	ES2414546-009	ES2414546-010
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
Ø Ionic Balance	-----	0.01	%		2.06	4.12	2.20	0.66	2.40
EP020: Oil and Grease (O&G)									
Oil & Grease	-----	5	mg/L		<5	<5	<5	<5	<5



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				WR-2	VKY GW Duplicate 2	VKY GW Lab Split Dup 2 ALS	----	----
Sampling date / time				30-Apr-2024 11:50	29-Apr-2024 12:33	29-Apr-2024 13:20	----	----
Compound	CAS Number	LOR	Unit	ES2414546-011	ES2414546-012	ES2414546-013	-----	-----
				Result	Result	Result	----	----
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	7.06	6.81	6.64	----	----
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	27400	5870	4640	----	----
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	21200	3750	3590	----	----
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	----	----
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	----	----
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	530	89	35	----	----
Total Alkalinity as CaCO3	----	1	mg/L	530	89	35	----	----
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	1540	57	<1	----	----
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	8880	1730	1490	----	----
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	1180	100	208	----	----
Magnesium	7439-95-4	1	mg/L	715	99	53	----	----
Sodium	7440-23-5	1	mg/L	4110	981	633	----	----
Potassium	7440-09-7	1	mg/L	19	18	11	----	----
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	----	----
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	----	----
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	----	----
Barium	7440-39-3	0.001	mg/L	0.210	0.069	0.106	----	----
Cadmium	7440-43-9	0.0001	mg/L	0.0003	<0.0001	<0.0001	----	----
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	----	----
Copper	7440-50-8	0.001	mg/L	0.001	<0.001	<0.001	----	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)


Sample ID

				WR-2	VKY GW Duplicate 2	VKY GW Lab Split Dup 2 ALS	----	----
Sampling date / time				30-Apr-2024 11:50	29-Apr-2024 12:33	29-Apr-2024 13:20	----	----
Compound	CAS Number	LOR	Unit	ES2414546-011	ES2414546-012	ES2414546-013	-----	-----
				Result	Result	Result	----	----
EG020F: Dissolved Metals by ICP-MS - Continued								
Cobalt	7440-48-4	0.001	mg/L	0.004	<0.001	<0.001	----	----
Nickel	7440-02-0	0.001	mg/L	0.018	0.001	<0.001	----	----
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	----	----
Selenium	7782-49-2	0.01	mg/L	0.02	<0.01	<0.01	----	----
Zinc	7440-66-6	0.005	mg/L	0.022	<0.005	0.040	----	----
Manganese	7439-96-5	0.001	mg/L	0.642	2.96	1.10	----	----
Molybdenum	7439-98-7	0.001	mg/L	<0.001	<0.001	<0.001	----	----
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	----	----
Strontium	7440-24-6	0.001	mg/L	24.8	3.65	3.26	----	----
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	----	----
Boron	7440-42-8	0.05	mg/L	0.11	<0.05	0.12	----	----
Iron	7439-89-6	0.05	mg/L	<0.05	28.6	12.1	----	----
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	----	----
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	0.18	4.54	1.24	----	----
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	----	----
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.06	0.03	----	----
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.06	0.03	----	----
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.38	0.08	0.01	----	----
EN055: Ionic Balance								
ø Total Anions	----	0.01	meq/L	293	51.8	42.7	----	----
ø Total Cations	----	0.01	meq/L	297	56.3	42.6	----	----



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	WR-2	VKY GW Duplicate 2	VKY GW Lab Split Dup 2 ALS	----	----
Sampling date / time					30-Apr-2024 11:50	29-Apr-2024 12:33	29-Apr-2024 13:20	----	----
Compound	CAS Number	LOR	Unit		ES2414546-011	ES2414546-012	ES2414546-013	-----	-----
				Result	Result	Result		----	----
EN055: Ionic Balance - Continued									
Ø Ionic Balance	----	0.01	%		0.65	4.17	0.20	----	----
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	----	----



Appendix D Quality Trigger Level Anlaysis

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review February 2024 – April 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

5 July 2024

Table D-1: pH (Field) Trigger Level Review (Red Text Showing Exceedance of Trigger Level)

Bore	Trigger Level		Oct/Nov-23	Jan-24	Apr-24
GW01	6.90	8.30	7.33	7.20	7.14
GW02	7.20	8.60	7.59	7.79	7.14
GW03	6.10	8.10	7.19	7.16	7.05
GW-11	7.00	9.30	7.36	6.93	6.55
GW-7	7.70	8.50	8.89	8.82	8.79
GW-8	6.70	8.40	7.11	7.03	6.95
GW-9	6.60	8.20	7.94	6.68	6.81
MD01	6.70	8.40	11.58	11.69	10.73
MD02	6.70	8.40	6.84	6.78	6.59
SB01	6.90	8.30	7.44	7.31	7.20
SB02	6.90	8.30	7.28	7.28	7.14
SB04	6.90	8.30	7.29	7.43	7.27
SB05	6.90	8.30	2.09	7.73	7.63
SB06	6.90	8.30	7.35	7.61	7.42
SB07	6.90	8.30	7.35	7.47	7.28
SB08	6.90	8.30	7.24	7.39	7.17
SB09	6.90	8.30	3.32	7.56	7.27
SB10	6.90	8.30	7.43	7.47	7.28
SB11	6.90	8.30	7.26	7.70	7.45
SB15	6.90	8.30	7.29	7.23	7.17
TR18	6.70	8.40	6.58	6.85	6.69
TR26	6.70	8.40	7.06	7.16	7.11
TR35	6.70	8.40	6.66	6.75	6.72
TR7	7.40	7.80	6.53	7.05	6.71
VKY034C	6.70	8.40	7.30	6.94	7.05
VKY035C	6.70	8.40	7.10	7.01	6.88
VKY036C	6.70	8.40	7.08	6.79	6.80
VKY042C	6.70	8.40	6.75	6.72	6.61
VKY043C	6.70	8.40	7.72	7.80	7.65
VNW223	6.90	7.40	7.25	no data	no data
VNW390	6.70	8.40	6.92	7.13	6.59
VNW391	6.70	8.40	7.04	7.31	7.06
VNW392	6.70	8.40	6.74	6.74	6.66
VNW393	6.70	8.40	7.36	7.56	7.20
VNW394	6.90	8.30	7.13	6.92	6.94

Bore	Trigger Level		Oct/Nov-23	Jan-24	Apr-24
VNW395	6.90	8.30	7.47	7.77	7.77
GW-2	6.90	8.30	no data	no data	6.85
WR1	6.90	8.30	no data	no data	6.70
WR2	6.90	8.30	no data	no data	6.57

Note: Reported as field pH value; Red Text Showing Exceedance of Trigger Level.

Table D-2: EC Trigger Level Review

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24
GW01	10,083	1,042	1,265	1,384
GW02	969	731	971	926
GW03	811	862	888	862
GW-11	4,912	4,360	4,340	4,520
GW-7	5,378	4,300	4,490	4,560
GW-8	12,315	4,290	3,950	4,000
GW-9	12,740	6,110	3,320	5,630
MD01	12,315	1,799	1,786	1,283
MD02	12,315	1,195	1,306	1,210
SB01	10,083	1,541	1,716	1,698
SB02	10,083	7,330	7,330	7,210
SB04	10,083	2,680	3,360	1,868
SB05	10,083	3,740	3,690	3,680
SB06	10,083	3,280	3,460	3,410
SB07	10,083	770	919	934
SB08	10,083	983	1,115	1,039
SB09	10,083	949	1,014	973
SB10	10,083	1,880	1,972	1,859
SB11	10,083	1,080	1,021	1,048
SB15	10,083	1,019	1,070	972
TR18	12,315	13,400	13,640	12,730
TR26	12,315	6,290	8,380	5,180
TR35	12,315	15,300	17,330	16,740
TR7	12,970	14,800	15,390	14,410
VKY034C	12,315	3,590	3,850	4,030
VKY035C	12,315	3,110	3,340	3,230
VKY036C	12,315	5,600	5,810	5,780
VKY042C	12,315	5,420	5,430	5,480
VKY043C	12,315	2,990	3,410	3,410
VNW223	10,120	5,940	no data	no data
VNW390	12,315	2,300	2,376	2,291
VNW391	12,315	2,530	2,471	2,352
VNW392	12,315	3,690	3,310	3,480
VNW393	12,315	2,740	2,830	2,840
VNW394	10,083	5,520	5,410	5,400

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24
VNW395	10,083	463	1,395	1,681
GW-2	10,083	no data	no data	1,218
WR1	10,083	no data	no data	26,500
WR2	10,083	no data	no data	25,340

Note: Reported as field EC value; Red Text Showing Exceedance of Trigger Level.

Table D-3: Sulfate Trigger Level Review

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24
GW01	365	96	171	132
GW02	365	77	74	81
GW03	365	52	56	58
GW-11	365	<1	1	<1
GW-7	86	364	385	399
GW-8	86	no data	100	109
GW-9	86	102	128	51
MD01	86	22	23	26
MD02	86	28	29	28
SB01	365	182	183	190
SB02	365	1120	no data	1160
SB04	365	284	394	220
SB05	365	735	551	520
SB06	365	372	362	362
SB07	365	74	74	78
SB08	365	86	87	88
SB09	365	71	63	70
SB10	365	190	188	196
SB11	365	85	72	93
SB15	365	90	79	95
TR18	86	702	620	592
TR26	86	194	230	180
TR35	86	660	651	622
TR7	365	508	714	501
VKY034C	86	123	185	116
VKY035C	86	87	77	88
VKY036C	86	244	294	281
VKY042C	86	302	309	312
VKY043C	86	<1	<1	<1
VNW223	365	97	no data	no data
VNW390	86	95	95	106
VNW391	86	88	88	96
VNW392	86	no data	284	296
VNW393	86	179	185	200
VNW394	365	no data	551	560
VNW395	365	14	61	143

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24
GW-2	365	no data	no data	23
WR1	365	no data	no data	1,320
WR2	365	no data	no data	1,540

Note: Sulfate as SO₄ in mg/L; Red Text Showing Exceedance of Trigger Level.

Table D-4: Metal Trigger Against ANZECC Default Guideline Values

Bore ID	Parameters	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
DGV		0.055	0.009	0.013	0.94	0.0002	0.001	0.0014	0.0014	0.0034	1.9	0.0006	0.034	0.011	0.011	0.00005	0.008
GW01	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	<0.001	<0.001	0.967	<0.0001	<0.001	0.013	<0.01	<0.001	<0.005
GW01	Apr-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.063	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.005
GW02	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.002	<0.001	0.021	<0.0001	<0.001	0.375	<0.01	<0.001	0.013
GW02	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.007	<0.001	0.026	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.005
GW03	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.014	<0.0001	<0.001	0.971	<0.01	<0.001	<0.005
GW03	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.01	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.005
GW-11	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	<0.001	0.001	2.2	<0.0001	no data	0.00075	<0.01	<0.001	0.0075
GW-11	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	no data	0.004	<0.01	<0.001	0.012
GW-2	Jan-24	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data
GW-2	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
GW-7	Jan-24	<0.01	<0.001	<0.001	0.18	<0.0001	<0.001	<0.001	0.003	<0.001	0.011	<0.0001	0.002	0.002	<0.01	<0.001	<0.005
GW-7	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
GW-8	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.092	<0.0001	<0.001	0.001	<0.01	<0.001	0.012
GW-8	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
GW-9	Jan-24	<0.01	<0.001	<0.001	0.05	0.0001	<0.001	0.00075	<0.001	<0.001	3.8	<0.0001	<0.001	<0.001	<0.01	<0.001	0.00825
GW-9	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
MD01	Jan-24	0.58	0.001	<0.001	0.04	<0.0001	<0.001	<0.001	0.020	0.001	0.004	<0.0001	0.018	0.005	<0.01	<0.001	0.31
MD01	Apr-24	0.28	<0.001	0.002	<0.05	<0.0001	<0.001	<0.001	0.006	0.001	<0.001	<0.0001	0.019	0.006	<0.01	<0.001	0.213
MD02	Jan-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.039	<0.0001	0.001	0.036	<0.01	<0.001	<0.005
MD02	Apr-24	<0.01	<0.001	0.003	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.051	<0.0001	0.003	0.019	<0.01	<0.001	<0.005
SB01	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	0.003	<0.001	<0.001	0.39	<0.0001	<0.001	0.032	<0.01	<0.001	<0.005
SB01	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	0.005	<0.001	<0.001	0.73	<0.0001	0.005	0.027	<0.01	<0.001	<0.005



Bore ID	Parameters	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
SB02	Jan-24	<0.01	<0.001	0.003	0.21	<0.0001	0.003	0.002	<0.001	<0.001	0.735	<0.0001	0.003	0.012	<0.01	<0.001	0.007
SB02	Apr-24	<0.01	<0.001	0.001	0.07	<0.0001	<0.001	0.003	<0.001	<0.001	0.315	<0.0001	0.002	0.014	<0.01	<0.001	<0.005
SB04	Jan-24	<0.01	<0.001	<0.001	0.16	<0.0001	<0.001	<0.001	<0.001	<0.001	0.38	<0.0001	0.001	<0.001	<0.01	<0.001	<0.005
SB04	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.094	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.005
SB05	Jan-24	<0.01	<0.001	0.004	0.21	<0.0001	<0.001	<0.001	<0.001	<0.001	0.233	<0.0001	0.004	0.002	<0.01	<0.001	<0.005
SB05	Apr-24	<0.01	<0.001	0.004	0.13	<0.0001	<0.001	<0.001	<0.001	<0.001	0.405	<0.0001	0.005	0.002	<0.01	<0.001	<0.005
SB06	Jan-24	0.02	<0.001	0.003	0.19	<0.0001	<0.001	0.002	0.003	<0.001	1.18	<0.0001	0.002	0.002	<0.01	<0.001	<0.005
SB06	Apr-24	<0.01	<0.001	0.003	0.12	<0.0001	<0.001	0.002	<0.001	<0.001	1.19	<0.0001	0.003	0.002	<0.01	<0.001	<0.005
SB07	Jan-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	<0.001	0.07	<0.01	<0.001	<0.005
SB07	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.001	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.005
SB08	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.004	<0.001	0.002	<0.0001	<0.001	0.063	<0.01	<0.001	<0.005
SB08	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.011	<0.001	0.001	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.005
SB09	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	<0.001	<0.001	0.335	<0.0001	0.001	0.015	<0.01	<0.001	<0.005
SB09	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.306	<0.0001	<0.001	<0.001	<0.01	<0.001	0.013
SB10	Jan-24	<0.01	<0.001	0.001	0.16	<0.0001	<0.001	<0.001	<0.001	<0.001	0.074	<0.0001	0.002	<0.001	<0.01	<0.001	<0.005
SB10	Apr-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.146	<0.0001	0.002	<0.001	<0.01	<0.001	<0.005
SB11	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	0.01	<0.001	0.023	<0.0001	<0.001	0.057	<0.01	<0.001	<0.005
SB11	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.021	<0.001	0.006	<0.0001	<0.001	0.002	<0.01	<0.001	<0.005
SB15	Jan-24	<0.01	<0.001	<0.001	0.12	<0.0001	<0.001	<0.001	0.001	<0.001	0.008	<0.0001	<0.001	0.032	<0.01	<0.001	<0.005
SB15	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.004	<0.0001	<0.001	<0.001	<0.01	<0.001	0.018
TR18	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	0.07	<0.001	0.042	<0.0001	0.001	0.021	<0.01	<0.001	<0.005
TR18	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.032	<0.001	0.023	<0.0001	0.002	0.020	<0.01	<0.001	0.009
TR26	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	0.01	<0.001	0.07	<0.0001	0.002	0.014	<0.01	<0.001	<0.005
TR26	Apr-24	<0.01	<0.001	<0.001	0.07	<0.0001	0.002	<0.001	<0.001	<0.001	0.033	<0.0001	0.005	0.017	<0.01	<0.001	0.012
TR35	Jan-24	<0.01	<0.001	<0.001	0.12	0.0002	0.002	0.007	1.24	<0.001	1.72	<0.0001	0.011	0.713	<0.01	<0.001	0.015




Bore ID	Parameters	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
TR35	Apr-24	<0.01	<0.001	<0.001	0.06	0.0004	0.002	0.010	1.730	<0.001	1.76	<0.0001	0.017	0.558	<0.01	<0.001	0.030
TR7	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	0.008	0.863	<0.001	0.637	<0.0001	0.002	0.39	<0.01	<0.001	0.006
TR7	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	0.004	0.346	<0.001	0.262	<0.0001	0.002	0.118	<0.01	<0.001	0.006
VKY034C	Jan-24	<0.01	<0.001	0.002	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.102	<0.0001	0.007	0.008	<0.01	<0.001	<0.005
VKY034C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
VKY035C	Jan-24	<0.01	<0.001	0.001	0.07	<0.0001	0.002	<0.001	<0.001	<0.001	0.329	<0.0001	0.007	0.006	<0.01	<0.001	0.006
VKY035C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
VKY036C	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.013	<0.0001	0.001	0.013	<0.01	<0.001	<0.005
VKY036C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
VKY042C	Jan-24	<0.01	<0.001	<0.001	0.1	0.0001	<0.001	<0.001	0.006	<0.001	0.223	<0.0001	0.002	0.015	<0.01	<0.001	0.014
VKY042C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
VKY043C	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	<0.001	<0.001	0.005	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.005
VKY043C	Apr-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.004	<0.0001	<0.001	0.002	<0.01	<0.001	0.006
VNW390	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	0.005	<0.001	0.003	<0.0001	<0.001	0.002	<0.01	<0.001	0.026
VNW390	Apr-24	<0.01	<0.001	0.002	0.09	<0.0001	<0.001	0.002	<0.001	<0.001	0.239	<0.0001	<0.001	0.002	<0.01	<0.001	0.007
VNW391	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	0.001	<0.001	0.006	<0.0001	<0.001	<0.001	<0.01	<0.001	0.006
VNW391	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.225	<0.0001	0.001	0.007	<0.01	<0.001	0.013
VNW392	Jan-24	<0.01	<0.001	0.001	0.12	<0.0001	<0.001	0.003	<0.001	<0.001	0.333	<0.0001	0.002	0.02	<0.01	<0.001	0.008
VNW392	Apr-24	<0.01	<0.001	0.001	0.07	<0.0001	<0.001	0.003	<0.001	<0.001	0.315	<0.0001	0.002	0.014	<0.01	<0.001	<0.005
VNW393	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.092	<0.0001	0.003	<0.001	<0.01	<0.001	<0.005
VNW393	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.15	<0.0001	0.005	0.005	<0.01	<0.001	<0.005
VNW394	Jan-24	<0.01	<0.001	0.007	0.1	<0.0001	<0.001	0.011	<0.001	<0.001	2.12	<0.0001	0.003	0.035	<0.01	<0.001	0.007
VNW394	Apr-24	<0.01	<0.001	0.006	<0.05	<0.0001	<0.001	0.002	<0.001	<0.001	1.27	<0.0001	0.003	0.006	<0.01	<0.001	<0.005
VNW395	Jan-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	0.002	<0.001	0.032	<0.0001	<0.001	0.001	<0.01	<0.001	<0.005
VNW395	Apr-24	<0.01	<0.001	0.001	0.0575	<0.0001	<0.001	0.00125	0.00625	<0.001	0.125	<0.0001	0.00575	0.2285	<0.01	<0.001	0.007



Bore ID	Parameters	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
WR-1	Jan-24	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data
WR-1	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012
WR-2	Jan-24	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data
WR-2	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001	0.012





Making Sustainability Happen



Vickery Extension Project Groundwater Monitoring Report

Quarterly Review May 2024 – July 2024

Whitehaven Coal Ltd

Blue Vale Rd, Boggabri NSW 2382 Australia

Prepared by:

SLR Consulting Australia

SLR Project No.: 640.031099.00001

2 October 2024

Revision: 1.0

Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
1.0	2 October 2024	Joy Xie/Sharon Hulbert	Sharon Hulbert	Brian Rask

Basis of Report

This report has been prepared by SLR Consulting Australia (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Whitehaven Coal Ltd (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.



Table of Contents

Basis of Report	ii
Acronyms and Abbreviations	v
1.0 Introduction	1
1.1 Background	1
1.2 Trigger Action Response Plan	2
1.3 Report Objective.....	2
2.0 Monitoring Results.....	3
2.1 Climate Data	3
2.2 Groundwater Monitoring Network.....	3
2.3 Data Availability.....	5
2.4 Groundwater Levels	5
2.4.1 Groundwater Level Data Summary	5
2.4.2 TARP Trigger Level Review	10
2.4.3 TARP Trigger Level Summary.....	11
2.5 Groundwater Quality and Exceedance Summary	11
3.0 Action and Response.....	14
4.0 Recommendations	15
5.0 References.....	17

Tables in Text

Table 1: Monthly Rainfall vs Long-Term Average Rainfall.....	3
Table 2: Groundwater Levels in Alluvial Aquifer.....	5
Table 3: Groundwater Levels in Permian Aquifer.....	6
Table 4: Summary of Logger Data Availability	8
Table 5: Summary of GW Interim Trigger Values Compared to Initial Results	11
Table 6: Summary and Status of Recommendations to Date.....	15

Figures in Text

Figure 1: VCM Groundwater Monitoring Network.....	4
Figure 2: Alluvial Bores Hydrograph (Manual Dips, below ground level)	6
Figure 3: Permian Bores Hydrograph (Manual Dips).....	7
Figure 4: Logger Hydrograph – VKY034C	10



Appendices

Appendix A	Trigger Action Response Plan
Appendix B	Groundwater Level Results
Appendix C	Groundwater Level Review and Trigger Update
Appendix D	Groundwater Quality Results
Appendix E	Quality Trigger Level Analysis



Acronyms and Abbreviations

CMAs	Corrective Management Actions
EC	Electronic Conductivities
EP&A Act	Environmental Planning and Assessment Act, 1979
GWMP	Groundwater Management Plan
mbgl	meter below ground level
mbtoc	meters below top of casing
pH	potential of Hydrogen
TARP	Trigger Action Response Plan
VCPL	Vickery Coal Pty Ltd
VEP	Vickery Extension Project
WMP	Water Management Plan



1.0 Introduction

1.1 Background

SLR Consulting Australia Pty Ltd (SLR) was engaged by Whitehaven Coal Pty Ltd (Whitehaven) to undertake a review of groundwater data for the Vickery Extension Project (VEP) between 1st May 2024 through 31st July 2024.

The VEP Development Consent (SSD-7480) was granted to Vickery Coal Pty Ltd. (VCPL) on 12 August 2020 by the NSW Independent Planning Commission as a delegate of the NSW Minister for Planning under Section 75J of the NSW Environmental Planning and Assessment Act 1979 (EP&A Act).

Pertinent to the groundwater monitoring and subsequent reporting, is Condition 8, that states:

8. In Addition to the Groundwater Management Plan monitoring requirements specified in condition B53 of the State Development Consent, the approval holder must:

- a. Establish and maintain a network of groundwater monitoring bores designed to detect changes in groundwater levels and include bores that are co-located or paired with surface water monitoring sites to allow monitoring and analysis of groundwater – surface water interactions. These monitoring bores must be installed prior to the commencement of mining operations.*
- b. Monitor groundwater levels in each bore (required under condition 8.a) at least once every 3 months, starting within one week of the commencement of mining operations for the life of this approval.*
- c. Publish on the website all groundwater monitoring data from the bore network, updated at least once every three months to include the most recent readings available and to maintain the data on the website for the life of this approval. The monitoring data must include hydrographs for the bore network and explain what the data means in relation to the groundwater performance measures specified in the State Development Consent.*

This quarterly report has been compiled for Vickery Coal Mine (VCM) to comply with Condition 8(c) of EPBC 2016/7649. Groundwater monitoring commenced in October 2023 aligning with the commencement of mining in October 2023 and in accordance with Condition 8(b). Reporting to date includes:

1. Initial Quarterly Report (August 2023 through October 2023), published January 2024.
2. 2023 Annual Review (1st January 2023 through 31st December 2023), to be published on the website following approval from NSW Department of Planning, Housing and Infrastructure (DPHI).
3. Second Quarterly Report (November 2023 through January 2024), published April 2024.
4. Third Quarterly Report (February 2024 through April 2024), published July 2024.

Mining operations have commenced on site, with coal extraction occurring. Within the reporting period, Whitehaven Coal is progressing both the Mine Water dam 2 deeper and continuing in the main box cut pit. As production zones become deeper, there is increased in-pit water, indicating potential groundwater inflow. In-pit water is being managed via extraction through sump pumps into water carts for dust suppression and pumping excess water into the Canyon void.



1.2 Trigger Action Response Plan

A Trigger Action Response Plan (TARP) was established in the Groundwater Management Plan (GWMP), as a means of providing specific suitable action where exceedances of the groundwater performance criteria are observed. The aim of the TARPs is to evaluate potential adverse changes to existing groundwater sources, confirm if they are due to the development, and provide a means to repair, mitigate and/or offset any adverse groundwater impacts (Whitehaven 2023). The groundwater level and quality TARP for the open cut activities at VEP is shown in **Appendix A**.

The GWMP states the procedure for the review, as follows. The confirmed exceedances will prompt an investigation, carried out by suitably qualified personnel, to assess the reasons for trigger exceedance, which could include but not be limited to climatic conditions, agriculture abstraction, and or mining activities. In the case exceedances are attributed to mining activities, the changes in groundwater conditions, such as a decrease in water level or changes in groundwater quality, will be compared to performance measures (discussed in Section 8.1 of GWMP) to evaluate the significance of any impacts manifested on the groundwater systems.

The results of the trigger investigations will be reported in each annual review. WHC will use the annual review following each reporting period to analyse the data and revise the trigger thresholds in response to additional baseline data as it becomes available. When this occurs the GWMP will be updated.

1.3 Report Objective

This report assesses the VEP groundwater monitoring data against the trigger levels for all required parameters (as per the TARP in the site GWMP) for the reporting period from 1st May 2024 through 31st July 2024.

This report includes:

- A summary of TARP exceedances, if any, during the reporting period;
- A summary of trigger exceedances, if any, over time including the identification of breaches of triggers that remain within normal condition in this reporting period;
- A high-level outline of potential influence factors for exceedances (a detailed analysis of exceedances is not discussed in this report) during the reporting period; and
- Recommendation of relevant actions and responses to be undertaken, in alignment with the TARPs.

The information in this monitoring report will be included in the ongoing quarterly monitoring reports for VEP and summarised in the 2024 Annual Review.



2.0 Monitoring Results

This section summarises the climate information, groundwater monitoring network, and monitoring results available to the conclusion of the reporting period.

2.1 Climate Data

Local climate data was obtained from the Canyon MET station, approximately 7km from VEP. Collection of meteorological data at VEP commenced in September 2023 and will be utilised as more data becomes available. In order to understand long-term rainfall trends, the SILO climate record for the location 0.05° x 0.05° tile centred on a location within proximity of VEP (latitude: -30.75, longitude: 150.15) has been utilised (Queensland Government 2024). Comparison of the data sets show analogous trends, indicating the SILO data is a suitable representation of long-term trends.

Rainfall over the past 12 months, in comparison to the long-term average (i.e., January 1900 – present) is shown in **Table 1**. The local Canyon MET station showed above long-term average rainfall for all months in the reporting period, most notably in June.

Table 1: Monthly Rainfall vs Long-Term Average Rainfall

Year	2023						2024						
Month	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
SILO 2023-2024 monthly rainfall (mm)	11.5	8.2	5	20.3	93.3	71.7	52.7	20.7	17.5	68.7	33.0	70.3	51.1
SILO Long-term average rainfall (mm)	38.5	34.7	37.3	49.1	58.0	60.9	69.6	57.8	46.0	33.2	39.2	40.5	38.6
On-site Rainfall (mm)	9.6	10.6	4.2	27.6	123.8	87.4	29.4	40.8	25.8	101.8	52.8	74.0	43.0

2.2 Groundwater Monitoring Network

Based on the GWMP, the existing groundwater monitoring network consists of 51 monitoring sites, including

- 24 monitoring locations in Alluvial aquifer; and
- 25 monitoring locations in Permian aquifer.
- Two sites (WR1 and WR2) positioned to monitor the potential for seepage from the spoil dump (installed January 2024).

VEP will incorporate an additional nine monitoring locations in the next reporting period, including:

- Two locations screening the alluvium to the southeast of the mine, situated outside the 1 metre predicted drawdown impact zone of the mine;
- Five locations screening the alluvium to the north of the mine in proximity of the proposed VEP bore field; and
- Two locations screening the Permian aquifer to the north of the mine.

The groundwater network is presented on **Figure 1**, and full details provided in the GWMP.






 WHITEHAVEN COAL PTY LTD
Groundwater Monitoring Locations

Paper size A4

Scale: 1:80,000



Spatial Reference
Name: GDA 1994 MGA Zone 56
Datum: GDA 1994
Projection: Transverse Mercator

Date Exported: 25/07/2023 10:15 AM

Legend

- ▲ Government monitoring wells
- Vickery northern borefield (proposed)
- VEP bore
- ▲ Proposed seepage monitoring locations
- Private bore
- Proposed monitoring location
- ▲ Proposed monitoring location (data logger)

VEP Monitoring locations

- Geological Unit
-  Alluvial

-  Permian
-  Alluvial (data logger)
-  Permian (data logger)
-  Yr 2 overburden emplacement
-  Yr 5 overburden emplacement
-  Mine lease
-  Yr 5 Mining Pit

Geology

- Alluvial



2.3 Data Availability

In line with the VCM GWMP, the full suite of bores was monitored during the reporting period, excluding the following monitoring sites:

- GW-2 has been located in April 2024 monitoring round, but was reported as “cannot locate” in this reporting period (i.e., July 2024 monitoring round).
- VNW223 was reported a blockage at 1.3 m below top of casing (btoc) and was unable to be sampled.

The small number of unavailable bores does not impact the overall ability of the network to monitor for adverse impacts to the groundwater system resultant from mining operations. A suitable number of bores monitoring the same strata at locations appropriate to capture potential impacts (i.e. closer to the extraction site), exist within the monitored suite.

2.4 Groundwater Levels

Groundwater levels are measured via both manual dip and continuous loggers. The data available since April-22 is presented in this section, and shown in **Appendix B**.

2.4.1 Groundwater Level Data Summary

A summary of the groundwater level data available to date is presented below.

2.4.1.1 Alluvial Groundwater Bores

The groundwater levels in the alluvial monitoring bores are summarised in **Table 2** and presented in **Figure 2**.

Table 2: Groundwater Levels in Alluvial Aquifer

Sample Location	Depth to Water (mbgl*)						
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24	Jul-24
GW01	9.12	8.2	8.40	8.53	9.19	9.45	8.79
GW02	-	7.45	8.34	8.48	8.78	8.96	8.83
GW-11	-	-	-	16.70	16.64	16.64	14.15
GW-2	-	-	-	-	-	19.59	-
GW-9	-	-	-	17.76	18.4	17.8	17.79
SB01	7.34	6.37	7.23	7.19	7.38	7.86	7.67
SB02	10.3	9.84	9.68	9.46	9.74	9.99	9.78
SB04	7.5	6.34	7.59	7.33	7.64	8.18	8.08
SB05	8.32	7.1	7.90	7.73	8.11	8.59	8.37
SB06	9.82	8.43	8.77	8.87	8.98	9.36	9.18
SB07	-	8.01	8.89	8.79	8.83	9.53	9.45
SB08	7.77	6.73	7.60	7.70	7.63	8.12	7.99
SB09	7.85	6.36	7.33	7.22	7.49	7.95	7.75
SB10	8.14	7.45	8.00	8.15	8.21	8.6	8.46
SB11	9.78	8.1	8.72	8.6	9.19	9.51	9.13
SB15	9.3	8.18	8.77	9.12	9.57	9.82	9.14



Sample Location	Depth to Water (mbgl*)						
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24	Jul-24
VNW223	-	-	-	22.01	21.9	22.05	22.2
VNW394	-	6.73	6.83	6.49	6.53	6.52	6.68
VNW395	-	7.43	7.25	7.26	7.3	7.48	6.48
WR1	-	-	-	-	-	14.55	14.54
WR2	-	-	-	-	-	12.13	12.36

* mbgl = metres below ground level




Figure 2: Alluvial Bores Hydrograph (Manual Dips, below ground level)

2.4.1.2 Permian Groundwater Bores

The groundwater levels in the Permian monitoring bores are summarised in **Table 3**, and presented in **Figure 3**.

Table 3: Groundwater Levels in Permian Aquifer

Sample Location	Depth to Water (mbgl*)						
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24	Jul-24
GW03	-	6.12	6.85	7.23	7.27	7.13	7.45
GW-7	-	-	-	27.86	27.80	27.92	27.96



Sample Location	Depth to Water (mbgl*)						
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24	Jul-24
GW-8	-	-	-	21.74	21.69	21.63	21.62
MD01	-	28.02	27.63	27.68	27.57	27.96	27.61
MD02	-	40.98	40.57	40.30	40.03	39.88	39.82
TR18	-	13.04	13.38	12.92	13.17	13.26	13.38
TR26	-	12.44	12.39	12.24	12.21	12.31	12.35
TR35	-	18.16	18.17	18.04	11.23	18.43	18.54
TR7	-	9.85	9.93	9.75	9.69	9.84	10.97
VKY034C	-	39.79	39.97	39.61	40.27	39.37	40.1
VKY035C	-	42.37	42.03	42.01	42.04	41.89	42.6
VKY036C	-	49.23	47.24	49.17	49.88	49.53	49.83
VKY042C	-	42.68	42.40	42.56	42.80	42.53	42.67
VKY043C	-	16.41	15.56	15.70	15.82	15.15	15.69
VNW390	-	9.38	9.33	9.36	9.37	9.46	9.46
VNW391	-	7.80	7.75	7.76	7.79	7.94	7.98
VNW392	-	6.25	6.14	6.21	6.24	6.4	6.46
VNW393	-	10.64	10.50	10.48	10.57	10.6	10.67

* Metres below ground level




Figure 3: Permian Bores Hydrograph (Manual Dips)



2.4.1.3 Data Loggers

A summary of the available logger data is presented in **Table 4**. An example of a logger plot is provided in **Figure 4**, with all plots provided in Appendix B.

Table 4: Summary of Logger Data Availability

Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
GW01	VWP	10/10/2023 – 01/07/2024	-	Data were not adopted due to significant drifting in logger readings, with generally unrealistic water levels results (i.e., above ground level). Sensor is considered malfunctioned; further investigation required.
GW02	VWP	15/11/2023 – 01/07/2024	-	Data were not adopted due to significant drifting in logger readings, with generally unrealistic water levels results (i.e., above ground level). Sensor is considered malfunctioned; further investigation required.
GW03	VWP (01-10-6743)	17/01/2024 – 01/07/2024	3,203	-
GW-9	Logger (Rugged TROLL 100)	24/04/2020 – 08/07/2024	600	-
VNW395	Logger (Rugged TROLL 100)	17/01/2024 – 17/04/2024	272	Water level calculated in mbtoc, as no reference level (mAHD) available. Logger data was not downloaded during the July 2024 monitoring round. A temporary logger has been deployed while searching for a replacement.
TR7	Logger (Rugged TROLL 100)	17/03/2012 – 19/03/2014; and 03/06/2020 – 17/04/2024	1,391	Logger data is not available in July 2024 monitoring round
TR18	Logger (Rugged TROLL 100)	16/04/2020 – 04/07/2024	1,939	-
VKY034C	Logger (Rugged TROLL 100)	07/01/2020 – 05/07/2024	6,512	-
VKY035C	Logger (Rugged TROLL 100)	04/11/2020 – 08/07/2024	5,204	-
VKY036C	Logger (Rugged TROLL 100)	07/01/2020 – 08/07/2024	6,863	-



Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
VKY041C (38, 51, 70, 95, 115 m)	VWP (DT2055-02023)	11/03/2015 – 17/04/2024	-	Calibration factors and sensor depths to be confirmed.
VKY041C (140, 170, 199 m)	VWP (DT2055-02027)	11/03/2015 – 17/04/2024	-	Calibration factors and sensor depths to be confirmed.
VKY042C	Logger (Rugged TROLL 100)	04/11/2020 – 08/07/2024	5,255	-
VKY043C	Logger (Rugged TROLL 100)	07/01/2020 – 13/07/2023	5,135	Logger stopped reading in July 23
VKY3053C	VWP	04/03/2020 – 17/01/2024		No data in April 2023. Calibration factors and sensor depths to be confirmed.
VKY33C (38, 51, 70, 95, 115m)	VWP (DT2055-02029)	11/03/2015 – 22/01/2024	-	Calibration factors and sensor depths to be confirmed.
VKY33C (140, 170, 190m)	VWP (DT2055-02087)	11/03/2015 – 22/01/2024	-	Calibration factors and sensor depths to be confirmed.
VS048 (30m)	VWP	17/06/2011 – 15/06/2012; and 04/03/2020 – 04/07/2024	7,155	-
VS054 (23, 96, 120, 167m)	VWP (SN11-1769)	"17/06/2012 – 15/06/2012; and		
16/11/2023 – 17/04/2024"	~7,722/sensor	-		
VS056 (25, 100m)	VWP (SN11-1765)	04/03/2020 – 04/07/2024	VS056-25m: 7,756; VS056-100m: 1,333	-
VS058 (18, 88, 159m)	VWP (SN11-1768)	16/04/2020 – 01/07/2024	~6,147/sensor	
VS059 (30, 65, 113m)	VWP	16/04/2020 – 04/07/2024	~6,160/sensor	
VS062	VWP	12/02/2021 – 30/06/2024	10,218	
WR-1	Logger (Rugged TROLL 100)	30/04/2024 - 08/07/2024	5,133	Water level calculated in mbtoc, as no reference level (mAHD) available.



Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
WR-2	Logger (Rugged TROLL 100)	30/04/2024 - 08/07/2024	5,133	Water level calculated in mbtoc, as no reference level (mAHD) available.




Figure 4: Logger Hydrograph – VKY034C

2.4.2 TARP Trigger Level Review

The installation details and calibration data for the VWP sensors were originally derived from historical reporting, available data and other such inference sources. Upon provision of the original installation records and calibration certificates a preliminary review was undertaken indicating disparity between the two. Consequently, the baseline data required recalculation (from recorded pressure to water levels) based on the updated information. Subsequently, the trigger levels initially calculated are no longer suitable and also require revision.

The VWPs for which this review could be required, include: VKY3053C, VKY041C, VS058, VS062, VS059, VS054, and VS048 (those presented in Table 4-1 of the GWMP).

VKY036c, VKY3033 (eight VWPs) and VS056 (two VWPs) and TR26 are all within the VCM open cut mining footprint, and have approved drawdowns (Hydrosimulations, 2018) of greater than 100 m. These have not been assigned trigger levels, and consequently do not require updates to triggers. However, a review of the data and calibration statistics has been undertaken where possible.



During the course of this review, the water level baseline data for the open standpipes was also reviewed for completeness. Updated elevation data and additional water level data availability required review and revision of the interim trigger levels provided in the GWMP.

A technical memorandum summarising the approach and findings of the data review, update and trigger level revision is provided in **Appendix C**.

2.4.3 TARP Trigger Level Summary

Groundwater levels Alluvial bores have remained primary (89%) shown an increase in water levels between April and June. For those bores with more than three water level readings, all excluding GW-11 and VNW395 are within historical fluctuations. GW-11 had an observed increase of 2.49 metres between April and July, previous stable between January and April. It is now recording its shallowest groundwater level. Additionally, VNW395 showed an increase of 1.0 metres between April and June, previously showing a small decline between January and April. It is also currently presenting its shallowest water level. Ongoing monitoring it requires to establish if an increasing trend is ongoing, however it is presumed likely a response to notably high rainfall during the reporting period.

Groundwater levels in the Permian have shown minor increase and decrease across the suite of bores. The largest decline in water level was observed at TR7, with a decline of 1.13 metres between April and June. Further monitoring it required to establish if a declining trend is occurring.

It was noted that the potential of groundwater intersection occurred during this reporting period, as observed by increased in-pit water. Additionally, higher than average rainfall was recorded. The stable to increasing groundwater levels in the alluvial, and relatively stable water levels in the Permian do not indicate significant flux of water from the aquifer resulting in groundwater drawdown. Historically, groundwater levels have typically shown a strong correlation to rainfall trends and any review of trends will need to consider mining operations and climatic conditions.

Given the current status of mining and the stable to increasing groundwater levels, the current groundwater levels are considered to be reflective of natural conditions and not impacted by extraction activities. Additionally, review against the newly derived triggers does not indicate any breach in trigger levels. Therefore, the groundwater levels do not result in the enactment of the TARPs.

2.5 Groundwater Quality and Exceedance Summary

Routine groundwater monitoring commenced in October 2023 and continues quarterly. The full July 2024 field and laboratory suite results are summarised in **Appendix D**.

Table 5 summarises the bores that have exceedances of the interim trigger values as set out in Table 8-3 of the GWMP. **Appendix E** provides a summary of all monitoring rounds to date compared to the interim trigger values or ANZECC default guideline values for slightly to moderately disturbed ecosystems.

Table 5: Summary of GW Interim Trigger Values Compared to Initial Results

Groundwater Bore ID	Parameters	Unit	Trigger Value	Monitoring Results
GW02	pH	pH unit	7.2 – 8.6	7.14
GW03	EC	µS/cm	811	862
GW-11	pH	pH unit	7.0 – 9.3	6.55
GW-7	pH	pH unit	7.7 – 8.5	8.79



Groundwater Bore ID	Parameters	Unit	Trigger Value	Monitoring Results
	SO ₄ ²⁻	mg/L	86	399
GW-8	SO ₄ ²⁻	mg/L	86	100
GW-9	SO ₄ ²⁻	mg/L	86	128
MD01	pH	pH unit	6.7 – 8.4	10.73 [#]
MD02	pH	pH unit	6.7 – 8.4	6.59
SB02	SO ₄ ²⁻	mg/L	365	1,106
SB05	SO ₄ ²⁻	mg/L	365	520
TR18	pH	pH unit	6.7 – 8.4	6.69
	EC	µS/cm	12,315	12,730
	SO ₄ ²⁻	mg/L	86	592
TR26	SO ₄ ²⁻	mg/L	86	180
TR35	EC	µS/cm	12,315	16,740
	SO ₄ ²⁻	mg/L	86	622
TR7	pH	pH unit	7.4 – 7.8	6.71
	EC	µS/cm	12,970	14,410
	SO ₄ ²⁻	mg/L	365	501
VKY034C	SO ₄ ²⁻	mg/L	86	116
VKY035C	SO ₄ ²⁻	mg/L	86	88
VKY036C	SO ₄ ²⁻	mg/L	86	281
VKY042C	pH	pH unit	6.7 – 8.4	6.61
	SO ₄ ²⁻	mg/L	86	312
VNW390	pH	pH unit	6.7 – 8.4	6.59
	SO ₄ ²⁻	mg/L	86	106
VNW391	SO ₄ ²⁻	mg/L	86	96
VNW392	pH	pH unit	6.7 – 8.4	6.66
	SO ₄ ²⁻	mg/L	86	296
VNW393	SO ₄ ²⁻	mg/L	86	200
VNW394	SO ₄ ²⁻	mg/L	365	560
GW-2	pH	pH unit	6.9 – 8.3	6.85
WR-1	pH	pH unit	6.9 – 8.3	6.70
	EC	µS/cm	10,083	26,500
	SO ₄ ²⁻	mg/L	365	1,320
WR-2	pH	pH unit	6.9 – 8.3	6.57
	EC	µS/cm	10,083	25,340
	SO ₄ ²⁻	mg/L	365	1,540

- value considered not representative of aquifer. Bore investigation and purge undertaken in Feb 2024, found bore potentially failed and high pH due to grout contamination.



The trigger level exceedances summarised in **Table 5** are unlikely to be a result of mining and highly likely to be due to natural variation in water. The interim trigger levels were defined utilising standard guideline value and consequently are not reflective of the local natural conditions. As per the GWMP, these trigger values will be updated when reasonable baseline data is collected.

Review of the individual temporal plots do not indicate consistent increasing or decreasing trends over time, or across multiple locations. Additionally, there is no correlation with groundwater level trends (as groundwater is typically stable). Consequently, the groundwater quality results indicate a 'normal condition' TARP response.



3.0 Action and Response

Based on the results summary presented in **Section 2.0**, the fact that both Groundwater Level and Groundwater Quality are considered “Normal Conditions”, there are no specific action and responses required.



4.0 Recommendations

Table 6 provides a summary of the historical recommendations, from Annual and prior quarterly reporting, with a comment on their current status.

Table 6: Summary and Status of Recommendations to Date

Recommendation	Cited	Status
Several monitoring wells were unlocated (GW-2) or inaccessible (GW030051, GW030052, and GW036459) during the reporting period. It is recommended to locate these wells for future monitoring or provide justifications for updating the GWMP.	2023 Annual Review/Quarterly Report	ONGOING: GW-2 was located in April 2024 monitoring event, but unable to be located in July 2024 monitoring event. In addition, the depth of GW-2, cited as >150 mbgl in April 2024, is inconsistent with historical records indicating a shallow bore screening the alluvium. Therefore, the location and suitability of GW-2 should be reviewed for the ongoing monitoring. COMPLETE: Water level data for GW030051, GW030052, and GW036459 have been obtained from WaterNSW, and therefore continue monitoring in the ongoing events. Monitoring network review underway.
Continue the monitoring program and the quarterly reporting on groundwater levels and quality as outlined in the GWMP.	2023 Annual Review	COMPLETE/ONGOING: ongoing monitoring and reporting established.
Survey two new bores WR1 and WR2 for location and incorporate into the next monitoring round.	January 2024 Quarterly	COMPLETE: Based on the fieldnote, the locations have been surveyed for WR1 (227743, 6596215) and WR2 (227762, 6595746)
Review necessity of MD01 to network, as investigation indicate the bore is damaged. Confirm whether requires replacement or removal from the monitoring regime.	January 2024 Quarterly	ONGOING: Bore replacement planned.
Logger to be replaced in bore VKY043C.	January 2024 Quarterly	COMPLETE: The faulty logger in VKY043C was removed in April 2024, and no replacement has been installed as continuous monitoring of this bore is not required according to the GWMP; thus, a logger is considered unnecessary.
GW-7: field sampling contractors noted this site was overgrown and dangerous. It is recommended to perform site maintenance prior to next monitoring event.	January 2024 Quarterly	COMPLETE: GW-7 has been sampled in April 2024.
VNW223 is blocked at ~1.3 mbtoc and was unable to be sampled since January. Recommend investigate blockage and action accordingly.	January 2024 Quarterly	ONGOING: VNW223 remained blocked in April and July 2024 monitoring events. Review planned.
Review logger data from TR7 and GW01, as appears erroneous, and replace as necessary.	April 2024 Quarterly	ONGOING: Loggers review underway.
Elevation survey of all bores to assist with groundwater level trigger development and plotting of bores as reduced water levels (i.e. as metres below Australian height datum – mAHD).	April 2024 Quarterly	ONGOING: Elevation survey has been done for majority of the bores, except for VNW395, WR1, and WR2. Water level plots have been updated as reduced water levels (refer to Appendix C)



Recommendation	Cited	Status
Verify sensor depths for all VWPs in the network to assist with groundwater level calculation (calibration certificates in hand for review and update of database). Revise trigger levels based on updated sensor depth and calibration data.	April 2024 Quarterly	ONGOING: Verify sensor depths for VKY033C (or VKY3033C) and VKY041C to assist with groundwater level calculation. COMPLETE: Sensor depths have been verified for all standpipe loggers and VWPs, except for abovementioned VKY033C and VKY041C.

Recommendations based on the review and analysis completed herein, are as follows:


- GW-2 was located in April 2024 monitoring event, but unable to be located in July 2024 monitoring event. In addition, the depth of GW-2, cited as >150 mbgl in April 2024, is inconsistent with historical records indicating a shallow bore screening the alluvium. Therefore, the location and suitability of GW-2 should be reviewed for the ongoing monitoring.
- VNW223 is blocked at 1.3 mbtoc and was unable to be sampled since January. Recommend investigate blockage and action accordingly.
- Verify sensor depths for VKY033C (or VKY3033C) and VKY041C to assist with groundwater level calculation.
- When adequate baseline data becomes available, review and update the quality trigger values.



5.0 References

- Hydrosimulations. 2018. "Vickery Extension Project: Groundwater Assessment. Report ."
- Queensland Government. 2024. *SILLO Long Paddock*. <https://www.longpaddock.qld.gov.au/>.
- Whitehaven. 2023. "Vickery Coal Mine Water Management Plan Appendic C Groundwater Management Plan."





Appendix A Trigger Action Response Plan

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review May 2024 – July 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

2 October 2024

Table A-1: Tigger Action Response Plan

PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
<u>Performance Measure Feature</u> Negligible groundwater level impact on the Namoi Alluvium aquifer and associated surface watercourses, groundwater dependent ecosystems, and private landowner bores. Negligible groundwater level impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater impacts (Hydrosimulations 2018). <u>TARP Objective</u> This TARP defines levels of deviation in groundwater level from 'normal' conditions and the actions to be implemented in response to each level deviation as a result of open cut mining. <u>Assessment Criteria</u> Bore specific trigger values are based on the water levels across the entire history of monitoring in each individual bore and the predicted impacts from the Hydrosimulations (2018) numerical groundwater model.	<u>Locations</u> Open standpipes and VWPs All monitoring locations as set out in Table 4-1 of the Groundwater Management Plan (GWMP). All monitoring locations are shown in Figure 4-1 of the GWMP. <u>Monitoring Frequency</u> During mining Quarterly manual measurements of water level. Continuous monitoring in bores installed with Vibrating Wire Piezometers (VWPs). <u>Post-mining</u> TBC	Normal Condition		
		Groundwater level remains above the respective trigger limits (defined as the 95th percentile over the baseline period and detailed in Table 8-2 of the GWMP) for each individual groundwater bore.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		One quarterly monitoring result shows an exceedance of the trigger limit as detailed in Table 8-2 of the GWMP.	- Actions as required for Normal Condition. - Re-sample of groundwater level within seven days.	Report declines and climate investigation outcomes in Annual Review.
		Level 2		
		- Groundwater level in a groundwater bore exceeds the respective trigger limit during three consecutive quarterly monitoring rounds. OR - Complaint received by landowners of private bores regarding groundwater level declines.	- Actions as stated in Level 1. For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to check and validate the data and assess cause of trigger exceedances to determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater levels to be carried out by qualified personnel. - Increase monitoring and review of data frequency for sites where Level 2 has been reached, subject to land access. For Private Bores: - Undertake investigation to demonstrate if the decline will impact the long-term viability of the affected water supply works. - Commence level monitoring of said private bore in quarterly monitoring rounds, subject to negotiation and land access restrictions. The investigation will be commenced/ completed as efficiently as practicable.	- Responses as stated in Level 1. - Include outcomes from the preliminary investigation report in Annual Review.
		Level 3		




PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
		- The reduction in water level is determined in the Level 2 preliminary investigation not to be controlled by climatic or external anthropogenic factors. OR - Groundwater level in a groundwater bore continues to exceed the respective trigger limit during six consecutive monitoring rounds.	- Actions as stated in Level 2. For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review groundwater model. For Private Bores: - Review corrective management actions (CMAs) as specified in Section 8.3 of the GWMP considering findings from further investigations and consider additional reasonable and feasible options.	- Responses as stated in Level 2. - Report trigger exceedance to DPE and key stakeholders. Provide the detailed investigation report to relevant agencies within a reasonable timeframe of identifying the non-compliance. - Report trigger exceedance and investigation outcomes in Annual Review. - Develop/design contingency and remedial measures based on the results of the above investigations. Contingency and remedial measures considered practical for implementation may include: - Undertake landholder and government consultation; - Offset groundwater leakage from the Namoi Alluvium aquifer; - Review and refine the GWMP including undertaking additional - specific monitoring of private landholder bores; - Review Site Water Balance and predictive groundwater model; and - Review mine plan impacts on alluvial groundwater source. For Private Bores: - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 8.3 of the GWMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed "make-good" arrangements). - Monitor and report on success of CMAs in Annual Review.
Performance Measure Feature Negligible quality impact on the Namoi Alluvium aquifer and associated surface watercourses and private landholder bores. Negligible quality impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater (Hydrosimulations 2018). TARP Objective This TARP defines levels of deviation in groundwater quality from baseline conditions and the actions to be implemented in response to each level deviation. Assessment Criteria Quality in each monitoring bore remains within the 5th and 95th percentile of the baseline conditions set out in Table 8-4 of the GWMP for the following parameters: - Electrical Conductivity; - pH; and - Sulfate. Other major and metal ions will be assessed against the relevant ANZECC guidelines.	Locations Open standpipes All open standpipe monitoring locations as set out in Table 4-2 of the GWMP. Monitoring Frequency During mining Six-monthly measurements of pH and electrical conductivity parameters. Other parameters (detailed in Table 4-2 of the GWMP) to be measured on an annual basis. Post-mining TBC	Normal Condition		
		- Groundwater pH remains within the baseline 5th and 95th percentile range, as specified in the GWMP. - Other groundwater quality parameters remain below the baseline 95th percentile, as specified in the GWMP.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		Two six-monthly exceedances or one annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters).	- Actions as required for Normal Condition. - Re-sample of groundwater quality within seven days	Report declines and climate investigation outcomes in Annual Review.
		Level 2		
		- Three consecutive six-monthly exceedances or two annual quality exceedances (including re-samples from Level 1) outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters). OR - Complaint received by landowners of private bores regarding groundwater quality declines.	- Actions as stated in Level 1. For Open Standpipe Monitoring Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to assess cause of quality exceedances and determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater quality to be carried out by qualified personnel. Increase monitoring and review of data frequency for sites where Level 2 has been reached, subject to land access. For Private Bores: - Collect quality sample from said private bore for comparison with wider aquifer data, subject to negotiation and land access restrictions. - Undertake investigation to demonstrate if quality will impact the long-term viability of the affected water supply works. The investigation will be commenced/ completed as efficiently as practicable.	- Responses as stated in Level 1. - Include outcomes from the preliminary investigation report in Annual Review.



PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
		Level 3		
		- The water quality changes are determined from Level 2 preliminary investigation to not be controlled by climatic, local land uses, or other external anthropogenic factors. OR - Groundwater quality continues to decline with six consecutive six-monthly exceedances or three annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters). AND - Quality exceedances are widespread (three or more bores in an aquifer show water quality exceedances) across the aquifers being monitored.	- Actions as stated in Level 2. For Private Bores and Open Standpipe Monitoring Bores - Increase monitoring to at least quarterly measurements for sites where Level 3 has been reached, subject to land access. - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review corrective management actions (CMAs) as specified in Section 8.3 of the WMP considering findings from further investigations and consider additional reasonable and feasible options.	- Responses as stated in Level 2. For Private Bores and Open Standpipe Monitoring Bores: - Report trigger exceedance to DPE and key stakeholders. - Report trigger exceedance and investigation outcomes in Annual Review. For Private Bores, if the changes have been confirmed to be related to mining effects: - Initiate negotiations with impacts landowners as soon as practicable. Consider all reasonable and feasible options for remediation as relevant (e.g., isolation, remediation, etc.). - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 10.2.2 of the WMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed “make-good” arrangements). - Monitor and report on success of CMAs in Annual Review.





Appendix B Groundwater Level Results







Vickery Extension Project Groundwater Monitoring Report







Quarterly Review May 2024 – July 2024







Whitehaven Coal Ltd







SLR Project No.: 640.031099.00001







2 October 2024









































Appendix C Groundwater Level Review and Trigger Update

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review May 2024 – July 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

2 October 2024

To: Harry Mills

From: Sharon Hulbert

Company: Whitehaven Coal

SLR Consulting Australia

cc: Megan Martin

Date: 13 September 2024

Project No. 640.031099.00001

RE: Vickery GWMP

WVP Baseline data update and Trigger Level Update

Confidentiality

This document is confidential and may contain legally privileged information. If you are not a named or authorised recipient, you must not read, copy, distribute or act in reliance on it. If you have received this document in error, please notify us immediately and return the document by mail.

1.0 Introduction

The groundwater monitoring network at the Vickery Expansion Project (VEP) is made up of both Vibrating Wire Piezometers (VWPs) and Open Standpipes (OSPs). Multiple OSPs have loggers installed, for continuous data recording.

Initially, the installation details and calibration data for the WVP sensors were derived from historical reporting, available data and other inference sources. Upon provision of the original installation records and calibration certificates a preliminary review was undertaken which indicated disparity between the two records. Consequently, the baseline data requires recalculation (from recorded pressure to water levels) based on the updated installation/calibration information. Subsequently, the trigger levels initially derived are no longer suitable and require revision.

The VWPs for which this review could be required, include: VKY3053C, VKY041C, VS058, VS062, VS059, VS054, and VS048 (those presented in Table 4-1 of the GWMP).

VKY036c, VKY3033 (eight VWPs) and VS056 (two VWPs) and TR26 are all within the VCM open cut mining footprint, and have approved drawdowns (Hydrosimulations, 2018) of greater than 100 m. These have not been assigned trigger levels, and consequently do not require updates to triggers. However, a review of the data and calibration statistics will be undertaken.

During the course of this review, the water level baseline data for the open standpipes was also reviewed for completeness. Updated elevation data and additional water level data availability required review and revision of the interim trigger levels provided in the GWMP.

Described below are the amendments made, and the revised trigger levels.

These revisions will be appended to the relevant quarterly reporting report, and following the 2024 Annual Review, the Groundwater Management Plan (GWMP) will be updated.

1.1 Data Received

At the time of this review, the following datasets have been received:

- Raw sensor data (this was provided without headers, and consequently, sensor depths have been assigned based on the provided temperature data).
- Calibration certificates have been obtained for all VWPs, except for VKY041C, VKY3033, and VKY3053C.
- New survey data was received for majority of the OSPs.

1.2 Summary of amendments

Table 1 presents the water level monitoring bores and commentary on the amendments made and why, as well as the historic and revised trigger levels.

Subsequently, the updated hydrographs with the historic interim triggers and the revised triggers are appended to this memo.

1.2.1 Additional notes

The revised trigger levels were based on all available data, including logger and manual dips.

Where logger data is inconsistent across the monitoring record, its availability has the capacity to sway the 95th percentile trigger due to the high number of monitoring points associated with the loggers. For example, at GW-9 (see two figures below). The high number of data points, post early-2024 has resulted in a 95th percentile trigger that does not look representative of the long-term data. These trigger levels will be revised as more data comes to hand and review of the whole record will be considered when assessing potential impacts from mining.




Table 1 Summary of updates

Bore ID	Bore Type	Recording Period	Number of Data Points	Baseline data revised	Comments	Current Trigger Levels (mAHD unless otherwise specified)	Proposed Trigger Levels (mAHD unless otherwise specified)
GW01	OSP	05/14/11 - 07/01/24	32	Yes	Manual dips were updated based on new survey and recent monitoring data. Logger data were not adopted due to significant drifting in logger readings, with generally unrealistic water levels results (i.e., above ground level). Sensor is considered malfunctioned; further investigation required.	11.05 (mBRP)	242.61
GW02	OSP	05/17/11 - 07/01/24	31	Yes	Manual dips were updated based on new survey and recent monitoring data. Logger data were not adopted due to significant drifting in logger readings, with generally unrealistic water levels results (i.e., above ground level). Sensor is considered malfunctioned; further investigation required.	10.55 (mBRP)	240.56
GW03	OSP	05/23/11 - 07/01/24	3,236	Yes	Manual dips were updated based on new survey and recent monitoring data. Logger data are to be reviewed. The last period of data looks disconnected/different from the previous period.	9.66 (mBRP)	241.59
GW030051-1^	OSP	02/10/14 - 05/09/24	48	Yes	Data have been revised based on updated monitoring data	223.95	233.03
GW030051-2^	OSP	02/10/14 - 05/09/24	48	Yes	Data have been revised based on updated monitoring data	232.38	233.16
GW030052-1^	OSP	02/10/14 - 05/09/24	48	Yes	Data have been revised based on updated monitoring data	232.03	234.9
GW030052-2^	OSP	02/10/14 - 05/09/24	48	Yes	Data have been revised based on updated monitoring data	-	234.9
GW036459^	OSP	02/11/14 - 05/08/24	46	Yes	No monitoring data	243.01	242.74
GW-11	OSP	04/08/08 - 07/08/24	46	Yes	Data have been revised based on new survey data, and the recent monitoring data.	18.56 (mBRP)	231.44
GW-7	OSP	11/16/05 - 07/05/24	57	Yes	Data have been revised based on new survey data, and the recent monitoring data.	29.22 (mBRP)	239.32
GW-8	OSP	11/16/05 - 07/05/24	38	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	238.72
GW-9	OSP	11/16/05 - 07/08/24	654	Yes	Data have been revised based on new survey data, and the recent monitoring data.	22.57 (mBRP)	233.46



Bore ID	Bore Type	Recording Period	Number of Data Points	Baseline data revised	Comments	Current Trigger Levels (mAHD unless otherwise specified)	Proposed Trigger Levels (mAHD unless otherwise specified)
MD01	OSP	01/14/13 - 07/04/24	25	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	246.5
MD02	OSP	01/14/13 - 07/04/24	26	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	256.75
SB01	OSP	01/05/11 - 07/01/24	32	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	241.49
SB02	OSP	01/05/11 - 07/01/24	33	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	243.18
SB04	OSP	03/12/12 - 07/01/24	23	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	241.55
SB05	OSP	01/05/11 - 07/01/24	31	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	241.82
SB06	OSP	01/05/11 - 07/01/24	29	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	242.14
SB07	OSP	12/30/11 - 07/01/24	31	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	240.65
SB08	OSP	03/12/12 - 07/01/24	27	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	241
SB09	OSP	01/05/11 - 07/01/24	31	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	241.51
SB10	OSP	01/05/11 - 07/01/24	31	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	241.72
SB11	OSP	01/05/11 - 07/01/24	31	Yes	Data have been revised based on new survey data, and the recent monitoring data.	11.19 (mBRP)	242.24
SB15	OSP	01/05/11 - 07/01/24	31	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	242.33
TR18	OSP	03/17/12 - 07/05/24	1,960	Yes	Data have been revised based on new survey data, and the recent monitoring data.	16.39 (mBRP)	246.3
TR35	OSP	03/17/12 - 07/05/24	24	Yes	Data have been revised based on new survey data, and the recent monitoring data.	33.46 (mBRP)	246.76



Bore ID	Bore Type	Recording Period	Number of Data Points	Baseline data revised	Comments	Current Trigger Levels (mAHD unless otherwise specified)	Proposed Trigger Levels (mAHD unless otherwise specified)
TR7	OSP	03/17/12 - 07/05/24	1,416	Yes	Logger data is not available in July 2024 monitoring round	10.23 (mBRP)	245.85
VKY034C	OSP	03/17/12 - 07/05/24	6,535	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	246.34
VKY035C	OSP	03/19/14 - 07/08/24	5,229	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	248.21
VKY041C (140, 170, 199 m)	VWP	11/03/2015 – 17/04/2024	3,325/ sensor	No	No calibration certificate provided.	-	#N/A
VKY041C (38, 51, 70, 95, 115 m)	VWP	11/03/2015 – 17/04/2024	~3,325/ sensor	No	No calibration certificate provided.	-	#N/A
VKY042C	OSP	03/17/12 - 07/08/24	5,280	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	248.76
VKY043C	OSP	03/19/14 - 07/05/24	4,760	Yes	Logger stopped reading in July 23	-	248.07
VKY3053C	VWP	-	-	No	No data from April 2024 onwards. No calibration certificate provided to convert readings to water levels. VWP raw data suggested 5 sensors; SLR database found one dataset (~42mbtoc/219mAHD) between 2012 and 2013.	-	-
VNW223	OSP	11/07/06 - 04/29/24	50	Yes	Data have been revised based on new survey data, and the recent monitoring data.	25.8 (mBRP)	226.75
VNW390	OSP	03/02/20 - 07/04/24	12	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	242.42
VNW391	OSP	03/02/20 - 07/04/24	12	Yes	Data have been revised based on new survey data, and the recent monitoring data.	-	242.39
VNW392	OSP	03/02/20 - 07/04/24	12	Yes	Data have been revised based on new survey data, and the recent monitoring data.	7.27 (mBRP)	242.42
VNW393	OSP	03/02/20 - 07/04/24	12	Yes	Data have been revised based on new survey data, and the recent monitoring data.	12.51 (mBRP)	240.23
VNW395	OSP	09/18/19 - 07/04/24	285	Yes	Water level calculated in mbtoc, as no reference level (mAHD) available. Logger data was not downloaded during the July 2024	9.32 (mBRP)	7.42 (mBRP)



Bore ID	Bore Type	Recording Period	Number of Data Points	Baseline data revised	Comments	Current Trigger Levels (mAHD unless otherwise specified)	Proposed Trigger Levels (mAHD unless otherwise specified)
					monitoring round. A temporary logger has been deployed while searching for a replacement.		
VS048	VWP	06/17/11 - 01/17/24	6,983	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	237.83	239.33
VS054-120m	VWP	06/17/11 - 07/04/24	7,706	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	-	251.06
VS054-167m	VWP	06/17/11 - 07/04/24	7,706	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	-	249.9
VS054-23m	VWP	06/17/11 - 07/04/24	7,722	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	-	274.27
VS054-96m	VWP	06/17/11 - 07/04/24	7,706	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	-	250.24
VS058-159m	VWP	04/16/20 - 07/01/24	11,986	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	233.49	243.42
VS058-18m	VWP	04/16/20 - 07/01/24	6,147	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	232.91	246.33
VS058-88m	VWP	04/16/20 - 07/01/24	11,986	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	226.56	241.25
VS059-113m	VWP	04/16/20 - 07/04/24	6,160	Yes	Data have been revised based on the provided calibration certificate and new survey data. Verify the calculated water level. The middle sensor has the lowest water level.	245.55	243.76
VS059-30m	VWP	04/16/20 - 07/04/24	6,160	Yes	Data have been revised based on the provided calibration certificate and new survey data. Verify the calculated water level. The middle sensor has the lowest water level.	238.01	238.52
VS059-65m	VWP	04/16/20 - 07/04/24	6,160	Yes	Data have been revised based on the provided calibration certificate and new survey data. Verify the calculated water level. The middle sensor has the lowest water level.	256.07	225.62
VS062	VWP	02/12/21 - 06/30/24	10,218	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data.	235.32	235.76
WR1	OSP	04/30/24 - 07/08/24	277	Yes	Water level calculated in mbtoc, as no reference level (mAHD) available.	-	14.59 (mBRP)



Bore ID	Bore Type	Recording Period	Number of Data Points	Baseline data revised	Comments	Current Trigger Levels (mAHD unless otherwise specified)	Proposed Trigger Levels (mAHD unless otherwise specified)
WR2	OSP	04/30/24 - 07/08/24	277	Yes	Water level calculated in mbtoc, as no reference level (mAHD) available.	-	12.29 (mBRP)
TR26*	OSP	03/17/12 - 07/05/24	28	Yes	Manual water level data received. Logger data not received. Within the VCM open cut mining footprint, and has approved drawdowns of >100m, no trigger level assigned.	N/A	N/A
VKY036C*	OSP	03/17/12 - 07/08/24	6,886	Yes	Data has been updated to include the recently monitoring results. Within the VCM open cut mining footprint, and has approved drawdowns of >100m, no trigger level assigned.	N/A	N/A
VKY33C (140, 170, 190m) *	VWP	11/03/2015 – 22/01/2024	3,241/ sensor	No	No calibration certificate provided. Within the VCM open cut mining footprint, and has approved drawdowns of >100m, no trigger level assigned.	N/A	N/A
VKY33C (38, 51, 70, 95, 115m) *	VWP	11/03/2015 – 22/01/2024	3,240/ sensor	No	No calibration certificate provided. Within the VCM open cut mining footprint, and has approved drawdowns of >100m, no trigger level assigned.	N/A	N/A
VS056-100m*	VWP	03/04/20 - 07/04/24	1,333	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data. Within the VCM open cut mining footprint, and has approved drawdowns of >100m, no trigger level assigned.	N/A	N/A
VS056-25m*	VWP	06/17/11 - 07/04/24	7,756	Yes	Data have been revised based on the provided calibration certificate, new survey data, and the recent monitoring data. Within the VCM open cut mining footprint, and has approved drawdowns of >100m, no trigger level assigned.	N/A	N/A
GW-2#	Unknown	04/29/24 - 04/29/24	1	Yes	Only one data point. Cannot locate bore during all monitoring rounds, except for April 24 monitoring round. No trigger set as insufficient data.	-	-
VNW394#	OSP	12/01/22 - 07/04/24	6	No	No trigger set as insufficient data.	-	

* bore located in mine footprint, with approved drawdown > 100 metres, no requirement for trigger level.







Insufficient baseline data to calculate triggers







mBRP = metres below reference point







OSP = Open standpipe







VWP = vibrating wire piezometer



























































Appendix D Groundwater Quality Results

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review May 2024 – July 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

2 October 2024

Table C-1: Field GW Monitoring Data


Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
SB02	24-10-2023 10:40	7.21	7250	24.1	44	Nil	Slightly turbid	Orange	Quarterly sampling
GW01	24-10-2023 9:36	7.33	1042	22.4	79	Nil	Clear	Colourless	Quarterly sampling
SB15	24-10-2023 10:10	7.29	1019	22.6	59	Nil	Clear	Colourless	Quarterly sampling
SB06	24-10-2023 7:35	7.35	3280	20.6	41	Nil	Clear	Colourless	Quarterly sampling
SB11	24-10-2023 8:25	7.26	1080	22.6	46	Nil	Clear	Colourless	Quarterly sampling
SB10	23-10-2023 15:55	7.43	1880	24.3	34	Nil	Clear	Colourless	Quarterly sampling; small amount of sediment in water
SB05	23-10-2023 16:20	2.09	3740	25	43	Nil	Clear	Colourless	Quarterly sampling
SB09	23-10-2023 15:20	3.32	949	27.3	28	Nil	Slightly turbid	Orange/brown	Quarterly sampling; a lot of sediment in water, possible rust particles
SB01	23-10-2023 15:00	7.44	1541	26.5	36	Nil	Clear	Colourless	Quarterly sampling
SB04	23-10-2023 13:19	7.29	2680	28.2	47	Slight	Slightly turbid	Grey	Quarterly sampling; bailed due to depth; Standpipe extremely unstable; too shallow to hydrasleeve so bailed to test.
SB08	23-10-2023 13:35	7.24	983	26.3	41	Nil	Clear	Colourless	Quarterly sampling
SB07	23-10-2023 11:47	7.35	770	23.2	46	Nil	Clear	Colourless	Quarterly sampling
GW02	23-10-2023 10:51	7.59	731	25.2	25	Nil	Clear	Colourless	Quarterly sampling
MD01	25-10-2023 9:50	11.58	1799	25.6	-91	Slight	Clear	Colourless	Quarterly sampling; Slight unknown odour. No cap on bore;
MD02	25-10-2023 11:10	6.84	1195	27.4	-69	Nil	Clear	Colourless	Quarterly sampling
GW03	23-10-2023 14:14	7.19	862	25.9	21	Nil	Clear	Colourless	Quarterly sampling; fence panels down and logger missing (assume down the bore).
TR26	25-10-2023 12:00	7.06	6290	26.3	52	Nil	Clear	Colourless	Quarterly sampling
TR7	25-10-2023 12:25	6.53	####	26.4	61	Nil	Clear	Colourless	Quarterly sampling
TR18	25-10-2023 13:30	6.58	####	27.8	99	Nil	Clear	Colourless	Quarterly sampling
TR35	25-10-2023 14:10	6.66	####	25.5	-55	Slight	Clear	Colourless	Quarterly sampling
VKY043C	26-10-2023 8:25	7.72	2990	20	-32	Nil	Clear	Colourless	Quarterly sampling
VKY042C	26-10-2023 11:45	6.75	5420	28.1	-28	Nil	Clear	Colourless	Quarterly sampling; Unable to determine total bore depth as it was greater than 150m (length of the dip tape)
VKY035C	26-10-2023 10:40	7.1	3110	25.5	-26	Nil	Clear	Colourless	Quarterly sampling
VKY034C	26-10-2023 9:15	7.3	3590	23.4	70	Nil	Clear	Colourless	Quarterly sampling
VKY036C	26-10-2023 12:40	7.08	5600	25.1	-39	Nil	Clear	Colourless	Quarterly sampling
VNW390	24-10-2023 12:35	6.92	2300	22.6	-96	Moderate	Clear	Colourless	Quarterly sampling; Sulphur odour
VNW391	24-10-2023 14:20	7.04	2530	23.9	-60	Nil	Clear	Colourless	Quarterly sampling
VNW392	22-11-2023 13:58	6.74	3690	20.8	-96	Slight	Clear	Colourless	Quarterly sampling; No access - locked out on 24/10/2023; Sampled 22/11/2023; Slight H2S odour
VNW393	24-10-2023 13:05	7.36	2740	22.1	26	Slight	Clear	Colourless	Quarterly sampling; Slight sulphur odour
VNW394	22-11-2023 13:12	7.13	5520	12.8	-70	Nil	Slight	Grey	Quarterly sampling;
VNW395	24-10-2023 13:41	7.47	463	20.9	57	Slight	Clear	Colourless	Quarterly sampling; no logger
GW-8	22-11-2023 15:47	7.11	4290	22.5	-176	Nil	Slight	Brown	Quarterly sampling; Unable to locate on 27/10/2023; Sampled 22/11/2023
GW-7	27-10-2023 11:50	8.89	4300	22.7	60	Nil	Clear	Colourless	Quarterly sampling; Suspended matter in water
VNW223	27-10-2023 10:10	7.25	5940	19.9	49	Nil	Clear	Colourless	
GW-11	27-10-2023 9:40	7.36	4360	21.5	-111	Nil	Clear	Colourless	Quarterly sampling; old windmill overhead
GW-9	27-10-2023 12:55	7.94	6110	22.6	-87	Nil	Clear	Brown	Quarterly sampling; old windmill overhead
VKY GW Duplicate 1	24-10-2023 8:25	7.26	1081	22.6	46	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from SB11
VKY GW Duplicate 2	26-10-2023 8:25	7.71	2990	20.1	-32	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from VKY0043C
VKY GW Lab Split Dup 1	24-10-2023 8:25	7.27	1080	22.7	47	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from SB11
VKY GW Lab Split Dup 2	26-10-2023 8:25	7.71	2990	20	-33	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from VKY0043C

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY GW Blank	24-10-2023 7:35	8.77	13	15.4	70	Nil	Clear	Colourless	Quarterly sampling; blank
SB02	25-10-2023 12:25	7.28	7330	22.5	Clear	Nil	Slightly turbid	Orange	
GW01	23-01-2024 7:39	7.2	1265	19.6	-15.7	Nil	Clear	Colourless	
SB15	23-01-2024 8:05	7.23	1070	21.1	-88	Nil	Clear	Colourless	
SB06	17-01-2024 12:55	7.61	3460	26.5	-84	Nil	Turbid	Brown	
SB11	17-01-2024 13:26	7.7	1021	26.4	-62	Nil	Clear	Colourless	
SB10	17-01-2024 13:49	7.47	1972	29.7	-69	Nil	Clear	Colourless	
SB05	17-01-2024 14:31	7.73	3690	28	-131	Nil	Clear	Colourless	
SB09	17-01-2024 15:18	7.56	1014	26.1	-70	Nil	Slightly turbid	Black	
SB01	17-01-2024 14:58	7.31	1716	28.3	-70	Nil	Clear	Colourless	
SB04	17-01-2024 15:51	7.43	3360	24.6	-188	Slightly	Clear	Colourless	Slight H2S odour
SB08	18-01-2024 16:09	7.39	1115	23.4	-119	Nil	Clear	Colourless	
SB07	17-01-2024 16:32	7.47	919	24.5	-87	Nil	Clear	Colourless	
GW02	18-01-2024 10:54	7.79	971	23.9	-74	Nil	Clear	Colourless	
MD01	18-01-2024 9:10	11.69	1786	22.9	-135	Nil	Slightly turbid	Brown	
MD02	23-01-2024 10:29	6.78	1306	24.3	-140	Nil	Clear	Colourless	
GW03	23-01-2024 6:59	7.16	888	19.6	66	Nil	Clear	Colourless	
TR26	18-01-2024 13:35	7.16	8380	24.8	-62	Nil	Slightly turbid	Brown	
TR7	18-01-2024 13:55	7.05	1539	25.2	-30	Nil	Slightly turbid	Brown	
TR18	18-01-2024 14:28	6.85	1364	24.5	-21	Nil	Slightly turbid	Brown	
TR35	18-01-2024 15:25	6.75	1733	24	-63	Nil	Clear	Colourless	
VKY043C	18-01-2024 14:58	7.8	3410	24.1	-74	Nil	Clear	Colourless	
VKY042C	23-01-2024 12:58	6.72	5430	31	-119	Nil	Clear	Colourless	
VKY035C	23-01-2024 12:14	7.01	3340	27.2	-170	Nil	Clear	Colourless	
VKY034C	23-01-2024 11:05	6.94	3850	29.4	-149	Nil	Slightly turbid	Brown	
VKY036C	23-01-2024 11:35	6.79	5810	28.7	-139	Nil	Clear	Colourless	
VNW390	17-01-2024 11:23	7.13	2376	24.3	-69	Nil	Clear	Colourless	
VNW391	17-01-2024 11:52	7.31	2471	23.1	-109	Nil	Clear	Colourless	
VNW392	17-01-2024 12:22	6.74	3310	26.1	-149	Nil	Clear	Grey	
VNW393	17-01-2024 10:51	7.56	2830	29.5	-90	Slightly	Clear	Colourless	Very slight H2S odour
VNW394	17-01-2024 9:30	6.92	5410	23.9	-104	Nil	Slightly turbid	Grey	
VNW395	17-01-2024 11:39	7.77	1395	27	-168	Nil	Clear	Grey	
GW-8	24-01-2024 13:55	7.03	3950	26.5	-208	Nil	Clear	Black	
GW-7	23-01-2024 9:12	8.82	4490	23	-64	Nil	Clear	Colourless	Site overgrown and dangerous - Need cleaning up
VNW223	24-01-2024	-	-	-	-	-	-	-	Blocked at 1.3 mbtoc
GW-11	23-01-2024 14:26	6.93	4340	30.6	-192	Nil	Slightly turbid	Orange	
GW-9	23-01-2024 13:49	6.68	3320	24.2	-196	Nil	Slightly turbid	Brown	No logger
GW030051	-	-	-	-	-	-	-	-	No access - NSWWater locked bore
GW030052	-	-	-	-	-	-	-	-	No access - NSWWater locked bore
GW-2	-	-	-	-	-	-	-	-	Unable to locate

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY GW Duplicate 1 - MD01	18-01-2024 9:38	11.54	1848	22.9	-147	Nil	Slightly turbid	Brown	
VKY GW Duplicate 2 - GW-11	23-01-2024 14:26	-	-	-	-	-	-	-	
VKY GW Lab Split Dup 1 - MD01	18-01-2024 9:42	11.73	1872	22.9	-149	Nil	Slightly turbid	Brown	
VKY GW Lab Split Dup 2 -	23-01-2024 13:53	6.65	3490	24.8	-193	Nil	Slightly turbid	Brown	
VKY GW Blank	17-01-2024 9:35	8.94	3.1	22.8	100	Nil	Clear	Colourless	
VS058	15-04-2024 13:49								Li Battery 3.67V
SB02	15-04-2024 13:36	7.14	7210	24.7	-128	Nil	Slightly Turbid	Orange	
GW01	15-04-2024 13:12	7.14	1384	26.5	-127	Nil	Slightly Turbid	Black	Suspended solids minor
SB15	15-04-2024 12:56	7.17	972	27	43	Nil	Clear	Clear	Suspended solids minor
SB06	15-04-2024 12:21	7.42	3410	26.1	-70	Nil	Turbid	Black	
SB11	15-04-2024 12:37	7.45	1048	24.3	69	Nil	Clear	Clear	
SB10	15-04-2024 11:11	7.28	1859	24	-5	Nil	Slightly Turbid	Black	Suspended solids minor
SB05	15-04-2024 11:31	7.63	3680	22.9	-113	Nil	Slightly Turbid	Black	Suspended solids moderate
SB09	15-04-2024 10:52	7.27	973	21.7	-61	Nil	Turbid	Black	Suspended solids minor
SB01	15-04-2024 10:34	7.2	1698	24.1	-91	Nil	Clear	Grey	Suspended solids minor
SB04	15-04-2024 9:21	7.27	1868	24.1	-214	Yes	Turbid	Black	Sufer odour, suspended solids
SB08	15-04-2024 9:31	7.17	1039	21.2	-55	Nil	Clear	Clear	
SB07	15-04-2024 8:48	7.28	934	21	57	Nil	Clear	Clear	Suspended solids minor
GW02	15-04-2024 8:16	7.14	926	24.3	8	Nil	Clear	Clear	Suspended solids moderate
VS062	15-04-2024 9:04								Li Battery 3.64V
VS059	15-04-2024 12:05								Li Battery 3.64V
VS056	17-04-2024 11:23								
	17-04-2024 11:26								
MD01	18-04-2024 10:23	10.73	1283	24.2	-286	Strong	Slightly Turbid	Grey	Strong fecal odour
VS048	17-04-2024 10:59								
VS054	17-04-2024 11:50								Li Battery 3.65V
MD02	17-04-2024 11:38	6.59	1210	31.1	-114	Slight	Clear	Clear	Suspended solids moderate
GW03	15-04-2024 9:56	7.05	862	24	-26	Nil	Clear	Grey	Suspended solids minor
TR26	17-04-2024 12:31	7.11	5180	29.4	60	Nil	Clear	Clear	
TR7	17-04-2024 12:49	6.71	####	27.4	157	Nil	Clear	Orange	Logger length recorded
TR18	17-04-2024 13:26	6.69	####	27.8	57	Nil	Slightly Turbid	Orange	Logger length recorded
TR35	17-04-2024 14:20	6.72	####	22.8	48	Nil	Clear	Clear	
VKY43C	17-04-2024 14:06	7.65	3410	23.6	-47	Nil	Slightly Turbid	Orange	Logger was not working, removed at client request, not being replaced
VKY041C	17-04-2024 12:14								51.7% (should be battery)
	17-04-2024 12:17								35.2% (battery?)
VKY042C	29-04-2024 10:32	6.61	5480	24.3	-36	Nil	Clear	Clear	last 8m of logger cable rusty
VKY33C	18-04-2024 11:03	-	-	-	-	-	-	-	-
	18-04-2024 11:04	-	-	-	-	-	-	-	-
VKY035C	29-04-2024 14:41	6.88	3230	25	-120	Nil	Clear	Clear	
VKY034C	29-04-2024 9:58	7.05	4030	23.4	-80	Nil	Clear	Grey	
VKY036C	29-04-2024 14:10	6.8	5780	24.6	-93	Nil	Clear	Clear	

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY3053C	29-04-2024 8:41	-	-	-	-	-	-	-	In forest? Incline to east VKY034C; Battery = 34.9%
VNW390	17-04-2024 8:30	6.59	2291	23.9	-98	Yes	Clear	Clear	Very slight sulfur odour
VNW391	17-04-2024 10:11	7.06	2352	24.3	-107	Nil	Clear	Clear	
VNW392	17-04-2024 10:25	6.66	3480	21.9	-90	Nil	Clear	Grey	Suspended solids minor
VNW393	15-04-2024 14:40	7.2	2840	26.9	-103	Nil	Clear	Grey	
VNW394	15-04-2024 14:16	6.94	5400	25.7	-104	Nil	Turbid	Black	
VNW395	17-04-2024 9:28	7.77	1681	27.1	41	Nil	Clear	Clear	Logger length recorded
GW036459	-	-	-	-	-	-	-	-	-
GW-8	29-04-2024 8:28	6.95	4000	19.7	-151	Nil	Clear	Grey	
GW-7	30-04-2024 11:31	8.79	4560	21.9	97	Nil	Clear	Clear	
VWN223	29-04-2024 13:42	-	-	-	-	-	-	-	Blocked at 1.3m
GW-11	29-04-2024 12:59	6.59	4550	25.1	-123	Nil	Clear	Orange	
GW-9	29-04-2024 12:10	6.81	5630	22.2	-125	Nil	Slightly Turbid	Orange	
GW030051	-	-	-	-	-	-	-	-	No access, NSW Water locked bore
GW030052	-	-	-	-	-	-	-	-	No access, NSW Water locked bore
GW-2	29-04-2024 11:30	6.85	1218	25.3	70	Nil	Clear	Clear	Located, NotE?
WR-1	30-04-2024 10:15	6.7	####	22.7	217	Nil	Clear	Grey	Logger + HS installed
WR-2	30-04-2024 11:50	6.57	####	22.5	155	Nil	Slightly Turbid	Orange	Logger + HS installed
VKY GW Duplicate 1 - VWN390	17-04-2024 9:07	6.72	2320	22.4	-96	Nil	Clear	Clear	
VKY GW Duplicate 2 - GW-9	29-04-2024 12:33	6.72	5650	22.4	-155	Nil	Clear	Orange	
VKY GW Blank	17-04-2024 8:25	7.56	3.7	18.1	141	Nil	Clear	Clear	
VKY GW Lab Split Dup 1 - TR18	17-04-2024 13:52	6.77	####	25.2	139	Nil	Slightly Turbid	Orange	
VKY GW Lab Split Dup 2 - GW-11	29-04-2024 13:20	6.55	4520	25.1	-121	Nil	Clear	Orange	
VS058	01-07-2024 14:28	-	-	-	-	-	-	-	-
SB02	01-07-2024 14:04	7.2	6860	20.3	-109	Nil	Slightly Turbid	Brown	-
GW01	01-07-2024 13:42	7.2	1052	19.1	-32	Nil	Clear	Clear	-
SB15	01-07-2024 13:25	7.3	1049	19.6	8	Nil	Clear	Clear	-
SB06	01-07-2024 12:36	7.56	3440	18.6	-56	Nil	Turbid	Brown	Turbid brown
SB11	01-07-2024 13:05	7.77	461	17.9	-11	Nil	Clear	Clear	-
SB10	01-07-2024 12:01	7.5	1928	18	-23	Nil	Clear	Clear	Black particulate
SB05	01-07-2024 12:18	7.58	3490	18.6	-126	Nil	Clear	Clear	-
SB09	01-07-2024 11:40	7.52	1013	18.4	-84	Nil	Clear	Clear	Black particulate
SB01	01-07-2024 11:15	7.21	1756	17.6	-134	Nil	Clear	Clear	Black particulate
SB04	01-07-2024 10:07	7.12	2390	15.5	-204	H2S	Clear	Clear	H2S
SB08	01-07-2024 10:16	7.29	1088	16.9	-132	Nil	Clear	Clear	-
SB07	01-07-2024 9:51	7.22	978	15.8	28	Nil	Clear	Clear	-
GW02	01-07-2024 9:00	7.23	1065	14.4	151	Nil	Clear	Clear	-
VS062	01-07-2024 8:44	-	-	-	-	-	-	-	-
VS059	01-07-2024 13:25	-	-	-	-	-	-	-	-
VS056	04-07-2024 12:50	-	-	-	-	-	-	-	-
	04-07-2024 12:55	-	-	-	-	-	-	-	-

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
MD01	04-07-2024 12:45	9.59	1505	19.6	-244	-	Slightly Turbid	Brown	H2S; Vegetable matter
VS048	04-07-2024 11:55	-	-	-	-	-	-	-	-
VS054	04-07-2024 12:15	-	-	-	-	-	-	-	Comm Port 25 (V3.66)
MD02	04-07-2024 12:24	6.57	1224	19.9	-117	-	Clear	Clear	Black particulate; vegetable matter
GW03	01-07-2024 10:45	7.36	947	15.7	-143	-	Clear	Clear	Slight H2S
TR26	05-07-2024 9:37	6.69	7330	20.4	-	-	Slightly Turbid	Brown	
TR7	05-07-2024 10:27	6.82	####	17.9	-	-	Clear	Clear	
TR18	05-07-2024 10:53	6.64	####	17.2	-	-	Slightly Turbid	Brown	
TR35	05-07-2024 12:02	6.75	####	18.7	-	-	Clear	Clear	
VKY43C	05-07-2024 11:38	7.85	3290	7.2	-	-	Clear	Clear	
VKY041C	04-07-2024 13:45	-	-	-	-	-	-	-	Battery 53%
	04-07-2024 13:45	-	-	-	-	-	-	-	Battery 34%
VKY042C	08-07-2024 15:02	6.65	5990	19.5	-13	-	Clear	Clear	
VKY33C	05-07-2024 12:32	-	-	-	-	-	-	-	Lithium 34%
	05-07-2024 12:32	-	-	-	-	-	-	-	Lithium 37.1%
VKY035C	08-07-2024 13:25	6.9	3290	20.6	-88	-	Clear	Clear	-
VKY034C	05-07-2024 12:40	7.25	4170	19.3	-	-	Slightly Turbid	Grey	Slightly turbid; too turbid to filter, lab to filter; Grey
VKY036C	08-07-2024 14:27	7.19	5830	20.5	-111	-	Clear	Clear	-
VKY3053C	05-07-2024 8:31	-	-	-	-	-	-	-	Lithium
VNW390	04-07-2024 9:45	6.84	2473	17.7	-117	-	Clear	Clear	
VNW391	04-07-2024 11:03	6.81	2458	19.2	-134	-	Clear	Clear	
VNW392	04-07-2024 11:24	6.51	3510	19.6	-78	-	Clear	Clear	Slight H2S odor, black particulate
VNW393	04-07-2024 8:45	7.13	3090	18.4	104	-	Clear	Clear	
VNW394	04-07-2024 8:28	6.62	5620	18.2	227	-	Slightly Turbid	Grey	
VNW395	04-07-2024 10:27	7.61	1832	18.5	-4	-	Clear	Clear	Logger not responding
GW036459	-	-	-	-	-	-	-	-	No access - WaterNSW locked bore
GW-8	05-07-2024 8:00	6.49	4100	12.5	-	-	Slightly Turbid	Brown	
GW-7	05-07-2024 10:39	8.67	4710	18.1	135	-	Clear	Clear	
VWN223	05-07-2024 12:58	-	-	-	-	-	-	-	Blocked at 1.38mboc
GW-11	08-07-2024 12:20	6.09	4760	18.8	-54		Slightly Turbid	Brown	
GW-9	08-07-2024 11:50	6.76	1591	19.3	-130		Slightly Turbid	Green	Slightly turbid; green
GW030051	-	-	-	-	-	-	-	-	No access - WaterNSW locked bore
GW030052	-	-	-	-	-	-	-	-	No access - WaterNSW locked bore
GW-2	-	-	-	-	-	-	-	-	Unable to locate
WR-1	08-07-2024 0:00	6.47	####	18.2	254	-	Slightly Turbid	Brown	
WR-2	08-07-2024 0:00	6.52	####	17	10	-	Slightly Turbid	Brown	
VKY GW Duplicate 1 - VNW390	04-07-2024 0:00	6.69	2366	19	-111	-	Clear	Clear	
VKY GW Duplicate 2 - TR26	05-07-2024 0:00	7.03	7330	20.4	-	-	Slightly Turbid	Brown	
VKY GW Blank	01-07-2024 0:00	7.1	2315	14.4	-124	-	Clear	Clear	
VKY GW Lab Split Dup 1 - VNW393	04-07-2024 0:00	6.97	3270	20.5	-85	-	Clear	Clear	
VKY GW Lab Split Dup 2 - VKY035C	08-07-2024 0:00	8	1.6	11	92	-	Clear	Clear	



Appendix E Quality Trigger Level Anlaysis

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review May 2024 – July 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

2 October 2024

Table D-1: pH (Field) Trigger Level Review (Red Text Showing Exceedance of Trigger Level)

Bore	Trigger Level		Oct/Nov-23	Jan-24	Apr-24	Jul-24
GW01	6.90	8.30	7.33	7.20	7.14	7.2
GW02	7.20	8.60	7.59	7.79	7.14	7.23
GW03	6.10	8.10	7.19	7.16	7.05	7.36
GW-11	7.00	9.30	7.36	6.93	6.55	6.09
GW-7	7.70	8.50	8.89	8.82	8.79	8.67
GW-8	6.70	8.40	7.11	7.03	6.95	6.49
GW-9	6.60	8.20	7.94	6.68	6.81	6.76
MD01	6.70	8.40	11.58	11.69	10.73	9.59
MD02	6.70	8.40	6.84	6.78	6.59	6.57
SB01	6.90	8.30	7.44	7.31	7.20	7.21
SB02	6.90	8.30	7.28	7.28	7.14	7.2
SB04	6.90	8.30	7.29	7.43	7.27	7.12
SB05	6.90	8.30	2.09	7.73	7.63	7.58
SB06	6.90	8.30	7.35	7.61	7.42	7.56
SB07	6.90	8.30	7.35	7.47	7.28	7.22
SB08	6.90	8.30	7.24	7.39	7.17	7.29
SB09	6.90	8.30	3.32	7.56	7.27	7.52
SB10	6.90	8.30	7.43	7.47	7.28	7.5
SB11	6.90	8.30	7.26	7.70	7.45	7.77
SB15	6.90	8.30	7.29	7.23	7.17	7.3
TR18	6.70	8.40	6.58	6.85	6.69	6.64
TR26	6.70	8.40	7.06	7.16	7.11	6.69
TR35	6.70	8.40	6.66	6.75	6.72	6.75
TR7	7.40	7.80	6.53	7.05	6.71	6.82
VKY034C	6.70	8.40	7.30	6.94	7.05	7.25
VKY035C	6.70	8.40	7.10	7.01	6.88	6.9
VKY036C	6.70	8.40	7.08	6.79	6.80	7.19
VKY042C	6.70	8.40	6.75	6.72	6.61	6.65
VKY043C	6.70	8.40	7.72	7.80	7.65	7.85
VNW223	6.90	7.40	7.25	no data	no data	no data
VNW390	6.70	8.40	6.92	7.13	6.59	6.84
VNW391	6.70	8.40	7.04	7.31	7.06	6.81
VNW392	6.70	8.40	6.74	6.74	6.66	6.51
VNW393	6.70	8.40	7.36	7.56	7.20	7.13
VNW394	6.90	8.30	7.13	6.92	6.94	6.62

Bore	Trigger Level		Oct/Nov-23	Jan-24	Apr-24	Jul-24
VNW395	6.90	8.30	7.47	7.77	7.77	7.61
GW-2	6.90	8.30	no data	no data	6.85	no data
WR1	6.90	8.30	no data	no data	6.70	6.47
WR2	6.90	8.30	no data	no data	6.57	6.52

Note: Reported as field pH value; Red Text Showing Exceedance of Trigger Level.

Table D-2: EC Trigger Level Review

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24
GW01	10,083	1,042	1,265	1,384	1,052
GW02	969	731	971	926	1,065
GW03	811	862	888	862	947
GW-11	4,912	4,360	4,340	4,520	4,760
GW-7	5,378	4,300	4,490	4,560	4,710
GW-8	12,315	4,290	3,950	4,000	4,100
GW-9	12,740	6,110	3,320	5,630	1,591
MD01	12,315	1,799	1,786	1,283	1,505
MD02	12,315	1,195	1,306	1,210	1,224
SB01	10,083	1,541	1,716	1,698	1,756
SB02	10,083	7,330	7,330	7,210	6,860
SB04	10,083	2,680	3,360	1,868	2,390
SB05	10,083	3,740	3,690	3,680	3,490
SB06	10,083	3,280	3,460	3,410	3,440
SB07	10,083	770	919	934	978
SB08	10,083	983	1,115	1,039	1,088
SB09	10,083	949	1,014	973	1,013
SB10	10,083	1,880	1,972	1,859	1,928
SB11	10,083	1,080	1,021	1,048	461
SB15	10,083	1,019	1,070	972	1,049
TR18	12,315	13,400	13,640	12,730	15,350
TR26	12,315	6,290	8,380	5,180	7,330
TR35	12,315	15,300	17,330	16,740	17,260
TR7	12,970	14,800	15,390	14,410	15,380
VKY034C	12,315	3,590	3,850	4,030	4,170
VKY035C	12,315	3,110	3,340	3,230	3,290
VKY036C	12,315	5,600	5,810	5,780	5,830
VKY042C	12,315	5,420	5,430	5,480	5,990
VKY043C	12,315	2,990	3,410	3,410	3,290
VNW223	10,120	5,940	no data	no data	no data
VNW390	12,315	2,300	2,376	2,291	2,473
VNW391	12,315	2,530	2,471	2,352	2,458
VNW392	12,315	3,690	3,310	3,480	3,510
VNW393	12,315	2,740	2,830	2,840	3,090
VNW394	10,083	5,520	5,410	5,400	5,620

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24
VNW395	10,083	463	1,395	1,681	1,832
GW-2	10,083	no data	no data	1,218	no data
WR1	10,083	no data	no data	26,500	26,800
WR2	10,083	no data	no data	25,340	26,600

Note: Reported as field EC value; Red Text Showing Exceedance of Trigger Level.

Table D-3: Sulfate Trigger Level Review

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24
GW01	365	96	171	132	54
GW02	365	77	74	81	102
GW03	365	52	56	58	46
GW-11	365	<1	1	<1	1
GW-7	86	364	385	399	380
GW-8	86	no data	100	109	72
GW-9	86	102	128	51	25
MD01	86	22	23	26	36
MD02	86	28	29	28	29
SB01	365	182	183	190	148
SB02	365	1120	no data	1160	741
SB04	365	284	394	220	195
SB05	365	735	551	520	595
SB06	365	372	362	362	324
SB07	365	74	74	78	66
SB08	365	86	87	88	79
SB09	365	71	63	70	62
SB10	365	190	188	196	168
SB11	365	85	72	93	80
SB15	365	90	79	95	53
TR18	86	702	620	592	622
TR26	86	194	230	180	198
TR35	86	660	651	622	624
TR7	365	508	714	501	518
VKY034C	86	123	185	116	98
VKY035C	86	87	77	88	73
VKY036C	86	244	294	281	100
VKY042C	86	302	309	312	283
VKY043C	86	<1	<1	<1	<1
VNW223	365	97	no data	no data	no data
VNW390	86	95	95	106	55
VNW391	86	88	88	96	52
VNW392	86	no data	284	296	263
VNW393	86	179	185	200	165
VNW394	365	no data	551	560	574
VNW395	365	14	61	143	91

Bore ID	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24
GW-2	365	no data	no data	23	no data
WR1	365	no data	no data	1,320	901
WR2	365	no data	no data	1,540	1,120

Note: Sulfate as SO₄ in mg/L; Red Text Showing Exceedance of Trigger Level.

Table D-4: Metal Trigger Against ANZECC Default Guideline Values

Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
DGW		0.055	0.009	0.013	0.94	0.0002	0.001	0.0014	0.0014	0.0034	1.9	0.0006	0.034	0.011	0.011	0.00005	0.008
GW01	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	<0.001	<0.001	0.967	<0.0001	<0.001	0.013	<0.01	<0.001*	<0.005
GW01	Apr-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.063	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW01	Jul-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	<0.001	<0.001	0.126	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW02	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.002	<0.001	0.021	<0.0001	<0.001	0.375	<0.01	<0.001*	0.013
GW02	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.007	<0.001	0.026	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW02	Jul-24	<0.01	0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.003	<0.001	0.018	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.006
GW03	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.014	<0.0001	<0.001	0.971	<0.01	<0.001*	<0.005
GW03	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.01	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW03	Jul-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.012	<0.0001	<0.001	0.002	<0.01	<0.001*	0.006
GW-11	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	<0.001	0.001	2.2	<0.0001	-	0.00075	<0.01	<0.001*	0.0075
GW-11	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	-	0.004	<0.01	<0.001*	0.012
GW-11	Jul-24	<0.01	<0.001	<0.001	0.13	0.0003	<0.001	<0.001	0.002	<0.001	1.06	<0.0001	<0.001	0.002	<0.01	<0.001*	0.043
GW-2	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
GW-7	Jan-24	<0.01	<0.001	<0.001	0.18	<0.0001	<0.001	<0.001	0.003	<0.001	0.011	<0.0001	0.002	0.002	<0.01	<0.001*	<0.005
GW-7	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
GW-7	Jul-24	<0.01	<0.001	<0.001	0.17	0.0002	<0.001	<0.001	0.016	0.002	0.024	<0.0001	0.001	0.005	<0.01	<0.001*	0.018
GW-8	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.092	<0.0001	<0.001	0.001	<0.01	<0.001*	0.012
GW-8	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
GW-8	Jul-24	<0.01	<0.001	0.002	0.07	0.0001	<0.001	<0.001	<0.001	<0.001	0.089	<0.0001	<0.001	0.003	<0.01	<0.001*	0.01
GW-9	Jan-24	<0.01	<0.001	<0.001	0.05	0.0001	<0.001	0.00075	<0.001	<0.001	3.8	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.00825
GW-9	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
GW-9	Jul-24	<0.01	<0.001	<0.001	0.07	0.0001	<0.001	<0.001	<0.001	<0.001	1.71	<0.0001	<0.001	0.003	<0.01	<0.001*	0.008
MD01	Jan-24	0.58	0.001	<0.001	0.04	<0.0001	<0.001	<0.001	0.020	0.001	0.004	<0.0001	0.018	0.005	<0.01	<0.001*	0.31
MD01	Apr-24	0.28	<0.001	0.002	<0.05	<0.0001	<0.001	<0.001	0.006	0.001	<0.001	<0.0001	0.019	0.006	<0.01	<0.001*	0.213
MD01	Jul-24	0.04	0.002	0.001	<0.05	<0.0001	<0.001	<0.001	0.002	0.003	0.013	<0.0001	0.007	0.006	<0.01	<0.001*	0.106
MD02	Jan-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.039	<0.0001	0.001	0.036	<0.01	<0.001*	<0.005
MD02	Apr-24	<0.01	<0.001	0.003	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.051	<0.0001	0.003	0.019	<0.01	<0.001*	<0.005
MD02	Jul-24	<0.01	<0.001	0.002	0.05	<0.0001	<0.001	<0.001	<0.001	0.002	0.044	<0.0001	0.002	0.012	<0.01	<0.001*	0.009
SB01	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	0.003	<0.001	<0.001	0.39	<0.0001	<0.001	0.032	<0.01	<0.001*	<0.005
SB01	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	0.005	<0.001	<0.001	0.73	<0.0001	0.005	0.027	<0.01	<0.001*	<0.005
SB01	Jul-24	0.11	<0.001	0.004	0.08	<0.0001	0.004	0.024	<0.001	<0.001	1.65	<0.0001	<0.001	0.011	<0.01	<0.001*	0.01
SB02	Jan-24	<0.01	<0.001	0.003	0.21	<0.0001	0.003	0.002	<0.001	<0.001	0.735	<0.0001	0.003	0.012	<0.01	<0.001*	0.007
SB02	Apr-24	<0.01	<0.001	0.001	0.07	<0.0001	<0.001	0.003	<0.001	<0.001	0.315	<0.0001	0.002	0.014	<0.01	<0.001*	<0.005
SB02	Jul-24	<0.01	<0.001	0.004	0.14	<0.0001	<0.001	0.002	<0.001	<0.001	0.68	<0.0001	0.003	<0.001	<0.01	<0.001*	<0.005
SB04	Jan-24	<0.01	<0.001	<0.001	0.16	<0.0001	<0.001	<0.001	<0.001	<0.001	0.38	<0.0001	0.001	<0.001	<0.01	<0.001*	<0.005
SB04	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.094	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB04	Jul-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.076	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB05	Jan-24	<0.01	<0.001	0.004	0.21	<0.0001	<0.001	<0.001	<0.001	<0.001	0.233	<0.0001	0.004	0.002	<0.01	<0.001*	<0.005
SB05	Apr-24	<0.01	<0.001	0.004	0.13	<0.0001	<0.001	<0.001	<0.001	<0.001	0.405	<0.0001	0.005	0.002	<0.01	<0.001*	<0.005
SB05	Jul-24	<0.01	<0.001	0.008	0.15	<0.0001	<0.001	<0.001	<0.001	<0.001	0.516	<0.0001	0.003	<0.001	<0.01	<0.001*	<0.005
SB06	Jan-24	0.02	<0.001	0.003	0.19	<0.0001	<0.001	0.002	0.003	<0.001	1.18	<0.0001	0.002	0.002	<0.01	<0.001*	<0.005
SB06	Apr-24	<0.01	<0.001	0.003	0.12	<0.0001	<0.001	0.002	<0.001	<0.001	1.19	<0.0001	0.003	0.002	<0.01	<0.001*	<0.005
SB06	Jul-24	<0.01	<0.001	0.003	0.13	<0.0001	<0.001	0.001	<0.001	<0.001	0.771	<0.0001	0.002	<0.001	<0.01	<0.001*	0.006
SB07	Jan-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	<0.001	0.07	<0.01	<0.001*	<0.005
SB07	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.001	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
SB07	Jul-24	<0.01	<0.001	0.001	0.08	0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	<0.001	0.001	<0.01	<0.001*	0.009
SB08	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.004	<0.001	0.002	<0.0001	<0.001	0.063	<0.01	<0.001*	<0.005
SB08	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.011	<0.001	0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB08	Jul-24	<0.01	<0.001	0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB09	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	<0.001	<0.001	0.335	<0.0001	0.001	0.015	<0.01	<0.001*	<0.005
SB09	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.306	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.013
SB09	Jul-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.466	<0.0001	0.001	<0.001	<0.01	<0.001*	<0.005
SB10	Jan-24	<0.01	<0.001	0.001	0.16	<0.0001	<0.001	<0.001	<0.001	<0.001	0.074	<0.0001	0.002	<0.001	<0.01	<0.001*	<0.005
SB10	Apr-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.146	<0.0001	0.002	<0.001	<0.01	<0.001*	<0.005
SB10	Jul-24	<0.01	<0.001	0.001	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.024	<0.0001	0.001	<0.001	<0.01	<0.001*	<0.005
SB11	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	0.01	<0.001	0.023	<0.0001	<0.001	0.057	<0.01	<0.001*	<0.005
SB11	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.021	<0.001	0.006	<0.0001	<0.001	0.002	<0.01	<0.001*	<0.005
SB11	Jul-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.003	<0.001	0.01	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB15	Jan-24	<0.01	<0.001	<0.001	0.12	<0.0001	<0.001	<0.001	0.001	<0.001	0.008	<0.0001	<0.001	0.032	<0.01	<0.001*	<0.005
SB15	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.004	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.018
SB15	Jul-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	<0.001	<0.001	0.02	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
TR18	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	0.07	<0.001	0.042	<0.0001	0.001	0.021	<0.01	<0.001*	<0.005
TR18	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.032	<0.001	0.023	<0.0001	0.002	0.020	<0.01	<0.001*	0.009
TR18	Jul-24	<0.01	<0.001	<0.001	0.08	0.0001	<0.001	<0.001	0.033	<0.001	0.094	<0.0001	0.002	0.019	<0.01	<0.001*	0.008
TR26	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	0.01	<0.001	0.07	<0.0001	0.002	0.014	<0.01	<0.001*	<0.005
TR26	Apr-24	<0.01	<0.001	<0.001	0.07	<0.0001	0.002	<0.001	<0.001	<0.001	0.033	<0.0001	0.005	0.017	<0.01	<0.001*	0.012
TR26	Jul-24	<0.01	<0.001	<0.001	0.11	0.0001	<0.001	<0.001	<0.001	<0.001	0.053	<0.0001	0.002	0.004	<0.01	<0.001*	0.007
TR35	Jan-24	<0.01	<0.001	<0.001	0.12	0.0002	0.002	0.007	1.24	<0.001	1.72	<0.0001	0.011	0.713	<0.01	<0.001*	0.015
TR35	Apr-24	<0.01	<0.001	<0.001	0.06	0.0004	0.002	0.010	1.730	<0.001	1.76	<0.0001	0.017	0.558	<0.01	<0.001*	0.030




Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
TR35	Jul-24	<0.01	<0.001	0.001	0.08	0.0003	<0.001	0.011	7.09	<0.001	1.51	<0.0001	0.009	0.435	<0.01	<0.001*	0.02
TR7	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	0.008	0.863	<0.001	0.637	<0.0001	0.002	0.39	<0.01	<0.001*	0.006
TR7	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	0.004	0.346	<0.001	0.262	<0.0001	0.002	0.118	<0.01	<0.001*	0.006
TR7	Jul-24	<0.01	<0.001	<0.001	0.07	0.0001	<0.001	0.008	0.471	<0.001	0.526	<0.0001	0.003	0.272	<0.01	<0.001*	0.01
VKY034C	Jan-24	<0.01	<0.001	0.002	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.102	<0.0001	0.007	0.008	<0.01	<0.001*	<0.005
VKY034C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
VKY034C	Jul-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.003	<0.0001	<0.001	0.001	<0.01	<0.001*	0.005
VKY035C	Jan-24	<0.01	<0.001	0.001	0.07	<0.0001	0.002	<0.001	<0.001	<0.001	0.329	<0.0001	0.007	0.006	<0.01	<0.001*	0.006
VKY035C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
VKY035C	Jul-24	<0.01	<0.001	0.002	<0.05	<0.0001	0.002	<0.001	<0.001	0.001	0.32	<0.0001	0.008	0.005	<0.01	<0.001*	0.008
VKY036C	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.013	<0.0001	0.001	0.013	<0.01	<0.001*	<0.005
VKY036C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
VKY036C	Jul-24	<0.01	<0.001	0.008	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.153	<0.0001	0.004	0.005	<0.01	<0.001*	<0.005
VKY042C	Jan-24	<0.01	<0.001	<0.001	0.1	0.0001	<0.001	<0.001	0.006	<0.001	0.223	<0.0001	0.002	0.015	<0.01	<0.001*	0.014
VKY042C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
VKY042C	Jul-24	<0.01	0.002	<0.001	0.07	0.001	<0.001	0.004	0.008	<0.001	0.217	<0.0001	0.001	0.038	<0.01	<0.001*	0.033
VKY043C	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	<0.001	<0.001	0.005	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
VKY043C	Apr-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.004	<0.0001	<0.001	0.002	<0.01	<0.001*	0.006
VKY043C	Jul-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.002	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
VNW390	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	0.005	<0.001	0.003	<0.0001	<0.001	0.002	<0.01	<0.001*	0.026
VNW390	Apr-24	<0.01	<0.001	0.002	0.09	<0.0001	<0.001	0.002	<0.001	<0.001	0.239	<0.0001	<0.001	0.002	<0.01	<0.001*	0.007
VNW390	Jul-24	<0.01	<0.001	0.002	0.12	0.0001	<0.001	0.003	<0.001	<0.001	0.298	<0.0001	0.005	0.036	<0.01	<0.001*	<0.005
VNW391	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	0.001	<0.001	0.006	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.006
VNW391	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.225	<0.0001	0.001	0.007	<0.01	<0.001*	0.013



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
VNW391	Jul-24	<0.01	0.002	<0.001	0.11	0.0003	<0.001	<0.001	<0.001	0.002	0.246	<0.0001	<0.001	0.006	<0.01	<0.001*	0.018
VNW392	Jan-24	<0.01	<0.001	0.001	0.12	<0.0001	<0.001	0.003	<0.001	<0.001	0.333	<0.0001	0.002	0.02	<0.01	<0.001*	0.008
VNW392	Apr-24	<0.01	<0.001	0.001	0.07	<0.0001	<0.001	0.003	<0.001	<0.001	0.315	<0.0001	0.002	0.014	<0.01	<0.001*	<0.005
VNW392	Jul-24	<0.01	<0.001	0.002	0.1	<0.0001	<0.001	0.003	<0.001	<0.001	0.286	<0.0001	0.002	0.01	<0.01	<0.001*	0.007
VNW393	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.092	<0.0001	0.003	<0.001	<0.01	<0.001*	<0.005
VNW393	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.15	<0.0001	0.005	0.005	<0.01	<0.001*	<0.005
VNW393	Jul-24	<0.01	<0.001	0.001	0.09	0.0001	<0.001	<0.001	<0.001	<0.001	0.181	<0.0001	0.004	0.006	<0.01	<0.001*	0.005
VNW394	Jan-24	<0.01	<0.001	0.007	0.1	<0.0001	<0.001	0.011	<0.001	<0.001	2.12	<0.0001	0.003	0.035	<0.01	<0.001*	0.007
VNW394	Apr-24	<0.01	<0.001	0.006	<0.05	<0.0001	<0.001	0.002	<0.001	<0.001	1.27	<0.0001	0.003	0.006	<0.01	<0.001*	<0.005
VNW394	Jul-24	<0.01	<0.001	0.005	0.07	<0.0001	<0.001	0.002	<0.001	<0.001	0.982	<0.0001	0.002	0.007	<0.01	<0.001*	0.013
VNW395	Jan-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	0.002	<0.001	0.032	<0.0001	<0.001	0.001	<0.01	<0.001*	<0.005
VNW395	Apr-24	<0.01	<0.001	0.001	0.0575	<0.0001	<0.001	0.00125	0.00625	<0.001	0.125	<0.0001	0.00575	0.2285	<0.01	<0.001*	0.007
VNW395	Jul-24	<0.01	<0.001	0.001	0.06	<0.0001	<0.001	0.001	0.007	0.002	0.071	<0.0001	0.008	0.371	<0.01	<0.001*	0.016
WR-1	Jan-24	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data
WR-1	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
WR-1	Jul-24	<0.01	<0.001	0.001	0.15	0.0003	<0.001	<0.001	0.001	0.002	0.122	0.0017	0.002	0.037	<0.01	<0.001*	0.014
WR-2	Jan-24	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data
WR-2	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
WR-2	Jul-24	<0.01	<0.001	<0.001	0.09	0.0001	<0.001	0.008	<0.001	<0.001	0.724	<0.0001	0.022	0.118	<0.01	<0.001*	<0.005

*Limit of reporting value is higher than DGV value





Making Sustainability Happen



Vickery Extension Project Groundwater Monitoring Report

Quarterly Review August 2024 – October 2024

Whitehaven Coal Ltd

Blue Vale Rd, Boggabri NSW 2382 Australia

Prepared by:

SLR Consulting Australia

SLR Project No.: 640.031099.00001

23 December 2024

Revision: 0.1

Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
0.1	23 December 2024	Joy Xie	Sharon Hulbert	Sharon Hulbert

Basis of Report

This report has been prepared by SLR Consulting Australia (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Whitehaven Coal Ltd (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.



Table of Contents

Basis of Report	ii
Acronyms and Abbreviations	v
1.0 Introduction	1
1.1 Background	1
1.2 Trigger Action Response Plan	3
1.3 Report Objective.....	3
2.0 Monitoring Results	4
2.1 Climate Data	4
2.2 Groundwater Monitoring Network	5
2.3 Data Availability	7
2.4 Groundwater Levels	7
2.4.1 Groundwater Level Data Summary.....	7
2.4.2 TARP Trigger Level Summary	15
2.5 Groundwater Quality and Exceedance Summary	16
3.0 Action and Response.....	20
4.0 Recommendations	21
5.0 References.....	22

Tables in Text

Table 1: Monthly Rainfall vs Long-Term Average Rainfall	4
Table 2: Groundwater Levels in Alluvial Aquifer.....	7
Table 3: Groundwater Levels in Permian Aquifer.....	10
Table 4: Summary of Logger Data Availability	13
Table 5: Summary of TARP Triggers.....	16
Table 6: Summary and Status of Recommendations to Date.....	21

Figures in Text

Figure 1 On-site monthly rainfall vs long-term average monthly rainfall	4
Figure 2: VCM Groundwater Monitoring Network.....	6
Figure 3: Alluvial Bores Hydrograph (Manual Dips, below ground level)	8
Figure 4 Alluvial groundwater contour map (October-2024)	9
Figure 5: Permian Bores Hydrograph (Manual Dips)	11
Figure 6 Permian aquifer groundwater level contour map (October-24).....	12



Figure 7: Logger Hydrograph – VKY034C	15
Figure 8 Alluvial groundwater piper plots	17
Figure 9 Permian groundwater piper plots	18

Appendices

Appendix A	Trigger Action Response Plan
Appendix B	Groundwater Level Results
Appendix C	Groundwater Quality Results
Appendix D	Quality Trigger Level Analysis



Acronyms and Abbreviations

CMAs	Corrective Management Actions
EC	Electronic Conductivities
EP&A Act	Environmental Planning and Assessment Act, 1979
GWMP	Groundwater Management Plan
mbgl	meter below ground level
mbtoc	meters below top of casing
pH	potential of Hydrogen
TARP	Trigger Action Response Plan
VCPL	Vickery Coal Pty Ltd
VEP	Vickery Extension Project
WMP	Water Management Plan



1.0 Introduction

1.1 Background

SLR Consulting Australia Pty Ltd (SLR) was engaged by Whitehaven Coal Pty Ltd (Whitehaven) to undertake a review of groundwater data for the Vickery Extension Project (VEP) between 1st August 2024 through 30th October 2024.

The VEP Development Consent (SSD-7480) was granted to Vickery Coal Pty Ltd. (VCPL) on 12 August 2020 by the NSW Independent Planning Commission as a delegate of the NSW Minister for Planning under Section 75J of the NSW Environmental Planning and Assessment Act 1979 (EP&A Act). Approval EPBC 2016/7649 under the Environmental Protection and Biodiversity Conservation Act 1999 (EPBC Act) was granted on 15 September 2021.

Pertinent to the groundwater monitoring and subsequent reporting, is Condition 8 of EPBC 2016/7649, that states:

8. In Addition to the Groundwater Management Plan monitoring requirements specified in condition B53 of the State Development Consent, the approval holder must:

- a. Establish and maintain a network of groundwater monitoring bores designed to detect changes in groundwater levels and include bores that are co-located or paired with surface water monitoring sites to allow monitoring and analysis of groundwater – surface water interactions. These monitoring bores must be installed prior to the commencement of mining operations.*
- b. Monitor groundwater levels in each bore (required under condition 8.a) at least once every 3 months, starting within one week of the commencement of mining operations for the life of this approval.*
- c. Publish on the website all groundwater monitoring data from the bore network, updated at least once every three months to include the most recent readings available and to maintain the data on the website for the life of this approval. The monitoring data must include hydrographs for the bore network and explain what the data means in relation to the groundwater performance measures specified in the State Development Consent.*

This quarterly report has been compiled for Vickery Coal Mine (VCM) to comply with Condition 8(c) of EPBC 2016/7649. Groundwater monitoring commenced in October 2023 aligning with the commencement of mining in October 2023 and in accordance with Condition 8(b). Reporting to date includes:

1. Initial Quarterly Report (August 2023 through October 2023), published January 2024.
2. 2023 Annual Review (1st January 2023 through 31st December 2023), to be published on the website following approval from NSW Department of Planning, Housing and Infrastructure (DPHI).
3. Second Quarterly Report (November 2023 through January 2024), published April 2024.
4. Third Quarterly Report (February 2024 through April 2024), published July 2024.
5. Forth Quarterly Report (May 2024 through July 2024), published October 2024.

Mining operations continue on site, with coal extraction occurring. Within the reporting period, Whitehaven Coal is progressing both the Mine Water Dam 2 deeper and continuing in the main box cut pit. As production zones become deeper, there is increased in-pit water, which is a combination of groundwater seepage, direct rainfall collection, water runoff from on-site



activities (i.e. dust suppression) and surface runoff. In-pit water is being managed via extraction through sump pumps into water carts for dust suppression and pumping excess water into the Mine Water Dam (MWD2). A water fill point is also operational at MWD2 allowing for efficient circulation of water carts for dust suppression across the active haul roads.



1.2 Trigger Action Response Plan

A Trigger Action Response Plan (TARP) was established in the Groundwater Management Plan (GWMP), as a means of providing specific suitable action where exceedances of the groundwater performance criteria are observed. The aim of the TARPs is to evaluate potential adverse changes to existing groundwater sources, confirm if they are due to the development, and provide a means to repair, mitigate and/or offset any adverse groundwater impacts (Whitehaven 2023). The groundwater level and quality TARP for the open cut activities at VEP is shown in **Appendix A**.

The GWMP states the procedure for the review, as follows. The confirmed exceedances will prompt an investigation, carried out by suitably qualified personnel, to assess the reasons for trigger exceedance, which could include but not be limited to climatic conditions, agriculture abstraction, and or mining activities. In the case exceedances are attributed to mining activities, the changes in groundwater conditions, such as a decrease in water level or changes in groundwater quality, will be compared to performance measures (discussed in Section 8.1 of GWMP) to evaluate the significance of any impacts manifested on the groundwater systems.

The results of the trigger investigations will be reported in each annual review. WHC will use the annual review following each reporting period to analyse the data and revise the trigger thresholds in response to additional baseline data as it becomes available. When this occurs the GWMP will be updated.

1.3 Report Objective

This report assesses the VEP groundwater monitoring data against the trigger levels for all required parameters (as per the TARP in the site GWMP) for the reporting period from 1st August 2024 through 30th October 2024.

This report includes:

- A summary of TARP exceedances, if any, during the reporting period;
- A summary of trigger exceedances, if any, over time including the identification of breaches of triggers that remain within normal condition in this reporting period;
- A high-level outline of potential influence factors for exceedances (a detailed analysis of exceedances is not discussed in this report) during the reporting period; and
- Recommendation of relevant actions and responses to be undertaken, in alignment with the TARPs.

The information in this monitoring report will be included in the ongoing quarterly monitoring reports for VEP and summarised in the 2024 Annual Review.



2.0 Monitoring Results

This section summarises the climate information, groundwater monitoring network, and monitoring results available to the conclusion of the reporting period.

2.1 Climate Data

Local climate data was obtained from the Canyon MET station (MET1), approximately 7km from VEP. Collection of meteorological data at VEP (MET2) commenced in September 2023 and will be utilised as more data becomes available. In order to understand long-term rainfall trends, the SILO climate record for the location 0.05° x 0.05° tile centred on a location within proximity of VEP (latitude: -30.75, longitude: 150.15) has been utilised (Queensland Government 2024). Comparison of the data sets show analogous trends, indicating the SILO data is a suitable representation of long-term trends.

Rainfall over the past 12 months, in comparison to the long-term average (i.e., January 1900 – present) is shown in **Table 1**. MET1 showed above long-term average rainfall for August and October reporting period, with September notable as below long-term average.

Overall, as evident on **Figure 1**, excluding September the last 7 months to the close of the reporting period have shown notable above long-term average rainfalls.

Table 1: Monthly Rainfall vs Long-Term Average Rainfall

Year	2023			2024									
Month	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct
SILO 2023-2024 monthly rainfall (mm)	20.3	93.3	71.7	52.7	20.7	17.5	68.7	33.0	70.3	51.1	56.8	42.0	33.6
SILO Long-term average rainfall (mm)	49.1	58.0	60.9	69.6	57.8	46.0	33.2	39.2	40.5	38.6	35.2	37.3	49.0
On-site Rainfall (mm)	27.6	123.8	87.4	29.4	40.8	25.8	101.8	52.8	74.0	43.0	68.2	16.0	54.6




Figure 1 On-site monthly rainfall vs long-term average monthly rainfall



2.2 Groundwater Monitoring Network


Based on the GWMP, the existing groundwater monitoring network consists of 51 monitoring sites, including

- 24 monitoring locations in Alluvial aquifer; and
- 25 monitoring locations in Permian aquifer.
- Two sites (WR1 and WR2) positioned to monitor the potential for seepage from the spoil dump (installed January 2024).
- During the October 2024 monitoring events, the following bores were included for water quality and manual water level monitoring:
 - Alluvial bores: GW-14 and GW-15.
 - Permian bores: GW-4, GW-6, GW-10, and GW-13.
 - Water supply bores: GW971400 and GW971614.

The groundwater network is presented on **Figure 1**, and full details provided in the GWMP.



Figure 2: VCM Groundwater Monitoring Network



2.3 Data Availability

In line with the VCM GWMP, the full suite of bores available was monitored during the reporting period.

2.4 Groundwater Levels

Groundwater levels are measured via both manual dip and continuous loggers. The data available since April 2022 is presented in this section, and shown in **Appendix B**.

2.4.1 Groundwater Level Data Summary

A summary of the groundwater level data available to date is presented below.

2.4.1.1 Alluvial Groundwater Bores

The groundwater levels in the alluvial monitoring bores are summarised in **Table 2** and presented in **Figure 2**.

Table 2: Groundwater Levels in Alluvial Aquifer

Sample Location	Depth to Water (mbgl*)							
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24	Jul-24	Oct-24
GW01	9.12	8.2	8.40	8.53	9.19	9.45	8.79	9.3
GW02	-	7.45	8.34	8.48	8.78	8.96	8.83	8.7
GW-11	-	-	-	16.70	16.64	16.64	14.15	16.58
GW-14	-	-	-	-	-	-	-	10.86
GW-15	-	-	-	-	-	-	-	12.65
GW-2	-	-	-	-	-	19.59	-	18.41
GW-9	-	-	-	17.76	18.4	17.8	17.79	17.7
SB01	7.34	6.37	7.23	7.19	7.38	7.86	7.67	7.57
SB02	10.3	9.84	9.68	9.46	9.74	9.99	9.78	1.38
SB04	7.5	6.34	7.59	7.33	7.64	8.18	8.08	7.9
SB05	8.32	7.1	7.90	7.73	8.11	8.59	8.37	8.2
SB06	9.82	8.43	8.77	8.87	8.98	9.36	9.18	9.06
SB07	-	8.01	8.89	8.79	8.83	9.53	9.45	9.19
SB08	7.77	6.73	7.60	7.70	7.63	8.12	7.99	7.83
SB09	7.85	6.36	7.33	7.22	7.49	7.95	7.75	7.66
SB10	8.14	7.45	8.00	8.15	8.21	8.6	8.46	8.33
SB11	9.78	8.1	8.72	8.6	9.19	9.51	9.13	9.24
SB15	9.3	8.18	8.77	9.12	9.57	9.82	9.14	9.54
VNW223	-	-	-	22.01	21.9	22.05	22.2	21.53
VNW394	-	6.73	6.83	6.49	6.53	6.52	6.68	6.9
VNW395	-	7.43	7.25	7.26	7.3	7.48	6.48	7.57
WR1	-	-	-	-	-	14.55	14.54	14.39
WR2	-	-	-	-	-	12.13	12.36	12.42

* mbgl = metres below ground level






Figure 3: Alluvial Bores Hydrograph (Manual Dips, below ground level)

The groundwater contour map, based on the October 2024 monitoring round is presented in **Figure 4**. These maps will be prepared for all future quarterly reports for ongoing comparison.






Figure 4 Alluvial groundwater contour map (October-2024)



2.4.1.2 Permian Groundwater Bores

The groundwater levels in the Permian monitoring bores are summarised in **Table 3**, and presented in **Figure 3**.

Table 3: Groundwater Levels in Permian Aquifer

Sample Location	Depth to Water (mbgl*)							
	Apr-22	Dec-22	May-23	Oct-23	Jan-24	Apr-24	Jul-24	Oct-24
GW03	-	6.12	6.85	7.23	7.27	7.13	7.45	7.15
GW-4	-	-	-	-	-	-	-	19.34
GW-6	-	-	-	-	-	-	-	23.28
GW-7	-	-	-	27.86	27.80	27.92	27.96	27.79
GW-8	-	-	-	21.74	21.69	21.63	21.62	21.8
GW-10	-	-	-	-	-	-	-	17.92
GW-13	-	-	-	-	-	-	-	23.2
MD01	-	28.02	27.63	27.68	27.57	27.96	27.61	28.78
MD02	-	40.98	40.57	40.30	40.03	39.88	39.82	40.55
TR18	-	13.04	13.38	12.92	13.17	13.26	13.38	13.25
TR26	-	12.44	12.39	12.24	12.21	12.31	12.35	12.31
TR35	-	18.16	18.17	18.04	11.23	18.43	18.54	18.44
TR7	-	9.85	9.93	9.75	9.69	9.84	10.97	9.79
VKY034C	-	39.79	39.97	39.61	40.27	39.37	40.1	40.26
VKY035C	-	42.37	42.03	42.01	42.04	41.89	42.6	42.12
VKY036C	-	49.23	47.24	49.17	49.88	49.53	49.83	49.85
VKY042C	-	42.68	42.40	42.56	42.80	42.53	42.67	42.79
VKY043C	-	16.41	15.56	15.70	15.82	15.15	15.69	15.43
VNW390	-	9.38	9.33	9.36	9.37	9.46	9.46	9.58
VNW391	-	7.80	7.75	7.76	7.79	7.94	7.98	7.86
VNW392	-	6.25	6.14	6.21	6.24	6.4	6.46	6.43
VNW393	-	10.64	10.50	10.48	10.57	10.6	10.67	10.74

* Metres below ground level






Figure 5: Permian Bores Hydrograph (Manual Dips)

The groundwater contour map, based on the October 2024 monitoring round is presented in **Figure 6**. These maps will be prepared for all future quarterly reports for ongoing comparison.






Figure 6 Permian aquifer groundwater level contour map (October-24)



2.4.1.3 Data Loggers

A summary of the available logger data is presented in **Table 4**. An example of a logger plot is provided in **Figure 7**, with all plots provided in **Appendix B**.

Table 4: Summary of Logger Data Availability

Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
GW01	VWP	10/10/2023 – 13/10/2024	-	Data were not adopted due to significant drifting in logger readings, with generally unrealistic water levels results (i.e., above ground level). Sensor is considered malfunctioned; further investigation required.
GW02	VWP	15/11/2023 – 14/10/2024	-	Data were not adopted due to significant drifting in logger readings, with generally unrealistic water levels results (i.e., above ground level). Sensor is considered malfunctioned; further investigation required.
GW03	VWP (01-10-6743)	17/01/2024 – 18/08/2024	3,394	-
GW-9	Logger (Rugged TROLL 100)	24/04/2020 – 21/10/2024	991	-
VNW395	Logger (Rugged TROLL 100)	17/01/2024 – 17/04/2024	272	Logger data was not downloaded during the July and October 2024 monitoring round. A temporary logger has been deployed while searching for a replacement.
TR7	Logger (Rugged TROLL 100)	17/03/2012 – 19/03/2014; 03/06/2020 – 17/04/2024; 25/07/2024 – 13/10/2024	1,894	Logger data is not available in July 2024 monitoring round
TR18	Logger (Rugged TROLL 100)	16/04/2020 – 04/07/2024	1,939	Logger data was not downloaded during the October 2024 monitoring round.
VKY034C	Logger (Rugged TROLL 100)	07/01/2020 – 18/10/2024	6,931	-
VKY035C	Logger (Rugged TROLL 100)	04/11/2020 – 18/10/2024	5,611	-
VKY036C	Logger (Rugged TROLL 100)	07/01/2020 – 18/10/2024	7,270	-
VKY041C (38, 51, 70, 95, 115 m)	VWP (DT2055-02023)	11/03/2015 – 14/10/2024	-	Calibration factors and sensor depths to be confirmed.



Bore ID	Logger Type	Recording Period	Number of Data Points	Comments
VKY041C (140, 170, 199 m)	VWP (DT2055-02027)	11/03/2015 – 04/08/2024	-	Calibration factors and sensor depths to be confirmed.
VKY042C	Logger (Rugged TROLL 100)	04/11/2020 – 18/10/2024	5,662	-
VKY043C	Logger (Rugged TROLL 100)	07/01/2020 – 13/07/2023	5,135	Logger stopped reading in July 23
VKY3053C	VWP	04/03/2020 – 17/01/2024		No data from April 2024 onwards. Calibration factors and sensor depths to be confirmed.
VKY33C (38, 51, 70, 95, 115m)	VWP (DT2055-02029)	11/03/2015 – 17/10/2024	-	Calibration factors and sensor depths to be confirmed.
VKY33C (140, 170, 190m)	VWP (DT2055-02087)	11/03/2015 – 17/10/2024	-	Calibration factors and sensor depths to be confirmed.
VS048 (30m)	VWP	17/06/2011 – 15/06/2012; and 04/03/2020 – 14/10/2024	7,258	-
VS054 (23, 96, 120, 167m)	VWP (SN11-1769)	17/06/2012 – 15/06/2012; and 16/11/2023 – 15/10/2024		
VS056 (25, 100m)	VWP (SN11-1765)	04/03/2020 – 14/10/2024	VS056-25m: 7,756; VS056-100m: 1,437	
VS058 (18, 88, 159m)	VWP (SN11-1768)	16/04/2020 – 14/10/2024	~6,567/sensor	-
VS062	VWP	12/02/2021 – 14/10/2024	10,323	
VS059 (30, 65, 113m)	VWP	16/04/2020 – 14/10/2024	~6,566/sensor	
WR-1	Logger (Rugged TROLL 100)	30/04/2024 - 18/10/2024	5,133	Water level calculated in meter below top of casing (mbtoc), as no reference level (mAHD) available.
WR-2	Logger (Rugged TROLL 100)	30/04/2024 - 18/10/2024	5,133	Water level calculated in mbtoc, as no reference level (mAHD) available.






Figure 7: Logger Hydrograph – VKY034C

2.4.2 TARP Trigger Level Summary

Groundwater levels in the Alluvial bores have continued to primarily (63%) show an increase in water levels between July and October. For those bores with more than three water level readings, all excluding SB02 and VNW395 are within historical fluctuations. SB02 has a groundwater level of 1.38 m below ground level, which was an 8.4 m increase from the July 2024 monitoring round. The October 2024 result is likely an outlier, ongoing monitoring and review will be undertaken to determine the nature of this increase. VNW395 showed a 1.1 m increase in groundwater level in Jul-24 and returned to historically typical levels in Oct-2024.

Groundwater levels in the Permian have shown minor increase and decrease across the suite of bores. The largest decline in water level was observed at MD01, with a decline of 1.17 m between July and October. Further monitoring is required to establish if a declining trend is occurring.

It was noted that the potential of groundwater intersection occurred during this reporting period, as observed by increased in-pit water. Additionally, a dry period has begun to be recorded. The variation in groundwater levels in both Alluvial and Permian bores does not indicate significant flux of water from the aquifer, resulting in groundwater drawdown. Historically, groundwater levels have typically shown a strong correlation to rainfall trends and any review of trends will need to consider mining operations and climatic conditions.

Given the early status of mining and the stable to increasing groundwater levels, the current groundwater levels are considered to be reflective of natural conditions and not impacted by extraction activities. Additionally, review against the newly derived triggers does not indicate any breach in trigger levels. Therefore, the groundwater levels do not result in the enactment of the TARPs.



2.5 Groundwater Quality and Exceedance Summary

Routine groundwater monitoring commenced in October 2023 and continues quarterly. The full October 2024 field and laboratory suite results are summarised in **Appendix C**.

The TARP enacted, as set out in Table 8-3 of the GWMP, during the reporting period are summarised in **Table 5**. **Appendix D** provides a summary of all monitoring rounds to date compared to the interim trigger values or ANZECC default guideline values for slightly to moderately disturbed ecosystems.

Table 5: Summary of TARP Triggers

Bore	Parameters	Unit	Trigger Level	Oct-23	Jan-24	Apr-24	Jul-24	Oct-24
TR7	pH	pH unit	7.4-7.8	6.53	7.05	6.71	6.82	6.63
GW03	EC	µS/cm	811	862	888	862	947	1,004
TR18			12,315*	13,400	13,640	12,730	15,350	13,820
TR35			12,315*	15,300	17,330	16,740	17,260	16,690
GW-7	SO ₄ ²⁻	mg/L	86*	364	385	399	380	396
SB05			365*	735	551	520	595	496
TR18			86*	702	620	592	622	626
TR26			86*	194	230	180	198	195
TR35			86*	660	651	622	624	624
TR7			365*	508	714	501	518	563
VKY034C			86*	123	185	116	98	90
VKY036C			86*	244	294	281	100	174
VKY042C			86*	302	309	312	283	326
VNW393			86*	179	185	200	165	202

*Interim water level triggers adopted (as insufficient data has been recorded) based on all data for that geology. Red text shows exceedance of trigger level. Highlight cell shows trigger level 1 as defined by TARP in the GWMP (Appendix A).

Piper diagrams are used to present the geochemical signature of groundwater. Piper plots will continue to be prepared for both the alluvial and Permian aquifers to compare the geochemical signature over time.

Figure 8 and **Figure 9** show the piper diagrams for the alluvial and Permian groundwater respectively. Where data was available, the July 2024 and October 2024 data has been presented for analysis of trending change in geochemistry across the suite of bores.






Figure 8 Alluvial groundwater piper plots

* Note: GW-2 water chemistry data are from April 24 and VNW223 from Oct 23






Figure 9 Permian groundwater piper plots



Except pH results in TR7 and EC in GW03, all other triggers are based on interim trigger levels. The interim trigger levels were defined utilising standard guideline value and consequently are not reflective of the local natural conditions. As per the GWMP, these trigger values will be updated when reasonable baseline data is collected. A review will be conducted as part of the 2024 annual review to assess if suitable data is available to develop more site-specific triggers.

The piper plots show no trending variation between historical and current geochemical signature.

Review of the individual temporal plots do not indicate consistent increasing or decreasing trends over time, or across multiple locations. Additionally, there is no correlation with groundwater level trends (as groundwater is typically stable). Consequently, the groundwater quality results indicate a 'normal condition' TARP response.



3.0 Action and Response

Based on the results summary presented in **Section 2.0**, the fact that both Groundwater Level and Groundwater Quality are considered “Normal Conditions”, there are no specific action and responses required.



4.0 Recommendations

Table 6 provides a summary of the historical recommendations, from Annual and prior quarterly reporting, with a comment on their current status.

Table 6: Summary and Status of Recommendations to Date

Recommendation	Cited	Status
Several monitoring wells were unlocated (GW-2) or inaccessible (GW030051, GW030052, and GW036459) during the reporting period. It is recommended to locate these wells for future monitoring or provide justifications for updating the GWMP.	2023 Annual Review/Quarterly Report	COMPLETE: GW-2 has been monitored in the October 2024 monitoring round. Water level data for GW030051, GW030052, and GW036459 have been obtained from WaterNSW, and therefore continue monitoring in the ongoing events. Monitoring network review underway.
Continue the monitoring program and the quarterly reporting on groundwater levels and quality as outlined in the GWMP.	2023 Annual Review	COMPLETE/ONGOING: ongoing monitoring and reporting established.
Review logger data from TR7 and GW01, as appears erroneous, and replace as necessary.	April 2024 Quarterly	ONGOING: Loggers review underway.
Elevation survey of all bores to assist with groundwater level trigger development and plotting of bores as reduced water levels (i.e. as metres below Australian height datum – mAHD).	April 2024 Quarterly	ONGOING: Elevation survey has been done for majority of the bores, except for WR1 and WR2. Water level plots have been updated as reduced water levels (refer to Appendix C)
Verify sensor depths for all VWPs in the network to assist with groundwater level calculation (calibration certificates in hand for review and update of database). Revise trigger levels based on updated sensor depth and calibration data.	April 2024 Quarterly	ONGOING: Verify sensor depths for VKY033C (or VKY3033C) and VKY041C to assist with groundwater level calculation. COMPLETE: Sensor depths have been verified for all standpipe loggers and VWPs, except for abovementioned VKY033C and VKY041C.

Recommendations based on the review and analysis completed herein, are as follows:


- Verify sensor depths for VKY033C (or VKY3033C) and VKY041C to assist with groundwater level calculation. If this calibration data is unavailable, the overall usefulness of these bores to the network will be reviewed as part of the 2024 annual review.
- When adequate baseline data becomes available, review and update the quality trigger values. A review of the adequacy of data currently available will be undertaken as part of the 2024 annual review.



5.0 References

- Hydrosimulations. 2018. "Vickery Extension Project: Groundwater Assessment. Report ."
- Queensland Government. 2024. *SILLO Long Paddock*. <https://www.longpaddock.qld.gov.au/>.
- Whitehaven. 2023. "Vickery Coal Mine Water Management Plan Appendic C Groundwater Management Plan."





Appendix A Trigger Action Response Plan

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review August 2024 – October 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

23 December 2024

Table A-1: Tigger Action Response Plan

PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
<u>Performance Measure Feature</u> Negligible groundwater level impact on the Namoi Alluvium aquifer and associated surface watercourses, groundwater dependent ecosystems, and private landowner bores. Negligible groundwater level impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater impacts (Hydrosimulations 2018). <u>TARP Objective</u> This TARP defines levels of deviation in groundwater level from 'normal' conditions and the actions to be implemented in response to each level deviation as a result of open cut mining. <u>Assessment Criteria</u> Bore specific trigger values are based on the water levels across the entire history of monitoring in each individual bore and the predicted impacts from the Hydrosimulations (2018) numerical groundwater model.	<u>Locations</u> Open standpipes and VWPs All monitoring locations as set out in Table 4-1 of the Groundwater Management Plan (GWMP). All monitoring locations are shown in Figure 4-1 of the GWMP. <u>Monitoring Frequency</u> During mining Quarterly manual measurements of water level. Continuous monitoring in bores installed with Vibrating Wire Piezometers (VWPs). <u>Post-mining</u> TBC	Normal Condition		
		Groundwater level remains above the respective trigger limits (defined as the 95th percentile over the baseline period and detailed in Table 8-2 of the GWMP) for each individual groundwater bore.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		One quarterly monitoring result shows an exceedance of the trigger limit as detailed in Table 8-2 of the GWMP.	- Actions as required for Normal Condition. - Re-sample of groundwater level within seven days.	Report declines and climate investigation outcomes in Annual Review.
		Level 2		
		- Groundwater level in a groundwater bore exceeds the respective trigger limit during three consecutive quarterly monitoring rounds. OR - Complaint received by landowners of private bores regarding groundwater level declines.	- Actions as stated in Level 1. For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to check and validate the data and assess cause of trigger exceedances to determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater levels to be carried out by qualified personnel. - Increase monitoring and review of data frequency for sites where Level 2 has been reached, subject to land access. For Private Bores: - Undertake investigation to demonstrate if the decline will impact the long-term viability of the affected water supply works. - Commence level monitoring of said private bore in quarterly monitoring rounds, subject to negotiation and land access restrictions. The investigation will be commenced/ completed as efficiently as practicable.	- Responses as stated in Level 1. - Include outcomes from the preliminary investigation report in Annual Review.
		Level 3		




PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
		- The reduction in water level is determined in the Level 2 preliminary investigation not to be controlled by climatic or external anthropogenic factors. OR - Groundwater level in a groundwater bore continues to exceed the respective trigger limit during six consecutive monitoring rounds.	- Actions as stated in Level 2. For Open Standpipe Monitoring Bores, VWPs, and Private Bores: - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review groundwater model. For Private Bores: - Review corrective management actions (CMAs) as specified in Section 8.3 of the GWMP considering findings from further investigations and consider additional reasonable and feasible options.	- Responses as stated in Level 2. - Report trigger exceedance to DPE and key stakeholders. Provide the detailed investigation report to relevant agencies within a reasonable timeframe of identifying the non-compliance. - Report trigger exceedance and investigation outcomes in Annual Review. - Develop/design contingency and remedial measures based on the results of the above investigations. Contingency and remedial measures considered practical for implementation may include: - Undertake landholder and government consultation; - Offset groundwater leakage from the Namoi Alluvium aquifer; - Review and refine the GWMP including undertaking additional - specific monitoring of private landholder bores; - Review Site Water Balance and predictive groundwater model; and - Review mine plan impacts on alluvial groundwater source. For Private Bores: - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 8.3 of the GWMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed “make-good” arrangements). - Monitor and report on success of CMAs in Annual Review.
Performance Measure Feature Negligible quality impact on the Namoi Alluvium aquifer and associated surface watercourses and private landholder bores. Negligible quality impact on the Permian bedrock and associated private landowner bores, outside that predicted by the approved groundwater (Hydrosimulations 2018). TARP Objective This TARP defines levels of deviation in groundwater quality from baseline conditions and the actions to be implemented in response to each level deviation. Assessment Criteria Quality in each monitoring bore remains within the 5th and 95th percentile of the baseline conditions set out in Table 8-4 of the GWMP for the following parameters: - Electrical Conductivity; - pH; and - Sulfate. Other major and metal ions will be assessed against the relevant ANZECC guidelines.	Locations Open standpipes All open standpipe monitoring locations as set out in Table 4-2 of the GWMP. Monitoring Frequency During mining Six-monthly measurements of pH and electrical conductivity parameters. Other parameters (detailed in Table 4-2 of the GWMP) to be measured on an annual basis. Post-mining TBC	Normal Condition		
		- Groundwater pH remains within the baseline 5th and 95th percentile range, as specified in the GWMP. - Other groundwater quality parameters remain below the baseline 95th percentile, as specified in the GWMP.	Continue monitoring and review of data as per monitoring program.	No response required.
		Level 1		
		Two six-monthly exceedances or one annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters).	- Actions as required for Normal Condition. - Re-sample of groundwater quality within seven days	Report declines and climate investigation outcomes in Annual Review.
		Level 2		
		- Three consecutive six-monthly exceedances or two annual quality exceedances (including re-samples from Level 1) outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters). OR - Complaint received by landowners of private bores regarding groundwater quality declines.	- Actions as stated in Level 1. For Open Standpipe Monitoring Bores: - Undertake a preliminary hydrogeological investigation as efficiently as practicable to assess cause of quality exceedances and determine if mining related as per the requirements set out in Section 8.3 of the GWMP. Review of groundwater quality to be carried out by qualified personnel. Increase monitoring and review of data frequency for sites where Level 2 has been reached, subject to land access. For Private Bores: - Collect quality sample from said private bore for comparison with wider aquifer data, subject to negotiation and land access restrictions. - Undertake investigation to demonstrate if quality will impact the long-term viability of the affected water supply works. The investigation will be commenced/ completed as efficiently as practicable.	- Responses as stated in Level 1. - Include outcomes from the preliminary investigation report in Annual Review.



PERFORMANCE MEASURE AND INDICATOR, TARP OBJECTIVE AND ASSESSMENT CRITERIA	MONITORING PROGRAM	MANAGEMENT		
		TRIGGER	ACTION	RESPONSE
		Level 3		
		- The water quality changes are determined from Level 2 preliminary investigation to not be controlled by climatic, local land uses, or other external anthropogenic factors. OR - Groundwater quality continues to decline with six consecutive six-monthly exceedances or three annual quality exceedances outside of the specified baseline range (pH) or above 95th percentile baseline (other quality parameters). AND - Quality exceedances are widespread (three or more bores in an aquifer show water quality exceedances) across the aquifers being monitored.	- Actions as stated in Level 2. For Private Bores and Open Standpipe Monitoring Bores - Increase monitoring to at least quarterly measurements for sites where Level 3 has been reached, subject to land access. - Undertake a detailed investigation to assess if the change in behaviour is related to mining effects (e.g., catchment changes, another effect unrelated to mining). - Review corrective management actions (CMAs) as specified in Section 8.3 of the WMP considering findings from further investigations and consider additional reasonable and feasible options.	- Responses as stated in Level 2. For Private Bores and Open Standpipe Monitoring Bores: - Report trigger exceedance to DPE and key stakeholders. - Report trigger exceedance and investigation outcomes in Annual Review. For Private Bores, if the changes have been confirmed to be related to mining effects: - Initiate negotiations with impacts landowners as soon as practicable. Consider all reasonable and feasible options for remediation as relevant (e.g., isolation, remediation, etc.). - Provide DPE and key stakeholders with proposed corrective management actions (CMAs) for consultation (e.g., extending the depth of the bore, establishment of additional bores, compensation to affected landowners as per Section 10.2.2 of the WMP). - Implement CMAs, subject to land access (finalise negotiations and implement the agreed “make-good” arrangements). - Monitor and report on success of CMAs in Annual Review.





Appendix B Groundwater Level Results

Vickery Extension Project Groundwater Monitoring Report



Quarterly Review August 2024 – October 2024

Whitehaven Coal Ltd


SLR Project No.: 640.031099.00001

23 December 2024


Hydrograph - GW-10



Hydrograph - GW-11




Hydrograph - GW-13





Manual GWL CRD (mm)

Hydrograph - GW-14




Manual GWL CRD (mm)

Hydrograph - GW-15




Hydrograph - GW-2




Manual GWL CRD (mm)

Hydrograph - GW-4




● Manual GWL -.- CRD (mm)


Hydrograph - GW-6




Hydrograph - GW-7




Hydrograph - GW-8



Hydrograph - GW-9




Hydrograph - GW01




--- Trigger Level - GW01 ● Manual GWL -.- CRD (mm)

Hydrograph - GW02




--- Trigger Level - GW02 ● Manual GWL -.- CRD (mm)


Hydrograph - GW03



Hydrograph - GW030051-1




Hydrograph - GW030051-2




- - - Trigger Level - GW030051-2
 ● Manual GWL
 - . - CRD (mm)

Hydrograph - GW030052-1




--- Trigger Level - GW030052-1 ● Manual GWL -.- CRD (mm)

Hydrograph - GW030052-2




Hydrograph - GW036459




--- CRD (mm)


Hydrograph - GW971400




Hydrograph - GW971614




Hydrograph - MD01



Hydrograph - MD02



Hydrograph - SB01




--- Trigger Level - SB01 ● Manual GWL -.- CRD (mm)

Hydrograph - SB02




--- Trigger Level - SB02 ● Manual GWL -.- CRD (mm)

Hydrograph - SB04




--- Trigger Level - SB04 ● Manual GWL -.- CRD (mm)

Hydrograph - SB05




--- Trigger Level - SB05 ● Manual GWL -.- CRD (mm)

Hydrograph - SB06




- - - Trigger Level - SB06
 ● Manual GWL
 - . - CRD (mm)

Hydrograph - SB07




--- Trigger Level - SB07 ● Manual GWL -.- CRD (mm)

Hydrograph - SB08




--- Trigger Level - SB08 ● Manual GWL -.- CRD (mm)

Hydrograph - SB09




--- Trigger Level - SB09 ● Manual GWL -.- CRD (mm)

Hydrograph - SB10




- - - Trigger Level - SB10
 ● Manual GWL
 - · - CRD (mm)

Hydrograph - SB11




--- Trigger Level - SB11 ● Manual GWL -.- CRD (mm)

Hydrograph - SB15




--- Trigger Level - SB15 ● Manual GWL -.- CRD (mm)

Hydrograph - TR18




Hydrograph - TR26




- - - Trigger Level - TR26
 ● Manual GWL
 - · - CRD (mm)

Hydrograph - TR35




- - - Trigger Level - TR35
 ● Manual GWL
 - . - CRD (mm)


Hydrograph - TR7




Hydrograph - VKY034C




Hydrograph - VKY035C




Hydrograph - VKY036C




Hydrograph - VKY042C



Hydrograph - VKY043C




Hydrograph - VNW223




--- Trigger Level - VNW223 ● Manual GWL -.- CRD (mm)

Hydrograph - VNW390




Hydrograph - VNW391




- - - Trigger Level - VNW391
 ● Manual GWL
 - . - CRD (mm)

Hydrograph - VNW392




- - - Trigger Level - VNW392
 ● Manual GWL
 - . - CRD (mm)

Hydrograph - VNW393




- - - Trigger Level - VNW393
 ● Manual GWL
 - . - CRD (mm)

Hydrograph - VNW394




- - - Trigger Level - VNW394
 ● Manual GWL
 - . - CRD (mm)

Hydrograph - VNW395



Hydrograph - VS048



— Logger GWL - VS048 - - - Trigger Level - VS048 - . - CRD (mm)

Hydrograph - VS054




- | | | |
|----------------------------------|----------------------------------|---------------------------------|
| — Logger GWL - VS054-120m | - - - Trigger Level - VS054-167m | — Logger GWL - VS054-96m |
| - - - Trigger Level - VS054-120m | — Logger GWL - VS054-23m | - - - Trigger Level - VS054-96m |
| — Logger GWL - VS054-167m | - - - Trigger Level - VS054-23m | - - - CRD (mm) |

Hydrograph - VS056




— Logger GWL - VS056-100m — Logger GWL - VS056-25m -.- CRD (mm)
- - Trigger Level - VS056-100m - - Trigger Level - VS056-25m

Hydrograph - VS058




- Logger GWL - VS058-159m
- Trigger Level - VS058-159m
- Logger GWL - VS058-18m
- Trigger Level - VS058-18m
- Logger GWL - VS058-88m
- Trigger Level - VS058-88m
- CRD (mm)

Hydrograph - VS059




- | | | |
|----------------------------------|---------------------------------|---------------------------------|
| — Logger GWL - VS059-113m | - - - Trigger Level - VS059-30m | - . - Trigger Level - VS059-65m |
| - - - Trigger Level - VS059-113m | — Logger GWL - VS059-65m | - . - CRD (mm) |
| — Logger GWL - VS059-30m | | |

Hydrograph - VS062




— Logger GWL - VS062 - - - Trigger Level - VS062 - . - CRD (mm)

Hydrograph - WR1



— Logger GWL - WR1 • Manual GWL - - - CRD (mm)
- - - Trigger Level - WR1

Hydrograph - WR2





Appendix C Groundwater Quality Results

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review August 2024 – October 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

23 December 2024

Table C-1: Field GW Monitoring Data

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
SB02	24-10-2023 10:40	7.21	7250	24.1	44	Nil	Slightly turbid	Orange	Quarterly sampling
GW01	24-10-2023 9:36	7.33	1042	22.4	79	Nil	Clear	Colourless	Quarterly sampling
SB15	24-10-2023 10:10	7.29	1019	22.6	59	Nil	Clear	Colourless	Quarterly sampling
SB06	24-10-2023 7:35	7.35	3280	20.6	41	Nil	Clear	Colourless	Quarterly sampling
SB11	24-10-2023 8:25	7.26	1080	22.6	46	Nil	Clear	Colourless	Quarterly sampling
SB10	23-10-2023 15:55	7.43	1880	24.3	34	Nil	Clear	Colourless	Quarterly sampling; small amount of sediment in water
SB05	23-10-2023 16:20	2.09	3740	25	43	Nil	Clear	Colourless	Quarterly sampling
SB09	23-10-2023 15:20	3.32	949	27.3	28	Nil	Slightly turbid	Orange/brown	Quarterly sampling; a lot of sediment in water, possible rust particles
SB01	23-10-2023 15:00	7.44	1541	26.5	36	Nil	Clear	Colourless	Quarterly sampling
SB04	23-10-2023 13:19	7.29	2680	28.2	47	Slight	Slightly turbid	Grey	Quarterly sampling; bailed due to depth; Standpipe extremely unstable; too shallow to hydrasleeve so bailed to test.
SB08	23-10-2023 13:35	7.24	983	26.3	41	Nil	Clear	Colourless	Quarterly sampling
SB07	23-10-2023 11:47	7.35	770	23.2	46	Nil	Clear	Colourless	Quarterly sampling
GW02	23-10-2023 10:51	7.59	731	25.2	25	Nil	Clear	Colourless	Quarterly sampling
MD01	25-10-2023 9:50	11.58	1799	25.6	-91	Slight	Clear	Colourless	Quarterly sampling; Slight unknown odour. No cap on bore;
MD02	25-10-2023 11:10	6.84	1195	27.4	-69	Nil	Clear	Colourless	Quarterly sampling
GW03	23-10-2023 14:14	7.19	862	25.9	21	Nil	Clear	Colourless	Quarterly sampling; fence panels down and logger missing (assume down the bore).
TR26	25-10-2023 12:00	7.06	6290	26.3	52	Nil	Clear	Colourless	Quarterly sampling
TR7	25-10-2023 12:25	6.53	####	26.4	61	Nil	Clear	Colourless	Quarterly sampling
TR18	25-10-2023 13:30	6.58	####	27.8	99	Nil	Clear	Colourless	Quarterly sampling
TR35	25-10-2023 14:10	6.66	####	25.5	-55	Slight	Clear	Colourless	Quarterly sampling
VKY043C	26-10-2023 8:25	7.72	2990	20	-32	Nil	Clear	Colourless	Quarterly sampling
VKY042C	26-10-2023 11:45	6.75	5420	28.1	-28	Nil	Clear	Colourless	Quarterly sampling; Unable to determine total bore depth as it was greater than 150m (length of the dip tape)
VKY035C	26-10-2023 10:40	7.1	3110	25.5	-26	Nil	Clear	Colourless	Quarterly sampling
VKY034C	26-10-2023 9:15	7.3	3590	23.4	70	Nil	Clear	Colourless	Quarterly sampling
VKY036C	26-10-2023 12:40	7.08	5600	25.1	-39	Nil	Clear	Colourless	Quarterly sampling
VNW390	24-10-2023 12:35	6.92	2300	22.6	-96	Moderate	Clear	Colourless	Quarterly sampling; Sulphur odour
VNW391	24-10-2023 14:20	7.04	2530	23.9	-60	Nil	Clear	Colourless	Quarterly sampling
VNW392	22-11-2023 13:58	6.74	3690	20.8	-96	Slight	Clear	Colourless	Quarterly sampling; No access - locked out on 24/10/2023; Sampled 22/11/2023; Slight H2S odour
VNW393	24-10-2023 13:05	7.36	2740	22.1	26	Slight	Clear	Colourless	Quarterly sampling; Slight sulphur odour
VNW394	22-11-2023 13:12	7.13	5520	12.8	-70	Nil	Slight	Grey	Quarterly sampling;
VNW395	24-10-2023 13:41	7.47	463	20.9	57	Slight	Clear	Colourless	Quarterly sampling; no logger
GW-8	22-11-2023 15:47	7.11	4290	22.5	-176	Nil	Slight	Brown	Quarterly sampling; Unable to locate on 27/10/2023; Sampled 22/11/2023
GW-7	27-10-2023 11:50	8.89	4300	22.7	60	Nil	Clear	Colourless	Quarterly sampling; Suspended matter in water
VNW223	27-10-2023 10:10	7.25	5940	19.9	49	Nil	Clear	Colourless	
GW-11	27-10-2023 9:40	7.36	4360	21.5	-111	Nil	Clear	Colourless	Quarterly sampling; old windmill overhead
GW-9	27-10-2023 12:55	7.94	6110	22.6	-87	Nil	Clear	Brown	Quarterly sampling; old windmill overhead
VKY GW Duplicate 1	24-10-2023 8:25	7.26	1081	22.6	46	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from SB11
VKY GW Duplicate 2	26-10-2023 8:25	7.71	2990	20.1	-32	Nil	Clear	Colourless	Quarterly sampling; site duplicate taken from VKY0043C
VKY GW Lab Split Dup 1	24-10-2023 8:25	7.27	1080	22.7	47	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from SB11
VKY GW Lab Split Dup 2	26-10-2023 8:25	7.71	2990	20	-33	Nil	Clear	Colourless	Quarterly sampling; site split duplicate taken from VKY0043C

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY GW Blank	24-10-2023 7:35	8.77	13	15.4	70	Nil	Clear	Colourless	Quarterly sampling; blank
SB02	25-10-2023 12:25	7.28	7330	22.5	Clear	Nil	Slightly turbid	Orange	-
GW01	23-01-2024 7:39	7.2	1265	19.6	-15.7	Nil	Clear	Colourless	-
SB15	23-01-2024 8:05	7.23	1070	21.1	-88	Nil	Clear	Colourless	-
SB06	17-01-2024 12:55	7.61	3460	26.5	-84	Nil	Turbid	Brown	-
SB11	17-01-2024 13:26	7.7	1021	26.4	-62	Nil	Clear	Colourless	-
SB10	17-01-2024 13:49	7.47	1972	29.7	-69	Nil	Clear	Colourless	-
SB05	17-01-2024 14:31	7.73	3690	28	-131	Nil	Clear	Colourless	-
SB09	17-01-2024 15:18	7.56	1014	26.1	-70	Nil	Slightly turbid	Black	-
SB01	17-01-2024 14:58	7.31	1716	28.3	-70	Nil	Clear	Colourless	-
SB04	17-01-2024 15:51	7.43	3360	24.6	-188	Slightly	Clear	Colourless	Slight H2S odour
SB08	18-01-2024 16:09	7.39	1115	23.4	-119	Nil	Clear	Colourless	-
SB07	17-01-2024 16:32	7.47	919	24.5	-87	Nil	Clear	Colourless	-
GW02	18-01-2024 10:54	7.79	971	23.9	-74	Nil	Clear	Colourless	-
MD01	18-01-2024 9:10	11.69	1786	22.9	-135	Nil	Slightly turbid	Brown	-
MD02	23-01-2024 10:29	6.78	1306	24.3	-140	Nil	Clear	Colourless	-
GW03	23-01-2024 6:59	7.16	888	19.6	66	Nil	Clear	Colourless	-
TR26	18-01-2024 13:35	7.16	8380	24.8	-62	Nil	Slightly turbid	Brown	-
TR7	18-01-2024 13:55	7.05	1539	25.2	-30	Nil	Slightly turbid	Brown	-
TR18	18-01-2024 14:28	6.85	1364	24.5	-21	Nil	Slightly turbid	Brown	-
TR35	18-01-2024 15:25	6.75	1733	24	-63	Nil	Clear	Colourless	-
VKY043C	18-01-2024 14:58	7.8	3410	24.1	-74	Nil	Clear	Colourless	-
VKY042C	23-01-2024 12:58	6.72	5430	31	-119	Nil	Clear	Colourless	-
VKY035C	23-01-2024 12:14	7.01	3340	27.2	-170	Nil	Clear	Colourless	-
VKY034C	23-01-2024 11:05	6.94	3850	29.4	-149	Nil	Slightly turbid	Brown	-
VKY036C	23-01-2024 11:35	6.79	5810	28.7	-139	Nil	Clear	Colourless	-
VNW390	17-01-2024 11:23	7.13	2376	24.3	-69	Nil	Clear	Colourless	-
VNW391	17-01-2024 11:52	7.31	2471	23.1	-109	Nil	Clear	Colourless	-
VNW392	17-01-2024 12:22	6.74	3310	26.1	-149	Nil	Clear	Grey	-
VNW393	17-01-2024 10:51	7.56	2830	29.5	-90	Slightly	Clear	Colourless	Very slight H2S odour
VNW394	17-01-2024 9:30	6.92	5410	23.9	-104	Nil	Slightly turbid	Grey	-
VNW395	17-01-2024 11:39	7.77	1395	27	-168	Nil	Clear	Grey	-
GW-8	24-01-2024 13:55	7.03	3950	26.5	-208	Nil	Clear	Black	-
GW-7	23-01-2024 9:12	8.82	4490	23	-64	Nil	Clear	Colourless	Site overgrown and dangerous - Need cleaning up
VNW223	24-01-2024	-	-	-	-	-	-	-	Blocked at 1.3 mbtoc
GW-11	23-01-2024 14:26	6.93	4340	30.6	-192	Nil	Slightly turbid	Orange	-
GW-9	23-01-2024 13:49	6.68	3320	24.2	-196	Nil	Slightly turbid	Brown	No logger
GW030051	-	-	-	-	-	-	-	-	No access - NSWWater locked bore
GW030052	-	-	-	-	-	-	-	-	No access - NSWWater locked bore
GW-2	-	-	-	-	-	-	-	-	Unable to locate
VKY GW Duplicate 1 - MD01	18-01-2024 9:38	11.54	1848	22.9	-147	Nil	Slightly turbid	Brown	-

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VKY GW Duplicate 2 - GW-11	23-01-2024 14:26	-	-	-	-	-	-	-	-
VKY GW Lab Split Dup 1 - MD01	18-01-2024 9:42	11.73	1872	22.9	-149	Nil	Slightly turbid	Brown	-
VKY GW Lab Split Dup 2 -	23-01-2024 13:53	6.65	3490	24.8	-193	Nil	Slightly turbid	Brown	-
VKY GW Blank	17-01-2024 9:35	8.94	3.1	22.8	100	Nil	Clear	Colourless	-
VS058	15-04-2024 13:49	-	-	-	-	-	-	-	Li Battery 3.67V
SB02	15-04-2024 13:36	7.14	7210	24.7	-128	Nil	Slightly Turbid	Orange	
GW01	15-04-2024 13:12	7.14	1384	26.5	-127	Nil	Slightly Turbid	Black	Suspended solids minor
SB15	15-04-2024 12:56	7.17	972	27	43	Nil	Clear	Clear	Suspended solids minor
SB06	15-04-2024 12:21	7.42	3410	26.1	-70	Nil	Turbid	Black	-
SB11	15-04-2024 12:37	7.45	1048	24.3	69	Nil	Clear	Clear	-
SB10	15-04-2024 11:11	7.28	1859	24	-5	Nil	Slightly Turbid	Black	Suspended solids minor
SB05	15-04-2024 11:31	7.63	3680	22.9	-113	Nil	Slightly Turbid	Black	Suspended solids moderate
SB09	15-04-2024 10:52	7.27	973	21.7	-61	Nil	Turbid	Black	Suspended solids minor
SB01	15-04-2024 10:34	7.2	1698	24.1	-91	Nil	Clear	Grey	Suspended solids minor
SB04	15-04-2024 9:21	7.27	1868	24.1	-214	Yes	Turbid	Black	Sufer odour, suspended solids
SB08	15-04-2024 9:31	7.17	1039	21.2	-55	Nil	Clear	Clear	-
SB07	15-04-2024 8:48	7.28	934	21	57	Nil	Clear	Clear	Suspended solids minor
GW02	15-04-2024 8:16	7.14	926	24.3	8	Nil	Clear	Clear	Suspended solids moderate
VS062	15-04-2024 9:04	-	-	-	-	-	-	-	Li Battery 3.64V
VS059	15-04-2024 12:05	-	-	-	-	-	-	-	Li Battery 3.64V
VS056	17-04-2024 11:23	-	-	-	-	-	-	-	-
VS056	17-04-2024 11:26	-	-	-	-	-	-	-	-
MD01	18-04-2024 10:23	10.73	1283	24.2	-286	Strong	Slightly Turbid	Grey	Strong fecal odour
VS048	17-04-2024 10:59	-	-	-	-	-	-	-	-
VS054	17-04-2024 11:50	-	-	-	-	-	-	-	Li Battery 3.65V
MD02	17-04-2024 11:38	6.59	1210	31.1	-114	Slight	Clear	Clear	Suspended solids moderate
GW03	15-04-2024 9:56	7.05	862	24	-26	Nil	Clear	Grey	Suspended solids minor
TR26	17-04-2024 12:31	7.11	5180	29.4	60	Nil	Clear	Clear	
TR7	17-04-2024 12:49	6.71	14410	27.4	157	Nil	Clear	Orange	Logger length recorded
TR18	17-04-2024 13:26	6.69	12730	27.8	57	Nil	Slightly Turbid	Orange	Logger length recorded
TR35	17-04-2024 14:20	6.72	16740	22.8	48	Nil	Clear	Clear	
VKY43C	17-04-2024 14:06	7.65	3410	23.6	-47	Nil	Slightly Turbid	Orange	Logger was not working, removed at client request, not being replaced
VKY041C	17-04-2024 12:14								51.7% (should be battery)
	17-04-2024 12:17								35.2% (battery?)
VKY042C	29-04-2024 10:32	6.61	5480	24.3	-36	Nil	Clear	Clear	last 8m of logger cable rusty
VKY33C	18-04-2024 11:03	-	-	-	-	-	-	-	-
	18-04-2024 11:04	-	-	-	-	-	-	-	-
VKY035C	29-04-2024 14:41	6.88	3230	25	-120	Nil	Clear	Clear	
VKY034C	29-04-2024 9:58	7.05	4030	23.4	-80	Nil	Clear	Grey	
VKY036C	29-04-2024 14:10	6.8	5780	24.6	-93	Nil	Clear	Clear	
VKY3053C	29-04-2024 8:41	-	-	-	-	-	-	-	In forest? Incline to east VKY034C; Battery = 34.9%
VNW390	17-04-2024 8:30	6.59	2291	23.9	-98	Yes	Clear	Clear	Very slight sulfur odour

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VNW391	17-04-2024 10:11	7.06	2352	24.3	-107	Nil	Clear	Clear	
VNW392	17-04-2024 10:25	6.66	3480	21.9	-90	Nil	Clear	Grey	Suspended solids minor
VNW393	15-04-2024 14:40	7.2	2840	26.9	-103	Nil	Clear	Grey	
VNW394	15-04-2024 14:16	6.94	5400	25.7	-104	Nil	Turbid	Black	
VNW395	17-04-2024 9:28	7.77	1681	27.1	41	Nil	Clear	Clear	Logger length recorded
GW036459	-	-	-	-	-	-	-	-	-
GW-8	29-04-2024 8:28	6.95	4000	19.7	-151	Nil	Clear	Grey	
GW-7	30-04-2024 11:31	8.79	4560	21.9	97	Nil	Clear	Clear	
VWN223	29-04-2024 13:42	-	-	-	-	-	-	-	Blocked at 1.3m
GW-11	29-04-2024 12:59	6.59	4550	25.1	-123	Nil	Clear	Orange	
GW-9	29-04-2024 12:10	6.81	5630	22.2	-125	Nil	Slightly Turbid	Orange	
GW030051	-	-	-	-	-	-	-	-	No access, NSW Water locked bore
GW030052	-	-	-	-	-	-	-	-	No access, NSW Water locked bore
GW-2	29-04-2024 11:30	6.85	1218	25.3	70	Nil	Clear	Clear	Located, NotE?
WR-1	30-04-2024 10:15	6.7	####	22.7	217	Nil	Clear	Grey	Logger + HS installed
WR-2	30-04-2024 11:50	6.57	####	22.5	155	Nil	Slightly Turbid	Orange	Logger + HS installed
VKY GW Duplicate 1 - VWN390	17-04-2024 9:07	6.72	2320	22.4	-96	Nil	Clear	Clear	
VKY GW Duplicate 2 - GW-9	29-04-2024 12:33	6.72	5650	22.4	-155	Nil	Clear	Orange	
VKY GW Blank	17-04-2024 8:25	7.56	3.7	18.1	141	Nil	Clear	Clear	
VKY GW Lab Split Dup 1 - TR18	17-04-2024 13:52	6.77	####	25.2	139	Nil	Slightly Turbid	Orange	
VKY GW Lab Split Dup 2 - GW-11	29-04-2024 13:20	6.55	4520	25.1	-121	Nil	Clear	Orange	
VS058	01-07-2024 14:28	-	-	-	-	-	-	-	-
SB02	01-07-2024 14:04	7.2	6860	20.3	-109	Nil	Slightly Turbid	Brown	-
GW01	01-07-2024 13:42	7.2	1052	19.1	-32	Nil	Clear	Clear	-
SB15	01-07-2024 13:25	7.3	1049	19.6	8	Nil	Clear	Clear	-
SB06	01-07-2024 12:36	7.56	3440	18.6	-56	Nil	Turbid	Brown	Turbid brown
SB11	01-07-2024 13:05	7.77	461	17.9	-11	Nil	Clear	Clear	-
SB10	01-07-2024 12:01	7.5	1928	18	-23	Nil	Clear	Clear	Black particulate
SB05	01-07-2024 12:18	7.58	3490	18.6	-126	Nil	Clear	Clear	-
SB09	01-07-2024 11:40	7.52	1013	18.4	-84	Nil	Clear	Clear	Black particulate
SB01	01-07-2024 11:15	7.21	1756	17.6	-134	Nil	Clear	Clear	Black particulate
SB04	01-07-2024 10:07	7.12	2390	15.5	-204	H2S	Clear	Clear	H2S
SB08	01-07-2024 10:16	7.29	1088	16.9	-132	Nil	Clear	Clear	-
SB07	01-07-2024 9:51	7.22	978	15.8	28	Nil	Clear	Clear	-
GW02	01-07-2024 9:00	7.23	1065	14.4	151	Nil	Clear	Clear	-
VS062	01-07-2024 8:44	-	-	-	-	-	-	-	-
VS059	01-07-2024 13:25	-	-	-	-	-	-	-	-
VS056	04-07-2024 12:50	-	-	-	-	-	-	-	-
VS056	04-07-2024 12:55	-	-	-	-	-	-	-	-
MD01	04-07-2024 12:45	9.59	1505	19.6	-244	-	Slightly Turbid	Brown	H2S; Vegetable matter
VS048	04-07-2024 11:55	-	-	-	-	-	-	-	-
VS054	04-07-2024 12:15	-	-	-	-	-	-	-	Comm Port 25 (V3.66)

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
MD02	04-07-2024 12:24	6.57	1224	19.9	-117	-	Clear	Clear	Black particulate; vegetable matter
GW03	01-07-2024 10:45	7.36	947	15.7	-143	-	Clear	Clear	Slight H2S
TR26	05-07-2024 9:37	6.69	7330	20.4	-	-	Slightly Turbid	Brown	
TR7	05-07-2024 10:27	6.82	#####	17.9	-	-	Clear	Clear	
TR18	05-07-2024 10:53	6.64	#####	17.2	-	-	Slightly Turbid	Brown	
TR35	05-07-2024 12:02	6.75	#####	18.7	-	-	Clear	Clear	
VKY43C	05-07-2024 11:38	7.85	3290	7.2	-	-	Clear	Clear	
VKY041C	04-07-2024 13:45	-	-	-	-	-	-	-	Battery 53%
VKY041C	04-07-2024 13:45	-	-	-	-	-	-	-	Battery 34%
VKY042C	08-07-2024 15:02	6.65	5990	19.5	-13	-	Clear	Clear	
VKY33C	05-07-2024 12:32	-	-	-	-	-	-	-	Lithium 34%
VKY33C	05-07-2024 12:32	-	-	-	-	-	-	-	Lithium 37.1%
VKY035C	08-07-2024 13:25	6.9	3290	20.6	-88	-	Clear	Clear	-
VKY034C	05-07-2024 12:40	7.25	4170	19.3	-	-	Slightly Turbid	Grey	Slightly turbid; too turbid to filter, lab to filter; Grey
VKY036C	08-07-2024 14:27	7.19	5830	20.5	-111	-	Clear	Clear	-
VKY3053C	05-07-2024 8:31	-	-	-	-	-	-	-	Lithium
VNW390	04-07-2024 9:45	6.84	2473	17.7	-117	-	Clear	Clear	-
VNW391	04-07-2024 11:03	6.81	2458	19.2	-134	-	Clear	Clear	-
VNW392	04-07-2024 11:24	6.51	3510	19.6	-78	-	Clear	Clear	Slight H2S odor, black particulate
VNW393	04-07-2024 8:45	7.13	3090	18.4	104	-	Clear	Clear	-
VNW394	04-07-2024 8:28	6.62	5620	18.2	227	-	Slightly Turbid	Grey	-
VNW395	04-07-2024 10:27	7.61	1832	18.5	-4	-	Clear	Clear	Logger not responding
GW036459	-	-	-	-	-	-	-	-	No access - WaterNSW locked bore
GW-8	05-07-2024 8:00	6.49	4100	12.5	-	-	Slightly Turbid	Brown	-
GW-7	05-07-2024 10:39	8.67	4710	18.1	135	-	Clear	Clear	-
VWN223	05-07-2024 12:58	-	-	-	-	-	-	-	Blocked at 1.38mboc
GW-11	08-07-2024 12:20	6.09	4760	18.8	-54		Slightly Turbid	Brown	-
GW-9	08-07-2024 11:50	6.76	1591	19.3	-130		Slightly Turbid	Green	Slightly turbid; green
GW030051	-	-	-	-	-	-	-	-	No access - WaterNSW locked bore
GW030052	-	-	-	-	-	-	-	-	No access - WaterNSW locked bore
GW-2	-	-	-	-	-	-	-	-	Unable to locate
WR-1	08-07-2024 0:00	6.47	26800	18.2	254	-	Slightly Turbid	Brown	-
WR-2	08-07-2024 0:00	6.52	26600	17	10	-	Slightly Turbid	Brown	-
VKY GW Duplicate 1 - VNW390	04-07-2024 0:00	6.69	2366	19	-111	-	Clear	Clear	-
VKY GW Duplicate 2 - TR26	05-07-2024 0:00	7.03	7330	20.4	-	-	Slightly Turbid	Brown	-
VKY GW Blank	01-07-2024 0:00	7.1	2315	14.4	-124	-	Clear	Clear	-
VKY GW Lab Split Dup 1 - VNW393	04-07-2024 0:00	6.97	3270	20.5	-85	-	Clear	Clear	-
VKY GW Lab Split Dup 2 - VKY035C	08-07-2024 0:00	8	1.6	11	92	-	Clear	Clear	-
GW-11	18-10-2024 9:25	7.17	4760	22.6	-94	NIL	Clear	Brown	Overgrown
GW-13	21-10-2024 12:48	7.35	1647	23.5	-158	NIL	Clear	Black	C?
GW-14	21-10-2024 10:33	6.95	3840	23.4	22	NIL	Clear	Colourless	Overgrown
GW-2	22-10-2024 10:58	6.84	1226	21	100	NIL	Clear	Colourless	-

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
GW-6	15-11-2024 9:11	7.73	1459	27.3	-142	NIL	Slightly Turbid	Black	No access to bore on 21-10-24; uncovered on 15-11-24
GW-7	18-10-2024 13:30	8.3	4470	24.5	55	NIL	Clear	Colourless	Overgrown
GW-8	21-10-2024 8:40	7	3930	16.1	-210	NIL	Slightly Turbid	Brown	-
GW-9	21-10-2024 9:40	6.68	1099	20.7	-188	NIL	Slightly Turbid	Orange	-
GW01	14-10-2024 13:47	7.16	738	19.8	-84	S	Clear	Colourless	Slight H2S odour. Ant bait changed.
GW02	14-10-2024 8:50	7.42	1016	18.7	196	NIL	Clear	Colourless	Comport 1?. Ant bait changed.
GW03	14-10-2024 11:10	7.22	1004	19	-39	NIL	Clear	Colourless	Ant bait changed.
MD01	15-10-2024 12:16	8.33	1787	25	-280	Decomposing odour (organic matter?)	Slightly Turbid	Grey	Decomposing odour (organic matter?)
MD02	15-10-2024 12:03	6.72	1279	25	-71	NIL	Clear	Colourless	-
SB01	14-10-2024 11:31	7.23	1869	20.7	-60	NIL	Clear	Colourless	-
SB02	14-10-2024 14:06	7.23	7250	19.9	-113	NIL	Slightly Turbid	Brown	-
SB04	14-10-2024 10:22	7.21	2289	19.4	-178	Mild H2S	Clear	Colourless	Mild H2S
SB05	14-10-2024 12:27	7.71	3790	19.5	-45	NIL	Clear	Colourless	-
SB06	14-10-2024 12:48	7.7	2790	19.5	-113	NIL	Slightly Turbid	Grey	-
SB07	14-10-2024 9:42	7.58	1042	18.4	98	NIL	Clear	Colourless	-
SB08	14-10-2024 10:35	7.27	388	19.3	-57	Mild H2S	Clear	Colourless	Mild H2S
SB09	14-10-2024 11:58	7.44	1130	20.6	7	NIL	Clear	Colourless	-
SB10	14-10-2024 12:09	7.38	2200	20.4	32	NIL	Clear	Grey	-
SB11	14-10-2024 13:07	7.51	1266	19.8	-9	NIL	Clear	Colourless	-
SB15	14-10-2024 13:30	7.24	1143	19.8	44	NIL	Clear	Colourless	-
TR18	15-10-2024 14:05	6.79	13820	21.3	100	NIL	Slightly Turbid	Brown	Logger removed
TR26	15-10-2024 13:30	6.93	6090	28.5	-31	NIL	Clear	Colourless	-
TR35	15-10-2024 14:34	6.73	16690	23	92	NIL	Clear	Colourless	-
TR7	15-10-2024 13:45	6.63	1484	26.2	80	NIL	Clear	Colourless	-
VKY035C	18-10-2024 11:15	7.09	3330	28.4	-48	NIL	Clear	Colourless	-
VKY036C	18-10-2024 10:24	7.21	6020	24.7	-71	NIL	Clear	Grey	-
VKY042C	18-10-2024 10:54	6.72	5850	23.9	-18	NIL	Clear	Colourless	-
VKY034C	18-10-2024 12:02	7.25	3970	26.4	29	NIL	Turbid	Grey	Too turbid, send lab to filter
VKY041C	15-10-2024 13:09	-	-	-	-	-	-	-	Not sure which is which as no machine serial numbers on loggers. Change battery in 02027. Ant bait changed.
VKY041C	15-10-2024 13:09	-	-	-	-	-	-	-	Ant bait changed
VKY043C	15-10-2024 14:20	7.7	3050	22.7	30	NIL	Clear	Colourless	
VKY33C	18-10-2024 12:44	-	-	-	-	-	-	-	Ant bait changed
VKY33C	18-10-2024 12:46	-	-	-	-	-	-	-	Ant bait changed
VKY3053C	21-10-2024 8:46	-	-	-	-	-	-	-	Ant bait changed
VNW223	18-10-2024 8:32	7.17	5360	22.2	129	NIL	Clear	Colourless	
VNW390	15-10-2024 10:09	6.81	2431	21.6	-103	NIL	Clear	Colourless	
VNW394	15-10-2024 9:10	7.07	5420	19.8	-98	NIL	Clear	Colourless	
VNW392	15-10-2024 11:04	6.74	3410	23.3	-60	NIL	Clear	Colourless	
VNW393	15-10-2024 9:45	7.16	3140	23.7	-117	NIL	Clear	Colourless	
VNW391	15-10-2024 10:45	7.1	2424	22.4	-104	NIL	Clear	Colourless	

Sample Location	Date	pH - Field	EC - Field (uS)	Temperature	Redox	Odour	Appearance	Colour	Comments
VNW395	15-10-2024 10:30	7.56	1834	21.7	40	NIL	Clear	Colourless	No logger; Ant bait changed
VS048	15-10-2024 11:35	-	-	-	-	-	-	-	Ant bait changed
VS054	15-10-2024 11:51	-	-	-	-	-	-	-	Comport 25; Ant bait changed
VS056	15-10-2024 12:24	-	-	-	-	-	-	-	Ant bait changed
VS056	15-10-2024 12:24	-	-	-	-	-	-	-	Ant bait changed
VS058	14-10-2024 14:20	-	-	-	-	-	-	-	Ant bait changed
VS059	14-10-2024 8:30	-	-	-	-	-	-	-	Ant bait changed
VS062	14-10-2024 10:00	-	-	-	-	-	-	-	Ant bait changed
WR-1	18-10-2024 13:58	6.5	2680	23.5	150	NIL	Clear	Grey	Comport 8
WR-2	18-10-2024 14:40	6.36	2660	24.2	-37	NIL	Slightly Turbid	Grey	
GW036459	-	-	-	-	-	-	-	-	No access - NSW Water locked bore
GW030051	-	-	-	-	-	-	-	-	No access - NSW Water locked bore
GW030052	-	-	-	-	-	-	-	-	No access - NSW Water locked bore
GW-4	15-11-2024 8:50	7.92	2980	21.8	177	NIL	Slightly Turbid	Colourless	No access for sampling on 22 Oct 2024, bore uncovered on 15 Nov 2024
GW-10	22-10-2024 11:45	7.57	1438	23.8	93	NIL	Clear	Orange	-
GW-15	22-10-2024 13:30	8.97	638	23.6	12	NIL	Clear	Colourless	See photos
GW971614	22-10-2024 9:40	6.65	651	19	219	NIL	Clear	Colourless	Sampled from tank outflow?
GW971400	22-10-2024 10:15	6.8	2458	20.2	76	NIL	Clear	Colourless	Sampled from outflow
GW4	22-10-2024 11:30	-	-	-	-	-	-	-	No access
VKY GW Duplicate 1 - GW-9	21-10-2024 9:40	6.66	1076	20.3	779	NIL	Slightly Turbid	Orange	-
VKY GW Duplicate 2 - GW-10	22-10-2024 11:45	7.54	1478	23.7	77	NIL	Clear	Colourless	-
VKY GW Blank	21-10-2024 7:30	7.5	3.2	19.7	-83	NIL	Clear	Colourless	-
VKY GW Lab Split Dup 1 - GW-14	21-10-2024 10:33	6.91	3830	21.6	10	NIL	Clear	Colourless	-
VKY GW Lab Split Dup 2 - GW-10	22-10-2024 11:45	7.6	1477	22.8	110	NIL	Clear	Colourless	-

Table C-2: Laboratory GW Monitoring Data (as COA provided by ALS)



CERTIFICATE OF ANALYSIS

Work Order : **EN2413597**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : All Deliverables
Address : Unit 3 2 Enterprise Cres
Singleton NSW 2330
Telephone : +61 02 6571 3334
Project : Vickery Quarterly Groundwaters
Order number : ----
C-O-C number : ----
Sampler : CBased Environmental
Site :
Quote number : SYBQ/403/21v4 and PLANNED EVENTS
No. of samples received : 50
No. of samples analysed : 50

Page : 1 of 32
Laboratory : Environmental Division Newcastle
Contact :
Address : 5/585 Maitland Road Mayfield West NSW Australia 2304
Telephone : +61 2 4014 2500
Date Samples Received : 24-Oct-2024 16:00
Date Analysis Commenced : 24-Oct-2024
Issue Date : 04-Nov-2024 17:11



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Dian Dao	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW
Gregory Towers	Laboratory Technician	Newcastle - Inorganics, Mayfield West, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- As per QWI – EN55-3 Data Interpreting Procedures, Ionic balances are typically calculated using Major Anions - Chloride, Alkalinity and Sulfate; and Major Cations - Calcium, Magnesium, Potassium and Sodium. Where applicable and dependent upon sample matrix, the Ionic Balance may also include the additional contribution of Ammonia, Dissolved Metals by ICPMS and H⁺ to the Cations and Nitrate, SiO₂ and Fluoride to the Anions.
- EG020/ED093: Positive results for sample EN2413597-#048 have been confirmed by reanalysis.
- EK059G/EK057G: Nox/NO₂ for sample 5 is re-confirmed by analysis
- EK057G/EK059G: NOX/NO₂ for sample 6 is reconfirmed by analysis.
- EG020: Manganese results for samples EN2413597-#003 and #049 have been confirmed by reanalysis.
- It is recognised that total phosphorous is less than filtered total phosphorous. However, the difference is within experimental variation of the methods.
- TDS by method EA-015 sample 50 may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- TDS by method EA-015 may bias high for various due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- It has been noted that Dissolved Total P is greater than Total P, however this difference is within the limits of experimental variation on various samples
- It has been noted that Dissolved Total P is greater than Total P, however this difference is within the limits of experimental variation.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.
- ED045G: The presence of Thiocyanate, Thiosulfate and Sulfite can positively contribute to the chloride result, thereby may bias results higher than expected. Results should be scrutinised accordingly.



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				GW-11 TH9NZDD9-1	GW-13 TH9NZDD9-2	GW-14 TH9NZDD9-3	GW-2 TH9NZDD9-4	GW-7 TH9NZDD9-6
Sampling date / time				18-Oct-2024 09:25	21-Oct-2024 12:48	21-Oct-2024 10:33	22-Oct-2024 10:58	18-Oct-2024 13:30
Compound	CAS Number	LOR	Unit	EN2413597-001	EN2413597-002	EN2413597-003	EN2413597-004	EN2413597-005
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	6.46	7.61	7.18	7.04	8.52
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	4580	1560	4010	1140	4580
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	2790	962	2400	729	2810
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	83
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	19	759	560	530	980
Total Alkalinity as CaCO ₃	----	1	mg/L	19	759	560	530	1060
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	<1	24	435	26	396
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	1240	128	732	106	652
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	199	27	190	90	5
Magnesium	7439-95-4	1	mg/L	51	14	90	32	149
Sodium	7440-23-5	1	mg/L	649	352	571	149	614
Potassium	7440-09-7	1	mg/L	11	11	2	2	311
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	0.001	<0.001	0.002	<0.001
Barium	7440-39-3	0.001	mg/L	0.105	0.046	0.040	0.184	0.015
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	0.003	<0.001
Cobalt	7440-48-4	0.001	mg/L	<0.001	0.001	<0.001	<0.001	<0.001

Sub-Matrix: WATER
(Matrix: WATER)

Sampling date / time				18-Oct-2024 09:25	21-Oct-2024 12:48	21-Oct-2024 10:33	22-Oct-2024 10:58	18-Oct-2024 13:30
Compound	CAS Number	LOR	Unit	EN2413597-001	EN2413597-002	EN2413597-003	EN2413597-004	EN2413597-005
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Copper	7440-50-8	0.001	mg/L	0.019	0.006	<0.001	0.003	0.001
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Manganese	7439-96-5	0.001	mg/L	0.980	0.161	0.026	0.005	0.030
Molybdenum	7439-98-7	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L	<0.001	0.006	0.004	<0.001	0.001
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	2.90	0.859	2.50	0.891	0.079
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Zinc	7440-66-6	0.005	mg/L	0.043	0.019	0.095	0.006	<0.005
Boron	7440-42-8	0.05	mg/L	0.14	0.08	<0.05	<0.05	0.18
Iron	7439-89-6	0.05	mg/L	9.16	2.32	<0.05	<0.05	<0.05
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	1.44	3.22	0.05	0.06	0.89
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	0.07
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.03	0.03	0.66	0.31	<0.01
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.03	0.03	0.66	0.31	0.02
EK067FG: Filtered Total Phosphorus as P by Discrete Analyser								
Filtered Total Phosphorus as P	----	0.01	mg/L	0.03	2.89	0.09	0.10	0.12
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.07	2.85	0.07	0.12	0.20
EN055: Ionic Balance								



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW-11 TH9NZDD9-1	GW-13 TH9NZDD9-2	GW-14 TH9NZDD9-3	GW-2 TH9NZDD9-4	GW-7 TH9NZDD9-6
Sampling date / time					18-Oct-2024 09:25	21-Oct-2024 12:48	21-Oct-2024 10:33	22-Oct-2024 10:58	18-Oct-2024 13:30
Compound	CAS Number	LOR	Unit	EN2413597-001	EN2413597-002	EN2413597-003	EN2413597-004	EN2413597-005	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
∅ Total Anions	----	0.01	meq/L	35.4	19.3	40.9	14.1	47.8	
∅ Total Cations	----	0.01	meq/L	42.6	18.1	41.8	13.6	47.2	
∅ Ionic Balance	----	0.01	%	9.33	3.17	1.07	1.67	0.68	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L	10.1	9.6	9.9	9.9	9.8	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				GW-8 TH9NZDD9-7	GW-9 TH9NZDD9-8	GW01 TH9NZDD9-9	GW02 TH9NZDD9-10	GW03 TH9NZDD9-11
Sampling date / time				21-Oct-2024 08:40	21-Oct-2024 09:40	14-Oct-2024 13:55	14-Oct-2024 08:50	14-Oct-2024 11:07
Compound	CAS Number	LOR	Unit	EN2413597-006	EN2413597-007	EN2413597-008	EN2413597-009	EN2413597-010
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	7.15	6.47	7.25	7.58	7.32
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	4090	958	1100	876	826
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	2220	608	673	597	611
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	766	21	502	378	427
Total Alkalinity as CaCO ₃	----	1	mg/L	766	21	502	378	427
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	82	28	111	79	54
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	801	303	44	40	21
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	124	48	72	44	82
Magnesium	7439-95-4	1	mg/L	80	14	45	24	34
Sodium	7440-23-5	1	mg/L	634	112	127	135	75
Potassium	7440-09-7	1	mg/L	8	10	<1	2	1
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.236	0.021	0.072	0.041	0.083
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001

Sub-Matrix: WATER
(Matrix: WATER)

Sampling date / time

EG020F: Dissolved Metals by ICP-MS - ContinuedEG035F: Dissolved Mercury by FIMSEK055G: Ammonia as N by Discrete AnalyserEK057G: Nitrite as N by Discrete AnalyserEK058G: Nitrate as N by Discrete AnalyserEK059G: Nitrite plus Nitrate as N (NO_x) by Discrete AnalyserEK067EG: Filtered Total Phosphorus as P by Discrete AnalyserEK067G: Total Phosphorus as P by Discrete Analyser

FN055: Ionic Balance

EN055: Ionic Balance



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	GW-8 TH9NZDD9-7	GW-9 TH9NZDD9-8	GW01 TH9NZDD9-9	GW02 TH9NZDD9-10	GW03 TH9NZDD9-11
Sampling date / time					21-Oct-2024 08:40	21-Oct-2024 09:40	14-Oct-2024 13:55	14-Oct-2024 08:50	14-Oct-2024 11:07
Compound	CAS Number	LOR	Unit		EN2413597-006	EN2413597-007	EN2413597-008	EN2413597-009	EN2413597-010
				Result	Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
ø Total Anions	----	0.01	meq/L		39.6	9.55	13.6	10.3	10.2
ø Total Cations	----	0.01	meq/L		40.6	8.67	12.8	10.1	10.2
ø Ionic Balance	----	0.01	%		1.18	4.80	2.88	1.13	0.34
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		9.4	8.9	9.7	10.1	10.5



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				MD01 TH9NZDD9-12	MD02 TH9NZDD9-13	SB01 TH9NZDD9-14	SB02 TH9NZDD9-15	SB04 TH9NZDD9-16
Sampling date / time				15-Oct-2024 12:16	15-Oct-2024 12:03	14-Oct-2024 11:32	14-Oct-2024 14:07	14-Oct-2024 10:24
Compound	CAS Number	LOR	Unit	EN2413597-011	EN2413597-012	EN2413597-013	EN2413597-014	EN2413597-015
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	9.28	6.99	7.36	7.37	7.41
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	1560	1220	1610	6870	1910
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	850	688	982	4840	1240
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	73	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	312	565	567	880	582
Total Alkalinity as CaCO3	----	1	mg/L	386	565	567	880	582
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	14	29	193	1110	208
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	344	114	177	1100	255
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	43	80	100	73	75
Magnesium	7439-95-4	1	mg/L	21	54	66	64	55
Sodium	7440-23-5	1	mg/L	287	133	207	1490	313
Potassium	7440-09-7	1	mg/L	19	8	1	2	<1
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	0.02	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	0.004	<0.001
Barium	7440-39-3	0.001	mg/L	0.145	0.244	0.110	0.027	0.077
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	0.001	<0.001

Sub-Matrix: **WATER**
(Matrix: **WATER**)

MD01 TH9NZDD9-12	MD02 TH9NZDD9-13	SB01 TH9NZDD9-14	SB02 TH9NZDD9-15	SB04 TH9NZDD9-16
15-Oct-2024 12:16	15-Oct-2024 12:03	14-Oct-2024 11:32	14-Oct-2024 14:07	14-Oct-2024 10:24
EN2413597-011	EN2413597-012	EN2413597-013	EN2413597-014	EN2413597-015
Result	Result	Result	Result	Result

Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Manganese	7439-96-5	0.001	mg/L	0.022	0.044	0.211	0.696	0.061
Molybdenum	7439-98-7	0.001	mg/L	0.008	0.001	<0.001	0.002	<0.001
Nickel	7440-02-0	0.001	mg/L	0.004	0.011	0.002	0.001	<0.001
Selenium	7782-49-2	0.01	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	1.37	1.28	2.07	1.98	1.60
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	0.002
Zinc	7440-66-6	0.005	mg/L	0.049	<0.005	0.011	<0.005	<0.005
Boron	7440-42-8	0.05	mg/L	<0.05	<0.05	0.08	0.14	0.08
Iron	7439-89-6	0.05	mg/L	<0.05	1.46	0.05	1.32	<0.05

Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
----------------	-----------	--------	------	---------	---------	---------	---------	---------

Ammonia as N	7664-41-7	0.01	mg/L	20.9	0.32	0.06	0.10	0.08
--------------	-----------	------	------	------	------	------	------	------

Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
--------------	------------	------	------	-------	-------	-------	-------	-------

Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.01	0.02	0.01	<0.01
--------------	------------	------	------	-------	------	------	------	-------

Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.01	0.02	0.01	<0.01
------------------------	------	------	------	-------	------	------	------	-------

Filtered Total Phosphorus as P	----	0.01	mg/L	0.30	0.16	0.07	1.67	0.07
--------------------------------	------	------	------	------	------	------	------	------

Total Phosphorus as P	----	0.01	mg/L	1.33	0.16	0.08	1.66	0.09
-----------------------	------	------	------	------	------	------	------	------

EN055: Ionic Balance



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	MD01 TH9NZDD9-12	MD02 TH9NZDD9-13	SB01 TH9NZDD9-14	SB02 TH9NZDD9-15	SB04 TH9NZDD9-16
Sampling date / time					15-Oct-2024 12:16	15-Oct-2024 12:03	14-Oct-2024 11:32	14-Oct-2024 14:07	14-Oct-2024 10:24
Compound	CAS Number	LOR	Unit		EN2413597-011	EN2413597-012	EN2413597-013	EN2413597-014	EN2413597-015
				Result	Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
ø Total Anions	----	0.01	meq/L		17.7	15.1	20.3	71.7	23.2
ø Total Cations	----	0.01	meq/L		16.8	14.4	19.4	73.8	21.9
ø Ionic Balance	----	0.01	%		2.50	2.31	2.23	1.41	2.82
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		16	<5	<5	<5	<5
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		7.2	9.9	10.1	10.0	9.9



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB05 TH9NZDD9-17	SB06 TH9NZDD9-18	SB07 TH9NZDD9-19	SB08 TH9NZDD9-20	SB09 TH9NZDD9-21
Sampling date / time				14-Oct-2024 12:25	14-Oct-2024 12:48	14-Oct-2024 09:42	14-Oct-2024 10:40	14-Oct-2024 11:58
Compound	CAS Number	LOR	Unit	EN2413597-016	EN2413597-017	EN2413597-018	EN2413597-019	EN2413597-020
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	7.80	7.83	7.48	7.42	7.59
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	3610	2610	876	970	919
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	2110	1520	605	614	599
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	756	419	392	404	438
Total Alkalinity as CaCO ₃	----	1	mg/L	756	419	392	404	438
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	496	307	71	74	67
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	473	434	38	59	33
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	26	25	53	68	46
Magnesium	7439-95-4	1	mg/L	19	21	26	38	30
Sodium	7440-23-5	1	mg/L	770	515	129	118	147
Potassium	7440-09-7	1	mg/L	<1	<1	<1	<1	1
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.004	0.003	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.060	0.091	0.044	0.052	0.053
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	<0.001	0.002	<0.001	<0.001	<0.001

Sub-Matrix: WATER
(Matrix: WATER)

Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB05 TH9NZDD9-17	SB06 TH9NZDD9-18	SB07 TH9NZDD9-19	SB08 TH9NZDD9-20	SB09 TH9NZDD9-21
Sampling date / time				14-Oct-2024 12:25	14-Oct-2024 12:48	14-Oct-2024 09:42	14-Oct-2024 10:40	14-Oct-2024 11:58	
Compound	CAS Number	LOR	Unit	EN2413597-016	EN2413597-017	EN2413597-018	EN2413597-019	EN2413597-020	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.004	<0.001	<0.001	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Manganese	7439-96-5	0.001	mg/L	0.273	0.493	<0.001	0.002	0.443	
Molybdenum	7439-98-7	0.001	mg/L	0.003	0.003	<0.001	<0.001	<0.001	
Nickel	7440-02-0	0.001	mg/L	0.001	0.003	<0.001	<0.001	0.001	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Strontium	7440-24-6	0.001	mg/L	0.672	0.784	0.703	1.08	0.938	
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
Boron	7440-42-8	0.05	mg/L	0.16	0.12	0.06	0.06	0.07	
Iron	7439-89-6	0.05	mg/L	<0.05	0.14	<0.05	<0.05	<0.05	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.14	0.15	0.02	0.01	0.08	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	0.08	<0.01	0.22	0.14	0.02	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	0.08	<0.01	0.22	0.14	0.02	
EK067FG: Filtered Total Phosphorus as P by Discrete Analyser									
Filtered Total Phosphorus as P	----	0.01	mg/L	0.72	0.48	0.13	0.09	0.25	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.78	0.51	0.15	0.08	0.39	
EN055: Ionic Balance									



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB05 TH9NZDD9-17	SB06 TH9NZDD9-18	SB07 TH9NZDD9-19	SB08 TH9NZDD9-20	SB09 TH9NZDD9-21
Sampling date / time					14-Oct-2024 12:25	14-Oct-2024 12:48	14-Oct-2024 09:42	14-Oct-2024 10:40	14-Oct-2024 11:58
Compound	CAS Number	LOR	Unit		EN2413597-016	EN2413597-017	EN2413597-018	EN2413597-019	EN2413597-020
				Result	Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
∅ Total Anions	----	0.01	meq/L		38.8	27.0	10.4	11.3	11.1
∅ Total Cations	----	0.01	meq/L		36.4	25.4	10.4	11.6	11.2
∅ Ionic Balance	----	0.01	%		3.22	3.11	0.06	1.64	0.48
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		9.8	9.7	10.0	10.1	10.1



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				SB10 TH9NZDD9-22	SB11 TH9NZDD9-23	SB15 TH9NZDD9-24	TR18 TH9NZDD9-25	TR26 TH9NZDD9-26
Sampling date / time				14-Oct-2024 12:09	14-Oct-2024 13:07	14-Oct-2024 13:30	15-Oct-2024 14:05	15-Oct-2024 13:30
Compound	CAS Number	LOR	Unit	EN2413597-021	EN2413597-022	EN2413597-023	EN2413597-024	EN2413597-025
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	7.60	7.67	7.34	6.94	7.20
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	1900	1060	995	13300	6580
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	1070	651	702	8880	4050
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	651	478	456	732	1230
Total Alkalinity as CaCO ₃	----	1	mg/L	651	478	456	732	1230
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	198	85	98	626	195
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	186	35	35	3890	1280
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	43	34	72	252	146
Magnesium	7439-95-4	1	mg/L	37	24	44	315	154
Sodium	7440-23-5	1	mg/L	394	202	112	2310	1190
Potassium	7440-09-7	1	mg/L	<1	1	<1	11	10
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.001	<0.001	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.054	0.051	0.065	0.065	0.125
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001

Sub-Matrix: **WATER**
(Matrix: **WATER**)

SB10 TH9NZDD9-22	SB11 TH9NZDD9-23	SB15 TH9NZDD9-24	TR18 TH9NZDD9-25	TR26 TH9NZDD9-26
14-Oct-2024 12:09	14-Oct-2024 13:07	14-Oct-2024 13:30	15-Oct-2024 14:05	15-Oct-2024 13:30
EN2413597-021	EN2413597-022	EN2413597-023	EN2413597-024	EN2413597-025
Result	Result	Result	Result	Result

Copper	7440-50-8	0.001	mg/L	<0.001	0.001	0.008	0.101	<0.001
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Manganese	7439-96-5	0.001	mg/L	0.104	0.004	0.001	0.043	0.106
Molybdenum	7439-98-7	0.001	mg/L	<0.001	<0.001	<0.001	0.001	0.001
Nickel	7440-02-0	0.001	mg/L	<0.001	<0.001	<0.001	0.013	0.004
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	1.06	0.799	1.39	7.44	4.16
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	<0.005	<0.005	<0.005
Boron	7440-42-8	0.05	mg/L	0.11	0.08	0.06	0.07	0.10
Iron	7439-89-6	0.05	mg/L	<0.05	<0.05	<0.05	<0.05	0.06

Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
----------------	-----------	--------	------	---------	---------	---------	---------	---------

Ammonia as N	7664-41-7	0.01	mg/L	0.04	0.02	0.01	0.03	0.02
--------------	-----------	------	------	------	------	------	------	------

Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
--------------	------------	------	------	-------	-------	-------	-------	-------

Nitrate as N	14797-55-8	0.01	mg/L	0.07	0.21	0.17	0.02	0.30
--------------	------------	------	------	------	------	------	------	------

Nitrite + Nitrate as N	-----	0.01	mg/L	0.07	0.21	0.17	0.02	0.30
------------------------	-------	------	------	------	------	------	------	------

Filtered Total Phosphorus as P	-----	0.01	mg/L	0.12	0.10	0.07	0.29	0.10
--------------------------------	-------	------	------	------	------	------	------	------

Total Phosphorus as P	-----	0.01	mg/L	0.18	0.13	0.09	0.32	0.14
-----------------------	-------	------	------	------	------	------	------	------

EN055: Ionic Balance



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SB10 TH9NZDD9-22	SB11 TH9NZDD9-23	SB15 TH9NZDD9-24	TR18 TH9NZDD9-25	TR26 TH9NZDD9-26
Sampling date / time					14-Oct-2024 12:09	14-Oct-2024 13:07	14-Oct-2024 13:30	15-Oct-2024 14:05	15-Oct-2024 13:30
Compound	CAS Number	LOR	Unit		EN2413597-021	EN2413597-022	EN2413597-023	EN2413597-024	EN2413597-025
				Result	Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
ø Total Anions	----	0.01	meq/L		22.4	12.3	12.1	137	64.7
ø Total Cations	----	0.01	meq/L		22.3	12.5	12.1	139	72.0
ø Ionic Balance	----	0.01	%		0.10	0.71	0.22	0.68	5.29
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		9.9	10.1	10.1	10.2	9.5



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				TR35 TH9NZDD9-27	TR7 TH9NZDD9-28	VKY0035C TH9NZDD9-29	VKY0036C TH9NZDD9-30	VKY0042C TH9NZDD9-31
Sampling date / time				15-Oct-2024 14:34	15-Oct-2024 13:45	18-Oct-2024 11:15	18-Oct-2024 10:24	18-Oct-2024 10:54
Compound	CAS Number	LOR	Unit	EN2413597-026	EN2413597-027	EN2413597-028	EN2413597-029	EN2413597-030
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	6.98	6.92	7.24	7.34	6.97
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	17200	15400	3360	5930	5780
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	10800	9550	1770	3310	3060
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	732	771	950	1360	833
Total Alkalinity as CaCO ₃	----	1	mg/L	732	771	950	1360	833
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	624	563	68	174	326
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	5130	4560	523	1030	1190
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	315	297	49	55	197
Magnesium	7439-95-4	1	mg/L	519	352	44	42	217
Sodium	7440-23-5	1	mg/L	2800	2650	642	1260	736
Potassium	7440-09-7	1	mg/L	19	14	7	7	21
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	0.007	<0.001
Barium	7440-39-3	0.001	mg/L	0.097	0.105	0.071	0.227	0.128
Cadmium	7440-43-9	0.0001	mg/L	0.0004	0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.002	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	0.010	0.004	<0.001	<0.001	<0.001

Sub-Matrix: WATER
(Matrix: WATER)

Sampling date / time

EG020F: Dissolved Metals by ICP-MS - ContinuedEG035F: Dissolved Mercury by FIMS

EK055G: Ammonia as N by Discrete Analyser

EK057G: Nitrite as N by Discrete AnalyserEK058G: Nitrate as N by Discrete AnalyserEKO59G: Nitrite plus Nitrate as N (NOx) by Discrete AnalyserEK067EG: Filtered Total Phosphorus as P by Discrete AnalyserEK067G: Total Phosphorus as P by Discrete AnalyserEN055: Ionic Balance

EN055: Ionic Balance



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	TR35 TH9NZDD9-27	TR7 TH9NZDD9-28	VKY0035C TH9NZDD9-29	VKY0036C TH9NZDD9-30	VKY0042C TH9NZDD9-31
Sampling date / time					15-Oct-2024 14:34	15-Oct-2024 13:45	18-Oct-2024 11:15	18-Oct-2024 10:24	18-Oct-2024 10:54
Compound	CAS Number	LOR	Unit	EN2413597-026	EN2413597-027	EN2413597-028	EN2413597-029	EN2413597-030	
				Result	Result	Result	Result	Result	
EN055: Ionic Balance - Continued									
∅ Total Anions	----	0.01	meq/L	172	156	35.1	59.8	57.0	
∅ Total Cations	----	0.01	meq/L	181	159	34.2	61.2	60.2	
∅ Ionic Balance	----	0.01	%	2.37	1.16	1.41	1.10	2.76	
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5	
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L	10.1	9.8	9.6	9.6	10.0	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VKY034C TH9NZDD9-32	VKY043C TH9NZDD9-33	VNW223/P-3 TH9NZDD9-34	VNW390 TH9NZDD9-35	VNW394 TH9NZDD9-36
Sampling date / time				18-Oct-2024 12:02	15-Oct-2024 14:20	18-Oct-2024 08:32	15-Oct-2024 10:09	15-Oct-2024 09:07
Compound	CAS Number	LOR	Unit	EN2413597-031	EN2413597-032	EN2413597-033	EN2413597-034	EN2413597-035
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	7.40	7.95	7.38	6.96	7.08
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	4120	3160	5230	2380	5540
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	2710	1970	2860	1380	3130
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	1440	1160	1030	605	379
Total Alkalinity as CaCO ₃	----	1	mg/L	1440	1160	1030	605	379
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	90	<1	164	104	591
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	522	389	1010	405	1160
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	16	10	114	186	206
Magnesium	7439-95-4	1	mg/L	23	3	116	45	84
Sodium	7440-23-5	1	mg/L	954	741	907	277	912
Potassium	7440-09-7	1	mg/L	7	5	15	11	7
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	0.02
Antimony	7440-36-0	0.001	mg/L	0.002	<0.001	0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.001	<0.001	<0.001	0.003	0.005
Barium	7440-39-3	0.001	mg/L	0.172	0.295	0.103	0.138	0.066
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	0.002	0.002

Sub-Matrix: WATER
(Matrix: WATER)

Sampling date / time

EG020F: Dissolved Metals by ICP-MS - Continued

EG035F: Dissolved Mercury by FIMS

EK055G: Ammonia as N by Discrete Analyser

EK057G: Nitrite as N by Discrete Analyser

EK058G: Nitrate as N by Discrete Analyser

EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser

EK067FG: Filtered Total Phosphorus as P by Discrete Analyser

EK067G: Total Phosphorus as P by Discrete Analyser

EN055: Ionic Balance



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY034C TH9NZDD9-32	VKY043C TH9NZDD9-33	VNW223/P-3 TH9NZDD9-34	VNW390 TH9NZDD9-35	VNW394 TH9NZDD9-36
Sampling date / time					18-Oct-2024 12:02	15-Oct-2024 14:20	18-Oct-2024 08:32	15-Oct-2024 10:09	15-Oct-2024 09:07
Compound	CAS Number	LOR	Unit		EN2413597-031	EN2413597-032	EN2413597-033	EN2413597-034	EN2413597-035
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
∅ Total Anions	----	0.01	meq/L		45.4	34.2	52.5	25.7	52.6
∅ Total Cations	----	0.01	meq/L		44.4	33.1	55.1	25.3	57.0
∅ Ionic Balance	----	0.01	%		1.12	1.55	2.40	0.71	4.05
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		9.2	9.8	9.7	9.8	9.7



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VNW392 TH9NZDD9-37	VNW393 TH9NZDD9-38	VNW391 TH9NZDD9-39	VNW395 TH9NZDD9-40	WR1 TH9NZDD9-41
Sampling date / time				15-Oct-2024 11:04	15-Oct-2024 09:45	15-Oct-2024 10:45	15-Oct-2024 10:30	18-Oct-2024 13:58
Compound	CAS Number	LOR	Unit	EN2413597-036	EN2413597-037	EN2413597-038	EN2413597-039	EN2413597-040
Result				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	6.88	7.31	7.23	7.69	6.80
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	3560	3140	2420	1770	25800
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	2070	1720	1320	1110	19300
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	636	332	579	444	574
Total Alkalinity as CaCO ₃	----	1	mg/L	636	332	579	444	574
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	314	202	86	131	1280
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	650	677	427	291	7880
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	285	168	182	54	1110
Magnesium	7439-95-4	1	mg/L	91	36	58	32	768
Sodium	7440-23-5	1	mg/L	350	450	273	331	3760
Potassium	7440-09-7	1	mg/L	17	6	12	10	14
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	<0.001	<0.001	0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	0.002
Barium	7440-39-3	0.001	mg/L	0.116	0.057	0.174	0.046	0.146
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0002
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	0.003	<0.001	<0.001	<0.001	<0.001

Sub-Matrix: WATER
(Matrix: WATER)

Sample ID

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VNW392 TH9NZDD9-37	VNW393 TH9NZDD9-38	VNW391 TH9NZDD9-39	VNW395 TH9NZDD9-40	WR1 TH9NZDD9-41
Sampling date / time				15-Oct-2024 11:04	15-Oct-2024 09:45	15-Oct-2024 10:45	15-Oct-2024 10:30	18-Oct-2024 13:58	
Compound	CAS Number	LOR	Unit	EN2413597-036	EN2413597-037	EN2413597-038	EN2413597-039	EN2413597-040	
				Result	Result	Result	Result	Result	
EG020F: Dissolved Metals by ICP-MS - Continued									
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	<0.001	0.009	0.005	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Manganese	7439-96-5	0.001	mg/L	0.275	0.193	0.266	0.006	0.065	
Molybdenum	7439-98-7	0.001	mg/L	0.002	0.005	<0.001	0.004	0.002	
Nickel	7440-02-0	0.001	mg/L	0.008	0.010	0.004	0.347	0.024	
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	0.001	
Strontium	7440-24-6	0.001	mg/L	2.73	2.24	1.78	0.512	26.7	
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	
Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	<0.005	0.012	0.007	
Boron	7440-42-8	0.05	mg/L	0.09	0.08	0.10	0.06	0.16	
Iron	7439-89-6	0.05	mg/L	1.69	0.48	2.93	<0.05	<0.05	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0046	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.38	0.47	0.29	0.05	0.11	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.02	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyser									
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.02	0.05	1.57	0.12	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.04	0.05	1.57	0.12	
EK067FG: Filtered Total Phosphorus as P by Discrete Analyser									
Filtered Total Phosphorus as P	----	0.01	mg/L	0.09	0.04	0.05	0.33	0.26	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.08	0.09	0.09	0.44	0.32	
EN055: Ionic Balance									



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VNW392 TH9NZDD9-37	VNW393 TH9NZDD9-38	VNW391 TH9NZDD9-39	VNW395 TH9NZDD9-40	WR1 TH9NZDD9-41
Sampling date / time					15-Oct-2024 11:04	15-Oct-2024 09:45	15-Oct-2024 10:45	15-Oct-2024 10:30	18-Oct-2024 13:58
Compound	CAS Number	LOR	Unit		EN2413597-036	EN2413597-037	EN2413597-038	EN2413597-039	EN2413597-040
					Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
∅ Total Anions	----	0.01	meq/L		37.6	29.9	25.4	19.8	260
∅ Total Cations	----	0.01	meq/L		37.4	31.1	26.0	20.0	282
∅ Ionic Balance	----	0.01	%		0.28	1.86	1.23	0.44	4.07
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	7	6
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		9.9	9.9	9.8	9.6	9.9



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				WR2 TH9NZDD9-42	GW-10 TH9NZDD9-44	GW-15 TH9NZDD9-45	GW971614 TH9NZDD9-46	Barlow TH9NZDD9-47
Sampling date / time				18-Oct-2024 14:40	22-Oct-2024 11:45	22-Oct-2024 13:30	22-Oct-2024 09:40	22-Oct-2024 10:15
Compound	CAS Number	LOR	Unit	EN2413597-041	EN2413597-042	EN2413597-043	EN2413597-044	EN2413597-045
Result				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	6.57	7.90	9.10	6.98	7.04
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	26000	1440	634	601	2580
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	21400	1080	403	361	1550
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	29	<1	<1
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	535	725	260	264	402
Total Alkalinity as CaCO ₃	----	1	mg/L	535	725	289	264	402
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA								
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	1670	7	28	32	425
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	8100	49	23	32	372
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	1170	31	7	51	207
Magnesium	7439-95-4	1	mg/L	659	32	4	27	77
Sodium	7440-23-5	1	mg/L	3940	326	156	48	250
Potassium	7440-09-7	1	mg/L	17	32	4	1	3
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	0.02	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	0.004	<0.001	<0.001	<0.001
Arsenic	7440-38-2	0.001	mg/L	0.001	0.002	<0.001	<0.001	<0.001
Barium	7440-39-3	0.001	mg/L	0.152	0.070	0.018	0.019	0.048
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	0.001	<0.001	<0.001	<0.001	<0.001
Cobalt	7440-48-4	0.001	mg/L	0.018	<0.001	<0.001	<0.001	0.001

Sub-Matrix: **WATER**
(Matrix: **WATER**)

WR2 TH9NZDD9-42	GW-10 TH9NZDD9-44	GW-15 TH9NZDD9-45	GW971614 TH9NZDD9-46	Barlow TH9NZDD9-47
18-Oct-2024 14:40	22-Oct-2024 11:45	22-Oct-2024 13:30	22-Oct-2024 09:40	22-Oct-2024 10:15
EN2413597-041	EN2413597-042	EN2413597-043	EN2413597-044	EN2413597-045
Result	Result	Result	Result	Result

Copper	7440-50-8	0.001	mg/L	<0.001	0.114	0.002	0.001	0.006
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Manganese	7439-96-5	0.001	mg/L	1.73	0.033	0.011	0.002	0.024
Molybdenum	7439-98-7	0.001	mg/L	0.008	0.002	0.004	<0.001	<0.001
Nickel	7440-02-0	0.001	mg/L	0.087	0.005	<0.001	<0.001	0.039
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	26.2	0.734	0.244	0.604	1.90
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Zinc	7440-66-6	0.005	mg/L	0.009	0.072	0.011	<0.005	<0.005
Boron	7440-42-8	0.05	mg/L	0.11	0.11	<0.05	<0.05	0.06
Iron	7439-89-6	0.05	mg/L	0.93	0.06	<0.05	<0.05	0.05

Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
----------------	-----------	--------	------	---------	---------	---------	---------	---------

Ammonia as N	7664-41-7	0.01	mg/L	0.32	0.06	0.04	<0.01	0.03
--------------	-----------	------	------	------	------	------	-------	------

Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.04	<0.01	<0.01	<0.01
--------------	------------	------	------	-------	-------------	-------	-------	-------

Nitrate as N	14797-55-8	0.01	mg/L	0.01	6.10	0.04	0.22	1.72
--------------	------------	------	------	------	------	------	------	------

Nitrite + Nitrate as N	-----	0.01	mg/L	0.01	6.14	0.04	0.22	1.72
------------------------	-------	------	------	------	------	------	------	------

Filtered Total Phosphorus as P	-----	0.01	mg/L	0.45	0.31	0.18	0.06	0.13
--------------------------------	-------	------	------	------	------	------	------	------

Total Phosphorus as P	-----	0.01	mg/L	0.46	0.28	0.19	0.07	0.12
-----------------------	-------	------	------	------	------	------	------	------

EN055: Ionic Balance



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	WR2 TH9NZDD9-42	GW-10 TH9NZDD9-44	GW-15 TH9NZDD9-45	GW971614 TH9NZDD9-46	Barlow TH9NZDD9-47
Sampling date / time					18-Oct-2024 14:40	22-Oct-2024 11:45	22-Oct-2024 13:30	22-Oct-2024 09:40	22-Oct-2024 10:15
Compound	CAS Number	LOR	Unit		EN2413597-041	EN2413597-042	EN2413597-043	EN2413597-044	EN2413597-045
				Result	Result	Result	Result	Result	Result
EN055: Ionic Balance - Continued									
∅ Total Anions	----	0.01	meq/L		274	16.0	7.00	6.84	27.4
∅ Total Cations	----	0.01	meq/L		284	19.2	7.57	6.88	27.6
∅ Ionic Balance	----	0.01	%		1.88	9.00	3.84	0.27	0.44
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		9.3	9.5	9.6	9.8	9.5



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Sample ID

				VKY GW Duplicate 1 TH9NZDD9-49	VKY GW Duplicate 2 TH9NZDD9-50	VKY-GW-Blank TH9NZDD9-51	VKY GW Lab Split Dup 1 TH9NZDD9-52	VKY GW Lab Split Dup 2 TH9NZDD9-53
Sampling date / time				21-Oct-2024 09:40	22-Oct-2024 11:45	21-Oct-2024 07:30	21-Oct-2024 10:30	22-Oct-2024 11:45
Compound	CAS Number	LOR	Unit	EN2413597-046	EN2413597-047	EN2413597-048	EN2413597-049	EN2413597-050
Result				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	6.37	7.85	7.24	7.18	7.88
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	945	1430	<1	4050	1450
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	601	1060	<10	2070	1190
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	20	724	<1	548	735
Total Alkalinity as CaCO3	----	1	mg/L	20	724	<1	548	735
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	27	9	<1	445	7
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	286	50	<1	729	50
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	48	32	<1	193	31
Magnesium	7439-95-4	1	mg/L	18	27	<1	88	26
Sodium	7440-23-5	1	mg/L	108	307	3	564	306
Potassium	7440-09-7	1	mg/L	13	32	<1	3	31
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Antimony	7440-36-0	0.001	mg/L	<0.001	0.004	<0.001	<0.001	0.004
Arsenic	7440-38-2	0.001	mg/L	<0.001	0.002	<0.001	<0.001	0.001
Barium	7440-39-3	0.001	mg/L	0.021	0.070	<0.001	0.041	0.069
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001

Sub-Matrix: **WATER**
(Matrix: **WATER**)

VKY GW Duplicate 1 TH9NZDD9-49	VKY GW Duplicate 2 TH9NZDD9-50	VKY-GW-Blank TH9NZDD9-51	VKY GW Lab Split Dup 1 TH9NZDD9-52	VKY GW Lab Split Dup 2 TH9NZDD9-53
21-Oct-2024 09:40	22-Oct-2024 11:45	21-Oct-2024 07:30	21-Oct-2024 10:30	22-Oct-2024 11:45
EN2413597-046	EN2413597-047	EN2413597-048	EN2413597-049	EN2413597-050
Result	Result	Result	Result	Result

Cobalt	7440-48-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Copper	7440-50-8	0.001	mg/L	<0.001	0.113	<0.001	<0.001	0.114
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Manganese	7439-96-5	0.001	mg/L	2.11	0.024	<0.001	0.015	0.024
Molybdenum	7439-98-7	0.001	mg/L	<0.001	0.002	<0.001	<0.001	0.001
Nickel	7440-02-0	0.001	mg/L	<0.001	0.004	<0.001	0.004	0.004
Selenium	7782-49-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Silver	7440-22-4	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Strontium	7440-24-6	0.001	mg/L	1.14	0.741	0.015	2.51	0.742
Tin	7440-31-5	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001
Zinc	7440-66-6	0.005	mg/L	<0.005	0.081	<0.005	0.099	0.082
Boron	7440-42-8	0.05	mg/L	<0.05	0.11	<0.05	<0.05	0.11
Iron	7439-89-6	0.05	mg/L	38.0	0.06	<0.05	<0.05	0.05

Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
----------------	-----------	--------	------	---------	---------	---------	---------	---------

Ammonia as N	7664-41-7	0.01	mg/L	1.23	0.06	<0.01	0.09	0.08
--------------	-----------	------	------	------	------	-------	------	------

Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.04	<0.01	<0.01	0.03
--------------	------------	------	------	-------	------	-------	-------	------

Nitrate as N	14797-55-8	0.01	mg/L	0.05	6.10	<0.01	0.70	6.07
--------------	------------	------	------	------	------	-------	------	------

Nitrite + Nitrate as N	----	0.01	mg/L	0.05	6.14	<0.01	0.70	6.10
------------------------	------	------	------	------	------	-------	------	------

Filtered Total Phosphorus as P	-----	0.01	mg/L	0.04	0.30	0.02	0.08	0.32
--------------------------------	-------	------	------	-------------	-------------	-------------	-------------	-------------

EK067G: Total Phosphorus as P by Discrete Analyser




Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	VKY GW Duplicate 1 TH9NZDD9-49	VKY GW Duplicate 2 TH9NZDD9-50	VKY-GW-Blank TH9NZDD9-51	VKY GW Lab Split Dup 1 TH9NZDD9-52	VKY GW Lab Split Dup 2 TH9NZDD9-53
Sampling date / time					21-Oct-2024 09:40	22-Oct-2024 11:45	21-Oct-2024 07:30	21-Oct-2024 10:30	22-Oct-2024 11:45
Compound	CAS Number	LOR	Unit		EN2413597-046	EN2413597-047	EN2413597-048	EN2413597-049	EN2413597-050
				Result	Result	Result	Result	Result	Result
EK067G: Total Phosphorus as P by Discrete Analyser - Continued									
Total Phosphorus as P	----	0.01	mg/L		0.04	0.31	0.02	0.08	0.42
EN055: Ionic Balance									
ø Total Anions	----	0.01	meq/L		9.03	16.1	<0.01	40.8	16.2
ø Total Cations	----	0.01	meq/L		8.91	18.0	0.13	41.5	17.8
ø Ionic Balance	----	0.01	%		0.68	5.66	----	0.86	4.55
EP020: Oil and Grease (O&G)									
Oil & Grease	----	5	mg/L		<5	<5	<5	<5	<5
EP025: Oxygen - Dissolved (DO)									
Dissolved Oxygen	----	0.1	mg/L		8.9	9.5	10.2	9.8	9.7

Inter-Laboratory Testing

Analysis conducted by ALS Sydney, NATA accreditation no. 825, site no. 10911 (Chemistry / Biology).

- (WATER) EG020F: Dissolved Metals by ICP-MS
- (WATER) EP025: Oxygen - Dissolved (DO)
- (WATER) EG035F: Dissolved Mercury by FIMS
- (WATER) EK067FG: Filtered Total Phosphorus as P by Discrete Analyser
- (WATER) ED093F: Dissolved Major Cations
- (WATER) EN055: Ionic Balance
- (WATER) ED045G: Chloride by Discrete Analyser
- (WATER) ED041G: Sulfate (Turbidimetric) as SO4 2- by DA
- (WATER) ED037P: Alkalinity by PC Titrator
- (WATER) EK055G: Ammonia as N by Discrete Analyser
- (WATER) EA010P: Conductivity by PC Titrator
- (WATER) EA015: Total Dissolved Solids dried at 180 ± 5 °C
- (WATER) EP020: Oil and Grease (O&G)
- (WATER) EK057G: Nitrite as N by Discrete Analyser
- (WATER) EK058G: Nitrate as N by Discrete Analyser
- (WATER) EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser
- (WATER) EK067G: Total Phosphorus as P by Discrete Analyser



Appendix D Quality Trigger Level Anlaysis

Vickery Extension Project Groundwater Monitoring Report

Quarterly Review August 2024 – October 2024

Whitehaven Coal Ltd

SLR Project No.: 640.031099.00001

23 December 2024

Table D-1: pH (Field) Trigger Level Review

Bore	Trigger Level		Oct/Nov-23	Jan-24	Apr-24	Jul-24	Oct-24
GW01	6.90	8.30	7.33	7.20	7.14	7.2	7.16
GW02	7.20	8.60	7.59	7.79	7.14	7.23	7.42
GW03	6.10	8.10	7.19	7.16	7.05	7.36	7.22
GW-10	6.70	8.40	no data	no data	no data	no data	7.57
GW-11	7.00	9.30	7.36	6.93	6.55	6.09	7.17
GW-13	6.70	8.40	no data	no data	no data	no data	7.35
GW-14	6.90	8.30	no data	no data	no data	no data	6.95
GW-15	6.90	8.30	no data	no data	no data	no data	8.97
GW-2	6.90	8.30	no data	no data	6.85	no data	6.84
GW-4	6.70	8.40	no data	no data	no data	no data	7.92
GW-6	6.70	8.40	no data	no data	no data	no data	7.73
GW-7	7.70	8.50	8.89	8.82	8.79	8.67	8.3
GW-8	6.70	8.40	7.11	7.03	6.95	6.49	7.0
GW-9	6.60	8.20	7.94	6.68	6.81	6.76	6.68
GW971400	6.90	8.30	no data	no data	no data	no data	6.8
GW971614	6.90	8.30	no data	no data	no data	no data	6.65
MD01	6.70	8.40	11.58	11.69	10.73	9.59	8.33
MD02	6.70	8.40	6.84	6.78	6.59	6.57	6.72
SB01	6.90	8.30	7.44	7.31	7.20	7.21	7.23
SB02	6.90	8.30	7.28	7.28	7.14	7.2	7.23
SB04	6.90	8.30	7.29	7.43	7.27	7.12	7.21
SB05	6.90	8.30	2.09	7.73	7.63	7.58	7.71
SB06	6.90	8.30	7.35	7.61	7.42	7.56	7.7
SB07	6.90	8.30	7.35	7.47	7.28	7.22	7.58
SB08	6.90	8.30	7.24	7.39	7.17	7.29	7.27
SB09	6.90	8.30	3.32	7.56	7.27	7.52	7.44
SB10	6.90	8.30	7.43	7.47	7.28	7.5	7.38
SB11	6.90	8.30	7.26	7.70	7.45	7.77	7.51
SB15	6.90	8.30	7.29	7.23	7.17	7.3	7.24
TR18	6.70	8.40	6.58	6.85	6.69	6.64	6.79
TR26	6.70	8.40	7.06	7.16	7.11	6.69	6.93
TR35	6.70	8.40	6.66	6.75	6.72	6.75	6.73
TR7	7.40	7.80	6.53	7.05	6.71	6.82	6.63



Bore	Trigger Level		Oct/Nov-23	Jan-24	Apr-24	Jul-24	Oct-24
VKY034C	6.70	8.40	7.30	6.94	7.05	7.25	7.25
VKY035C	6.70	8.40	7.10	7.01	6.88	6.9	7.09
VKY036C	6.70	8.40	7.08	6.79	6.80	7.19	7.21
VKY042C	6.70	8.40	6.75	6.72	6.61	6.65	6.72
VKY043C	6.70	8.40	7.72	7.80	7.65	7.85	7.7
VNW223	6.90	7.40	7.25	no data	no data	no data	7.17
VNW390	6.70	8.40	6.92	7.13	6.59	6.84	6.81
VNW391	6.70	8.40	7.04	7.31	7.06	6.81	7.1
VNW392	6.70	8.40	6.74	6.74	6.66	6.51	6.74
VNW393	6.70	8.40	7.36	7.56	7.20	7.13	7.16
VNW394	6.90	8.30	7.13	6.92	6.94	6.62	7.07
VNW395	6.90	8.30	7.47	7.77	7.77	7.61	7.56
WR1	6.90	8.30	no data	no data	6.70	6.47	6.5
WR2	6.90	8.30	no data	no data	6.57	6.52	6.36

Note: Reported as field pH value. Red text shows exceedance of trigger level. Highlight cell shows trigger level 1 as defined by TARP in the GWMP (Appendix A).



Table D-2: EC Trigger Level Review

Bore	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24	Oct-24
GW01	10,083	1,042	1,265	1,384	1,052	738
GW02	969	731	971	926	1,065	1,016
GW03	811	862	888	862	947	1,004
GW-10	12,315	no data	no data	no data	no data	1,438
GW-11	4,912	4,360	4,340	4,520	4,760	4,760
GW-13	12,315	no data	no data	no data	no data	1,647
GW-14	10,083	no data	no data	no data	no data	3,840
GW-15	10,083	no data	no data	no data	no data	638
GW-2	10,083	no data	no data	1,218	no data	1,226
GW-4	12,315	no data	no data	no data	no data	2,980
GW-6	12,315	no data	no data	no data	no data	1,459
GW-7	5,378	4,300	4,490	4,560	4,710	4,470
GW-8	12,315	4,290	3,950	4,000	4,100	3,930
GW-9	12,740	6,110	3,320	5,630	1,591	1,099
GW971400	10,083	no data	no data	no data	no data	2,458
GW971614	10,083	no data	no data	no data	no data	651
MD01	12,315	1,799	1,786	1,283	1,505	1,787
MD02	12,315	1,195	1,306	1,210	1,224	1,279
SB01	10,083	1,541	1,716	1,698	1,756	1,869
SB02	10,083	7,330	7,330	7,210	6,860	7,250
SB04	10,083	2,680	3,360	1,868	2,390	2,289
SB05	10,083	3,740	3,690	3,680	3,490	3,790
SB06	10,083	3,280	3,460	3,410	3,440	2,790
SB07	10,083	770	919	934	978	1,042
SB08	10,083	983	1,115	1,039	1,088	388
SB09	10,083	949	1,014	973	1,013	1,130
SB10	10,083	1,880	1,972	1,859	1,928	2,200
SB11	10,083	1,080	1,021	1,048	461	1,266
SB15	10,083	1,019	1,070	972	1,049	1,143
TR18	12,315	13,400	13,640	12,730	15,350	13,820
TR26	12,315	6,290	8,380	5,180	7,330	6,090
TR35	12,315	15,300	17,330	16,740	17,260	16,690
TR7	12,970	14,800	15,390	14,410	15,380	1,484



Bore	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24	Oct-24
VKY034C	12,315	3,590	3,850	4,030	4,170	3,970
VKY035C	12,315	3,110	3,340	3,230	3,290	3,330
VKY036C	12,315	5,600	5,810	5,780	5,830	6,020
VKY042C	12,315	5,420	5,430	5,480	5,990	5,850
VKY043C	12,315	2,990	3,410	3,410	3,290	3,050
VNW223	10,120	5,940	no data	no data	no data	5,360
VNW390	12,315	2,300	2,376	2,291	2,473	2,431
VNW391	12,315	2,530	2,471	2,352	2,458	2,424
VNW392	12,315	3,690	3,310	3,480	3,510	3,410
VNW393	12,315	2,740	2,830	2,840	3,090	3,140
VNW394	10,083	5,520	5,410	5,400	5,620	5,420
VNW395	10,083	463	1,395	1,681	1,832	1,834
WR1	10,083	no data	no data	26,500	26,800	26,800
WR2	10,083	no data	no data	25,340	26,600	26,600

Note: Reported as field EC value in $\mu\text{S/cm}$. Red text shows exceedance of trigger level. Highlight cell shows trigger level 1 as defined by TARP in the GWMP (**Appendix A**).



Table D-3: Sulfate Trigger Level Review

Bore	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24	Oct-24
GW01	365	96	171	132	54	111
GW02	365	77	74	81	102	79
GW03	365	52	56	58	46	54
GW-10	86	no data	no data	no data	no data	7
GW-11	365	<1	1	<1	1	<1
GW-13	86	no data	no data	no data	no data	24
GW-14	365	no data	no data	no data	no data	435
GW-15	365	no data	no data	no data	no data	28
GW-2	365	no data	no data	23	no data	26
GW-4	86	no data	no data	no data	no data	15
GW-6	86	no data	no data	no data	no data	<1
GW-7	86	364	385	399	380	396
GW-8	86	no data	100	109	72	82
GW-9	86	102	128	51	25	28
GW971400	365	no data	no data	no data	no data	425
GW971614	365	no data	no data	no data	no data	32
MD01	86	22	23	26	36	14
MD02	86	28	29	28	29	29
SB01	365	182	183	190	148	193
SB02	365	1,120	no data	1,160	741	1,110
SB04	365	284	394	220	195	208
SB05	365	735	551	520	595	496
SB06	365	372	362	362	324	307
SB07	365	74	74	78	66	71
SB08	365	86	87	88	79	74
SB09	365	71	63	70	62	67
SB10	365	190	188	196	168	198
SB11	365	85	72	93	80	85
SB15	365	90	79	95	53	98
TR18	86	702	620	592	622	626
TR26	86	194	230	180	198	195
TR35	86	660	651	622	624	624
TR7	365	508	714	501	518	563



Bore	Trigger Level	Oct/Nov-23	Jan-24	Apr-24	Jul-24	Oct-24
VKY034C	86	123	185	116	98	90
VKY035C	86	87	77	88	73	68
VKY036C	86	244	294	281	100	174
VKY042C	86	302	309	312	283	326
VKY043C	86	<1	<1	<1	<1	<1
VNW223	365	97	no data	no data	no data	164
VNW390	86	95	95	106	55	104
VNW391	86	88	88	96	52	86
VNW392	86	no data	284	296	263	314
VNW393	86	179	185	200	165	202
VNW394	365	no data	551	560	574	591
VNW395	365	14	61	143	91	131
WR1	365	no data	no data	1,320	901	1,280
WR2	365	no data	no data	1,540	1,120	1,670

Note: Sulfate as SO₄ in mg/L. Red text shows exceedance of trigger level. Highlight cell shows trigger level 1 as defined by TARP in the GWMP (**Appendix A**).



Table D-4: Metal Trigger Against ANZECC Default Guideline Values

Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
DGV		0.055	0.009	0.013	0.94	0.0002	0.001	0.0014	0.0014	0.0034	1.9	0.0006	0.034	0.011	0.011	0.00005	0.008
GW01	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	<0.001	<0.001	0.967	<0.0001	<0.001	0.013	<0.01	<0.001*	<0.005
GW01	Apr-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.063	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW01	Jul-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	<0.001	<0.001	0.126	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW01	Oct-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	<0.001	<0.001	0.155	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW02	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.002	<0.001	0.021	<0.0001	<0.001	0.375	<0.01	<0.001*	0.013
GW02	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.007	<0.001	0.026	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW02	Jul-24	<0.01	0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.003	<0.001	0.018	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.006
GW02	Oct-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	0.014	<0.001	0.005	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW03	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.014	<0.0001	<0.001	0.971	<0.01	<0.001*	<0.005
GW03	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.01	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
GW03	Jul-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.012	<0.0001	<0.001	0.002	<0.01	<0.001*	0.006
GW03	Oct-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.043	<0.0001	<0.001	0.001	<0.01	<0.001*	<0.005
GW-10	Oct-24	0.02	0.004	0.002	0.11	<0.0001	<0.001	<0.001	0.114	<0.001	0.033	<0.0001	0.002	0.005	<0.01	<0.001*	0.072
GW-11	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	<0.001	0.001	2.2	<0.0001	no data	0.00075	<0.01	<0.001*	0.0075
GW-11	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	no data	0.004	<0.01	<0.001*	0.012
GW-11	Jul-24	<0.01	<0.001	<0.001	0.13	0.0003	<0.001	<0.001	0.002	<0.001	1.06	<0.0001	<0.001	0.002	<0.01	<0.001*	0.043
GW-11	Oct-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	0.019	<0.001	0.98	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.043
GW-13	Oct-24	<0.01	0.001	0.001	0.08	<0.0001	<0.001	0.001	0.006	<0.001	0.161	<0.0001	<0.001	0.006	<0.01	<0.001*	0.019
GW-14	Oct-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.026	<0.0001	<0.001	0.004	<0.01	<0.001*	0.095
GW-15	Oct-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.002	<0.001	0.011	<0.0001	0.004	<0.001	<0.01	<0.001*	0.011
GW-2	Jan-24	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data	no data



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
GW-2	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
GW-2	Oct-24	<0.01	<0.001	0.002	<0.05	<0.0001	0.003	<0.001	0.003	<0.001	0.005	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.006
GW-4	Oct-24	<0.01	<0.001	0.002	0.12		<0.001	<0.001		<0.001	0.009	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.052
GW-6	Oct-24	<0.01	<0.001	<0.001	0.07		<0.001	<0.001		<0.001	0.017	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.01
GW-7	Jan-24	<0.01	<0.001	<0.001	0.18	<0.0001	<0.001	<0.001	0.003	<0.001	0.011	<0.0001	0.002	0.002	<0.01	<0.001*	<0.005
GW-7	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
GW-7	Jul-24	<0.01	<0.001	<0.001	0.17	0.0002	<0.001	<0.001	0.016	0.002	0.024	<0.0001	0.001	0.005	<0.01	<0.001*	0.018
GW-7	Oct-24	<0.01	<0.001	<0.001	0.18	<0.0001	<0.001	<0.001	0.001	<0.001	0.03	<0.0001	<0.001	0.001	<0.01	<0.001*	<0.005
GW-8	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.092	<0.0001	<0.001	0.001	<0.01	<0.001*	0.012
GW-8	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
GW-8	Jul-24	<0.01	<0.001	0.002	0.07	0.0001	<0.001	<0.001	<0.001	<0.001	0.089	<0.0001	<0.001	0.003	<0.01	<0.001*	0.01
GW-8	Oct-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	<0.001	<0.001	0.176	<0.0001	<0.001	0.002	<0.01	<0.001*	<0.005
GW-9	Jan-24	<0.01	<0.001	<0.001	0.05	0.0001	<0.001	0.00075	<0.001	<0.001	3.8	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.00825
GW-9	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
GW-9	Jul-24	<0.01	<0.001	<0.001	0.07	0.0001	<0.001	<0.001	<0.001	<0.001	1.71	<0.0001	<0.001	0.003	<0.01	<0.001*	0.008
GW-9	Oct-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.002	<0.001	2.12	<0.0001	<0.001	0.001	<0.01	<0.001*	<0.005
GW971400	Oct-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	0.001	0.006	<0.001	0.024	<0.0001	<0.001	0.039	<0.01	<0.001*	<0.005
GW971614	Oct-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.001	<0.001	0.002	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
MD01	Jan-24	0.58	0.001	<0.001	0.04	<0.0001	<0.001	<0.001	0.020	0.001	0.004	<0.0001	0.018	0.005	<0.01	<0.001*	0.31
MD01	Apr-24	0.28	<0.001	0.002	<0.05	<0.0001	<0.001	<0.001	0.006	0.001	<0.001	<0.0001	0.019	0.006	<0.01	<0.001*	0.213
MD01	Jul-24	0.04	0.002	0.001	<0.05	<0.0001	<0.001	<0.001	0.002	0.003	0.013	<0.0001	0.007	0.006	<0.01	<0.001*	0.106
MD01	Oct-24	0.02	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.022	<0.0001	0.008	0.004	0.01	<0.001*	0.049
MD02	Jan-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.039	<0.0001	0.001	0.036	<0.01	<0.001*	<0.005
MD02	Apr-24	<0.01	<0.001	0.003	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.051	<0.0001	0.003	0.019	<0.01	<0.001*	<0.005



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
MD02	Jul-24	<0.01	<0.001	0.002	0.05	<0.0001	<0.001	<0.001	<0.001	0.002	0.044	<0.0001	0.002	0.012	<0.01	<0.001*	0.009
MD02	Oct-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.044	<0.0001	0.001	0.011	<0.01	<0.001*	<0.005
SB01	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	0.003	<0.001	<0.001	0.39	<0.0001	<0.001	0.032	<0.01	<0.001*	<0.005
SB01	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	0.005	<0.001	<0.001	0.73	<0.0001	0.005	0.027	<0.01	<0.001*	<0.005
SB01	Jul-24	0.11	<0.001	0.004	0.08	<0.0001	0.004	0.024	<0.001	<0.001	1.65	<0.0001	<0.001	0.011	<0.01	<0.001*	0.01
SB01	Oct-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.211	<0.0001	<0.001	0.002	<0.01	<0.001*	0.011
SB02	Jan-24	<0.01	<0.001	0.003	0.21	<0.0001	0.003	0.002	<0.001	<0.001	0.735	<0.0001	0.003	0.012	<0.01	<0.001*	0.007
SB02	Apr-24	<0.01	<0.001	0.001	0.07	<0.0001	<0.001	0.003	<0.001	<0.001	0.315	<0.0001	0.002	0.014	<0.01	<0.001*	<0.005
SB02	Jul-24	<0.01	<0.001	0.004	0.14	<0.0001	<0.001	0.002	<0.001	<0.001	0.68	<0.0001	0.003	<0.001	<0.01	<0.001*	<0.005
SB02	Oct-24	<0.01	<0.001	0.004	0.14	<0.0001	<0.001	0.001	<0.001	<0.001	0.696	<0.0001	0.002	0.001	<0.01	<0.001*	<0.005
SB04	Jan-24	<0.01	<0.001	<0.001	0.16	<0.0001	<0.001	<0.001	<0.001	<0.001	0.38	<0.0001	0.001	<0.001	<0.01	<0.001*	<0.005
SB04	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.094	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB04	Jul-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.076	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB04	Oct-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.061	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB05	Jan-24	<0.01	<0.001	0.004	0.21	<0.0001	<0.001	<0.001	<0.001	<0.001	0.233	<0.0001	0.004	0.002	<0.01	<0.001*	<0.005
SB05	Apr-24	<0.01	<0.001	0.004	0.13	<0.0001	<0.001	<0.001	<0.001	<0.001	0.405	<0.0001	0.005	0.002	<0.01	<0.001*	<0.005
SB05	Jul-24	<0.01	<0.001	0.008	0.15	<0.0001	<0.001	<0.001	<0.001	<0.001	0.516	<0.0001	0.003	<0.001	<0.01	<0.001*	<0.005
SB05	Oct-24	<0.01	<0.001	0.004	0.16	<0.0001	<0.001	<0.001	<0.001	<0.001	0.273	<0.0001	0.003	0.001	<0.01	<0.001*	<0.005
SB06	Jan-24	0.02	<0.001	0.003	0.19	<0.0001	<0.001	0.002	0.003	<0.001	1.18	<0.0001	0.002	0.002	<0.01	<0.001*	<0.005
SB06	Apr-24	<0.01	<0.001	0.003	0.12	<0.0001	<0.001	0.002	<0.001	<0.001	1.19	<0.0001	0.003	0.002	<0.01	<0.001*	<0.005
SB06	Jul-24	<0.01	<0.001	0.003	0.13	<0.0001	<0.001	0.001	<0.001	<0.001	0.771	<0.0001	0.002	<0.001	<0.01	<0.001*	0.006
SB06	Oct-24	0.01	<0.001	0.003	0.12	<0.0001	<0.001	0.002	<0.001	<0.001	0.493	<0.0001	0.003	0.003	<0.01	<0.001*	<0.005
SB07	Jan-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	<0.001	0.07	<0.01	<0.001*	<0.005
SB07	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	0.001	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
SB07	Jul-24	<0.01	<0.001	0.001	0.08	0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	<0.001	0.001	<0.01	<0.001*	0.009
SB07	Oct-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	0.004	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB08	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.004	<0.001	0.002	<0.0001	<0.001	0.063	<0.01	<0.001*	<0.005
SB08	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.011	<0.001	0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB08	Jul-24	<0.01	<0.001	0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB08	Oct-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.002	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB09	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	<0.001	<0.001	0.335	<0.0001	0.001	0.015	<0.01	<0.001*	<0.005
SB09	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.306	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.013
SB09	Jul-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.466	<0.0001	0.001	<0.001	<0.01	<0.001*	<0.005
SB09	Oct-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	<0.001	<0.001	0.443	<0.0001	<0.001	0.001	<0.01	<0.001*	<0.005
SB10	Jan-24	<0.01	<0.001	0.001	0.16	<0.0001	<0.001	<0.001	<0.001	<0.001	0.074	<0.0001	0.002	<0.001	<0.01	<0.001*	<0.005
SB10	Apr-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.146	<0.0001	0.002	<0.001	<0.01	<0.001*	<0.005
SB10	Jul-24	<0.01	<0.001	0.001	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.024	<0.0001	0.001	<0.001	<0.01	<0.001*	<0.005
SB10	Oct-24	<0.01	<0.001	0.001	0.11	<0.0001	<0.001	<0.001	<0.001	<0.001	0.104	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB11	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	0.01	<0.001	0.023	<0.0001	<0.001	0.057	<0.01	<0.001*	<0.005
SB11	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.021	<0.001	0.006	<0.0001	<0.001	0.002	<0.01	<0.001*	<0.005
SB11	Jul-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.003	<0.001	0.01	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB11	Oct-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.004	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB15	Jan-24	<0.01	<0.001	<0.001	0.12	<0.0001	<0.001	<0.001	0.001	<0.001	0.008	<0.0001	<0.001	0.032	<0.01	<0.001*	<0.005
SB15	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.004	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.018
SB15	Jul-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	<0.001	<0.001	0.02	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
SB15	Oct-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	0.008	<0.001	0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
TR18	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	0.07	<0.001	0.042	<0.0001	0.001	0.021	<0.01	<0.001*	<0.005
TR18	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	0.032	<0.001	0.023	<0.0001	0.002	0.020	<0.01	<0.001*	0.009



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
TR18	Jul-24	<0.01	<0.001	<0.001	0.08	0.0001	<0.001	<0.001	0.033	<0.001	0.094	<0.0001	0.002	0.019	<0.01	<0.001*	0.008
TR18	Oct-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	0.101	<0.001	0.043	<0.0001	0.001	0.013	<0.01	<0.001*	<0.005
TR26	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	0.01	<0.001	0.07	<0.0001	0.002	0.014	<0.01	<0.001*	<0.005
TR26	Apr-24	<0.01	<0.001	<0.001	0.07	<0.0001	0.002	<0.001	<0.001	<0.001	0.033	<0.0001	0.005	0.017	<0.01	<0.001*	0.012
TR26	Jul-24	<0.01	<0.001	<0.001	0.11	0.0001	<0.001	<0.001	<0.001	<0.001	0.053	<0.0001	0.002	0.004	<0.01	<0.001*	0.007
TR26	Oct-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.106	<0.0001	0.001	0.004	<0.01	<0.001*	<0.005
TR35	Jan-24	<0.01	<0.001	<0.001	0.12	0.0002	0.002	0.007	1.24	<0.001	1.72	<0.0001	0.011	0.713	<0.01	<0.001*	0.015
TR35	Apr-24	<0.01	<0.001	<0.001	0.06	0.0004	0.002	0.010	1.730	<0.001	1.76	<0.0001	0.017	0.558	<0.01	<0.001*	0.030
TR35	Jul-24	<0.01	<0.001	0.001	0.08	0.0003	<0.001	0.011	7.09	<0.001	1.51	<0.0001	0.009	0.435	<0.01	<0.001*	0.02
TR35	Oct-24	<0.01	<0.001	<0.001	0.09	0.0004	<0.001	0.01	8.23	<0.001	1.44	<0.0001	0.01	0.308	<0.01	<0.001*	0.017
TR7	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	0.008	0.863	<0.001	0.637	<0.0001	0.002	0.39	<0.01	<0.001*	0.006
TR7	Apr-24	<0.01	<0.001	<0.001	<0.05	<0.0001	<0.001	0.004	0.346	<0.001	0.262	<0.0001	0.002	0.118	<0.01	<0.001*	0.006
TR7	Jul-24	<0.01	<0.001	<0.001	0.07	0.0001	<0.001	0.008	0.471	<0.001	0.526	<0.0001	0.003	0.272	<0.01	<0.001*	0.01
TR7	Oct-24	<0.01	<0.001	<0.001	0.07	0.0001	<0.001	0.004	1.59	<0.001	0.278	<0.0001	0.002	0.045	<0.01	<0.001*	<0.005
VKY034C	Jan-24	<0.01	<0.001	0.002	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.102	<0.0001	0.007	0.008	<0.01	<0.001*	<0.005
VKY034C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
VKY034C	Jul-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.003	<0.0001	<0.001	0.001	<0.01	<0.001*	0.005
VKY034C	Oct-24	<0.01	0.002	0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.005	0.006	<0.01	<0.001*	0.023
VKY035C	Jan-24	<0.01	<0.001	0.001	0.07	<0.0001	0.002	<0.001	<0.001	<0.001	0.329	<0.0001	0.007	0.006	<0.01	<0.001*	0.006
VKY035C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
VKY035C	Jul-24	<0.01	<0.001	0.002	<0.05	<0.0001	0.002	<0.001	<0.001	0.001	0.32	<0.0001	0.008	0.005	<0.01	<0.001*	0.008
VKY035C	Oct-24	<0.01	<0.001	<0.001	<0.05	<0.0001	0.002	<0.001	<0.001	<0.001	0.32	<0.0001	0.007	0.003	<0.01	<0.001*	<0.005
VKY036C	Jan-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.013	<0.0001	0.001	0.013	<0.01	<0.001*	<0.005
VKY036C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012




Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
VKY036C	Jul-24	<0.01	<0.001	0.008	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.153	<0.0001	0.004	0.005	<0.01	<0.001*	<0.005
VKY036C	Oct-24	<0.01	<0.001	0.007	0.09	<0.0001	<0.001	<0.001	<0.001	<0.001	0.157	<0.0001	0.003	0.004	<0.01	<0.001*	<0.005
VKY042C	Jan-24	<0.01	<0.001	<0.001	0.1	0.0001	<0.001	<0.001	0.006	<0.001	0.223	<0.0001	0.002	0.015	<0.01	<0.001*	0.014
VKY042C	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
VKY042C	Jul-24	<0.01	0.002	<0.001	0.07	0.001	<0.001	0.004	0.008	<0.001	0.217	<0.0001	0.001	0.038	<0.01	<0.001*	0.033
VKY042C	Oct-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	0.001	<0.001	0.213	<0.0001	<0.001	0.003	<0.01	<0.001*	<0.005
VKY043C	Jan-24	<0.01	<0.001	<0.001	0.11	<0.0001	<0.001	<0.001	<0.001	<0.001	0.005	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
VKY043C	Apr-24	<0.01	<0.001	<0.001	0.06	<0.0001	<0.001	<0.001	<0.001	<0.001	0.004	<0.0001	<0.001	0.002	<0.01	<0.001*	0.006
VKY043C	Jul-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	0.002	<0.001	<0.001	<0.0001	<0.001	<0.001	<0.01	<0.001*	<0.005
VKY043C	Oct-24	<0.01	<0.001	<0.001	0.07	<0.0001	<0.001	<0.001	0.002	<0.001	0.004	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.006
VNW223	Oct-24	<0.01	0.001	<0.001	0.07	<0.0001	<0.001	<0.001	0.011	<0.001	0.013	<0.0001	<0.001	0.003	<0.01	<0.001*	0.023
VNW390	Jan-24	<0.01	<0.001	<0.001	0.14	<0.0001	<0.001	<0.001	0.005	<0.001	0.003	<0.0001	<0.001	0.002	<0.01	<0.001*	0.026
VNW390	Apr-24	<0.01	<0.001	0.002	0.09	<0.0001	<0.001	0.002	<0.001	<0.001	0.239	<0.0001	<0.001	0.002	<0.01	<0.001*	0.007
VNW390	Jul-24	<0.01	<0.001	0.002	0.12	0.0001	<0.001	0.003	<0.001	<0.001	0.298	<0.0001	0.005	0.036	<0.01	<0.001*	<0.005
VNW390	Oct-24	<0.01	<0.001	0.003	0.12	<0.0001	<0.001	0.002	<0.001	<0.001	0.321	<0.0001	0.002	0.016	<0.01	<0.001*	0.008
VNW391	Jan-24	<0.01	<0.001	<0.001	0.13	<0.0001	<0.001	<0.001	0.001	<0.001	0.006	<0.0001	<0.001	<0.001	<0.01	<0.001*	0.006
VNW391	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.225	<0.0001	0.001	0.007	<0.01	<0.001*	0.013
VNW391	Jul-24	<0.01	0.002	<0.001	0.11	0.0003	<0.001	<0.001	<0.001	0.002	0.246	<0.0001	<0.001	0.006	<0.01	<0.001*	0.018
VNW391	Oct-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.266	<0.0001	<0.001	0.004	<0.01	<0.001*	<0.005
VNW392	Jan-24	<0.01	<0.001	0.001	0.12	<0.0001	<0.001	0.003	<0.001	<0.001	0.333	<0.0001	0.002	0.02	<0.01	<0.001*	0.008
VNW392	Apr-24	<0.01	<0.001	0.001	0.07	<0.0001	<0.001	0.003	<0.001	<0.001	0.315	<0.0001	0.002	0.014	<0.01	<0.001*	<0.005
VNW392	Jul-24	<0.01	<0.001	0.002	0.1	<0.0001	<0.001	0.003	<0.001	<0.001	0.286	<0.0001	0.002	0.01	<0.01	<0.001*	0.007
VNW392	Oct-24	<0.01	<0.001	<0.001	0.09	<0.0001	<0.001	0.003	<0.001	<0.001	0.275	<0.0001	0.002	0.008	<0.01	<0.001*	<0.005
VNW393	Jan-24	<0.01	<0.001	<0.001	0.1	<0.0001	<0.001	<0.001	<0.001	<0.001	0.092	<0.0001	0.003	<0.001	<0.01	<0.001*	<0.005



Bore ID	Date	Aluminium	Antimony	Arsenic	Boron	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Zinc
VNW393	Apr-24	<0.01	<0.001	<0.001	0.05	<0.0001	<0.001	<0.001	<0.001	<0.001	0.15	<0.0001	0.005	0.005	<0.01	<0.001*	<0.005
VNW393	Jul-24	<0.01	<0.001	0.001	0.09	0.0001	<0.001	<0.001	<0.001	<0.001	0.181	<0.0001	0.004	0.006	<0.01	<0.001*	0.005
VNW393	Oct-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	<0.001	<0.001	0.193	<0.0001	0.005	0.01	<0.01	<0.001*	<0.005
VNW394	Jan-24	<0.01	<0.001	0.007	0.1	<0.0001	<0.001	0.011	<0.001	<0.001	2.12	<0.0001	0.003	0.035	<0.01	<0.001*	0.007
VNW394	Apr-24	<0.01	<0.001	0.006	<0.05	<0.0001	<0.001	0.002	<0.001	<0.001	1.27	<0.0001	0.003	0.006	<0.01	<0.001*	<0.005
VNW394	Jul-24	<0.01	<0.001	0.005	0.07	<0.0001	<0.001	0.002	<0.001	<0.001	0.982	<0.0001	0.002	0.007	<0.01	<0.001*	0.013
VNW394	Oct-24	0.02	<0.001	0.005	0.07	<0.0001	<0.001	0.002	0.001	<0.001	0.332	<0.0001	0.002	0.014	<0.01	<0.001*	0.007
VNW395	Jan-24	<0.01	<0.001	0.001	0.08	<0.0001	<0.001	<0.001	0.002	<0.001	0.032	<0.0001	<0.001	0.001	<0.01	<0.001*	<0.005
VNW395	Apr-24	<0.01	<0.001	0.001	0.0575	<0.0001	<0.001	0.00125	0.00625	<0.001	0.125	<0.0001	0.00575	0.2285	<0.01	<0.001*	0.007
VNW395	Jul-24	<0.01	<0.001	0.001	0.06	<0.0001	<0.001	0.001	0.007	0.002	0.071	<0.0001	0.008	0.371	<0.01	<0.001*	0.016
VNW395	Oct-24	<0.01	0.001	<0.001	0.06	<0.0001	<0.001	<0.001	0.009	<0.001	0.006	<0.0001	0.004	0.347	<0.01	<0.001*	0.012
WR1	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
WR1	Jul-24	<0.01	<0.001	0.001	0.15	0.0003	<0.001	<0.001	0.001	0.002	0.122	0.0017	0.002	0.037	<0.01	<0.001*	0.014
WR1	Oct-24	<0.01	<0.001	0.002	0.16	0.0002	<0.001	<0.001	0.005	<0.001	0.065	0.0046	0.002	0.024	<0.01	0.001	0.007
WR2	Apr-24	<0.01	<0.001	<0.001	0.08	<0.0001	<0.001	<0.001	0.001	<0.001	0.224	<0.0001	<0.001	0.004	<0.01	<0.001*	0.012
WR2	Jul-24	<0.01	<0.001	<0.001	0.09	0.0001	<0.001	0.008	<0.001	<0.001	0.724	<0.0001	0.022	0.118	<0.01	<0.001*	<0.005
WR2	Oct-24	<0.01	<0.001	0.001	0.11	<0.0001	0.001	0.018	<0.001	<0.001	1.73	<0.0001	0.008	0.087	<0.01	<0.001*	0.009

*Limit of reporting value is higher than DGV value. Red text shows exceedance of ANZECC Default Guideline Values.





Making Sustainability Happen